

Foodservice, Supermarket & Hospitality Storage Systems



FREESTYLE MODULAR

www.spgusa.com

EXPECT MORE



STORAGE PRODUCTS GROUP

Freestyle™ Modular by SPG

We manufacture great products at our facilities — and create efficient solutions for yours.

Freestyle shelving and workstations provide incredible strength, offer exceptional flexibility and allow you to create a highly customizable solution that's right for your needs. The cantilevered design uses no front uprights — so Freestyle shelving offers greater accessibility to supplies, while Freestyle workstations provide kitchen staff with unrestricted reach and movement.

When you're looking to expand or reconfigure, Freestyle add-on units share a common upright with the existing system — to save you both space and money.

Freestyle isn't alone in the quest to provide you with stronger, more efficient and flexible foodservice equipment. In fact, it is only one of six SPG lines dedicated to serving the foodservice industry. Along with ISS, AMCO, Kelmax, Universal Stainless and LPI, SPG offers your operation the most comprehensive line of foodservice equipment available anywhere.

At SPG, we match the quality of our products with superior service. That means fast, efficient delivery of your order —

and it also means that we'll work with you to evaluate your space, understand your needs, and uncover opportunities to maximize the efficiency and economy of your operation. Then, based on your input, we'll help you select the right products or create unique solutions, and incorporate them into a design that optimizes the functionality of your space, increases the efficiency of your staff, and maximizes the long-term value of your investment. You can always Expect More from SPG.

For customer service and more information, contact us toll-free:

877.503.4SPG
(877.503.4774)


SPGUSA.com



Most of the foodservice products we manufacture meet NSF standards. For specific items, visit www.nsf.org.

Table of Contents

4	Overview	11	Shelf & Counter Covers
5	Customization Options	13	Hanger Rails & Bins
6	Standard Frame Kits	14	Baskets, Hooks & Holders
7	Add-On Frame Kits	15	Terms & Conditions
8	Shelves		



We have manufacturing and distribution facilities throughout the United States and Mexico.

CANTILEVER WORKSTATIONS

Overview

- Freestyle® cantilevered shelving system is the ultimate in organization, accessibility and workspace. It is versatile, strong, durable, adjustable, and NSF certified
- With a wide variety of components, workstations can be customized to maximize kitchen operations. Freestyle® Workstations are ideal for:
 - Food prep and assembly
 - Drive-thru areas
 - Warewashing
- All standard equipment is suitable on these workstations, including steamers, microwaves, refrigeration units and more
- Freestyle® can also be used as storage units in coolers, freezers, and dry storage
- Since the cantilever design has no front uprights, accessibility and productivity are improved
- Freestyle® is heavy duty, but more versatile than fabricated stainless. It is modular and easily adjustable, and can be modified to accommodate future expansions
 - It can be easily expanded side to side with the exclusive Freestyle® Add-On units which share a common upright with the existing system, thereby saving space
 - Shelves have a convenient integrated shelf and bracket design which is easy to install and can be adjusted on 2" increments
 - Three styles of shelf covers and a full complement of accessories allow customization
- Freestyle® provides incredible strength and stability for a freestanding unit. Each shelf has a load bearing capacity of 600 lbs with a unit rating of 1,800 lbs for cantilevered shelves and 1,000 lbs capacity on the bottom shelf - for a total unit capacity of 2,800 lbs
- Freestyle® is made of high strength steel with durable epoxy based coating. Three finishes are available: Grey Bond®, Gold Bond® and Polygard® Blue. All offer protection in high moisture and dry environments
- Each finish involves a three-step process applied to plating quality wire and steel:
 1. Zinc plating
 2. Rust inhibiting chromate seal
 3. Electrostatically applied baked-on antimicrobial polymer coating



Freedom in Efficiency®



Drive-Thru



Prep Station



Service Counter



Storage Units

The Freestyle® system is warranted to be free from manufacturing defects for one year from the date of shipment.


Create a Customized Workstation Today!

Freedom in Efficiency®




Step 1: Frame Kit

Select a Standard Frame Kit. Include an Add-On Frame Kit if side to side expansion is needed.




Step 2: Shelves

Select the size, type, and quantities of shelves. Standard and Bottom shelves are available. Bottom shelf is not required for stability.




Step 3: Shelf Covers

Select optional shelf covers to accommodate kitchen applications. No shelf cover is needed for dunnage. When flat work surface is needed, or for storing smaller items, choose from three types of shelf covers: wire, solid and counter covers.



Step 4: Accessories

Select hanger rails and accessories. Additional accessories are available in the Wall Systems and Speed of Service sections of the catalog.




FRAME KITS

Standard Frame Kit

- Kit includes 2 uprights, 2 angle spreaders, 1 cross brace assembly and 1 hardware package
- Uprights are notched on 2" increments for maximum flexibility for shelves and accessories
- Not shown: Kits are also available in 34", 54", 62" and 86" heights, as well as 18" and 24" lengths. Please contact factory

Model No.*	H x W x L		Weight	
	(In.)	(mm.)	(Lbs.)	(Kg.)
18" Width				
FSF741830	74 x 18 x 30	1880 x 457 x 762	60.37	27.35
FSF741836	74 x 18 x 36	1880 x 457 x 914	61.75	27.98
FSF741842	74 x 18 x 42	1880 x 457 x 1067	63.14	28.61
FSF741848	74 x 18 x 48	1880 x 457 x 1219	64.55	29.25
FSF741854	74 x 18 x 54	1880 x 457 x 1372	65.96	29.89
FSF741860	74 x 18 x 60	1880 x 457 x 1524	67.38	30.53
21" Width				
FSF742130	74 x 21 x 30	1880 x 533 x 762	61.96	28.07
FSF742136	74 x 21 x 36	1880 x 533 x 914	63.34	28.70
FSF742142	74 x 21 x 42	1880 x 533 x 1067	64.73	29.33
FSF742148	74 x 21 x 48	1880 x 533 x 1219	66.14	29.97
FSF742154	74 x 21 x 54	1880 x 533 x 1372	67.55	30.61
FSF742160	74 x 21 x 60	1880 x 533 x 1524	68.97	31.25
24" Width				
FSF742430	74 x 24 x 30	1880 x 610 x 762	63.56	28.80
FSF742436	74 x 24 x 36	1880 x 610 x 914	64.93	29.42
FSF742442	74 x 24 x 42	1880 x 610 x 1067	66.33	30.05
FSF742448	74 x 24 x 48	1880 x 610 x 1219	67.73	30.69
FSF742454	74 x 24 x 54	1880 x 610 x 1372	69.14	31.33
FSF742460	74 x 24 x 60	1880 x 610 x 1524	70.56	31.97
30" Width				
FSF743030	74 x 30 x 30	1880 x 762 x 762	66.74	30.24
FSF743036	74 x 30 x 36	1880 x 762 x 914	68.12	30.87
FSF743042	74 x 30 x 42	1880 x 762 x 1067	69.51	31.49
FSF743048	74 x 30 x 48	1880 x 762 x 1219	70.92	32.13
FSF743054	74 x 30 x 54	1880 x 762 x 1372	72.33	32.77
FSF743060	74 x 30 x 60	1880 x 762 x 1524	73.75	33.42



Standard Frame Kit

*Select a finish. Add suffix to model number.

Finish	Suffix
Grey Bond®	E
Polygard® (Blue)	PG
Gold Bond®	Y

Add-On Frame Kit

- For side to side expansion, Add-On Frame attaches to upright on standard frame
- Kit includes 1 upright, 2 angle spreaders, 1 cross brace assembly and 1 hardware package
- Not shown: Kits are also available in 34", 54", 62" and 86" heights, as well as 18" and 24" lengths. Please contact factory

Model No.*	H x W x L		Weight	
	(In.)	(mm.)	(Lbs.)	(Kg.)
18" Width				
FSFA741830	74 x 18 x 30	1880 x 457 x 762	34.02	15.41
FSFA741836	74 x 18 x 36	1880 x 457 x 914	35.39	16.04
FSFA741842	74 x 18 x 42	1880 x 457 x 1067	36.79	16.67
FSFA741848	74 x 18 x 48	1880 x 457 x 1219	38.19	17.30
FSFA741854	74 x 18 x 54	1880 x 457 x 1372	39.60	17.94
FSFA741860	74 x 18 x 60	1880 x 457 x 1524	41.02	18.59
21" Width				
FSFA742130	74 x 21 x 30	1880 x 533 x 762	34.81	15.77
FSFA742136	74 x 21 x 36	1880 x 533 x 914	36.19	16.40
FSFA742142	74 x 21 x 42	1880 x 533 x 1067	37.58	17.03
FSFA742148	74 x 21 x 48	1880 x 533 x 1219	38.99	17.67
FSFA742154	74 x 21 x 54	1880 x 533 x 1372	40.40	18.31
FSFA742160	74 x 21 x 60	1880 x 533 x 1524	41.82	18.95
24" Width				
FSFA742430	74 x 24 x 30	1880 x 610 x 762	35.61	16.13
FSFA742436	74 x 24 x 36	1880 x 610 x 914	36.98	16.76
FSFA742442	74 x 24 x 42	1880 x 610 x 1067	38.38	17.39
FSFA742448	74 x 24 x 48	1880 x 610 x 1219	39.78	18.02
FSFA742454	74 x 24 x 54	1880 x 610 x 1372	41.20	18.67
FSFA742460	74 x 24 x 60	1880 x 610 x 1524	42.61	19.31
30" Width				
FSFA743030	74 x 30 x 30	1880 x 762 x 762	37.20	16.86
FSFA743036	74 x 30 x 36	1880 x 762 x 914	38.58	17.48
FSFA743042	74 x 30 x 42	1880 x 762 x 1067	39.97	18.11
FSFA743048	74 x 30 x 48	1880 x 762 x 1219	41.38	18.75
FSFA743054	74 x 30 x 54	1880 x 762 x 1372	42.79	19.39
FSFA743060	74 x 30 x 60	1880 x 762 x 1524	44.21	20.03



Add-On Frame Kit

*Select a finish. Add suffix to model number.

Finish	Suffix
Grey Bond®	E
Polygard® (Blue)	PG
Gold Bond®	Y

SHELVES

Standard Shelves

- Unique one-piece shelf and bracket design allows for easy set-up and adjustments
- Use shelf as is, or add a shelf cover
- Not shown: Also available in 14" width and 18" and 24" lengths. Please contact factory

Model No.*	W x L		Weight	
	(In.)	(mm.)	(Lbs.)	(Kg.)
18" Width				
FS1830	18 x 30	457 x 762	8.80	3.99
FS1836	18 x 36	457 x 914	9.95	4.51
FS1842	18 x 42	457 x 1067	11.10	5.03
FS1848	18 x 48	457 x 1219	12.25	5.55
FS1854	18 x 54	457 x 1372	16.85	7.63
FS1860	18 x 60	457 x 1524	18.38	8.33
21" Width				
FS2130	21 x 30	533 x 762	9.31	4.22
FS2136	21 x 36	533 x 914	10.46	4.74
FS2142	21 x 42	533 x 1067	11.61	5.26
FS2148	21 x 48	533 x 1219	12.76	5.78
FS2154	21 x 54	533 x 1372	17.36	7.87
FS2160	21 x 60	533 x 1524	18.89	8.56
24" Width				
FS2430	24 x 30	610 x 762	11.74	5.32
FS2436	24 x 36	610 x 914	13.27	6.01
FS2442	24 x 42	610 x 1067	14.80	6.71
FS2448	24 x 48	610 x 1219	16.33	7.40
FS2454	24 x 54	610 x 1372	17.87	8.10
FS2460	24 x 60	610 x 1524	19.40	8.79
30" Width				
FS3030	30 x 30	762 x 762	12.76	5.78
FS3036	30 x 36	762 x 914	14.29	6.47
FS3042	30 x 42	762 x 1067	15.82	7.17
FS3048	30 x 48	762 x 1219	17.35	7.86
FS3054	30 x 54	762 x 1372	18.88	8.55
FS3060	30 x 60	762 x 1524	20.42	9.25



Standard Shelf

*Select a finish. Add suffix to model number.

Finish	Suffix
Grey Bond®	E
Polygard® (Blue)	PG
Gold Bond®	Y

Bottom Shelves

- Optional bottom shelf supports heavier weight loads – up to 1,000 lbs per shelf. (It is not required for workstation stability)
- Not shown: Also available in 18" width and 18" and 24" lengths. Please contact factory

Model No.*	W x L		Weight	
	(In.)	(mm.)	(Lbs.)	(Kg.)
21" Width				
FSB2130	21 x 30	533 x 762	10.26	4.65
FSB2136	21 x 36	533 x 914	11.79	5.34
FSB2142	21 x 42	533 x 1067	13.33	6.04
FSB2148	21 x 48	533 x 1219	14.86	6.73
FSB2154	21 x 54	533 x 1372	19.84	8.99
FSB2160	21 x 60	533 x 1524	21.75	9.85
24" Width				
FSB2430	24 x 30	610 x 762	10.63	4.82
FSB2436	24 x 36	610 x 914	12.17	5.51
FSB2442	24 x 42	610 x 1067	13.70	6.21
FSB2448	24 x 48	610 x 1219	15.23	6.90
FSB2454	24 x 54	610 x 1372	21.21	9.61
FSB2460	24 x 60	610 x 1524	22.12	10.02
30" Width				
FSB3030	30 x 30	762 x 762	10.63	4.82
FSB3036	30 x 36	762 x 914	12.17	5.51
FSB3042	30 x 42	762 x 1067	13.70	6.21
FSB3048	30 x 48	762 x 1219	15.23	6.90
FSB3054	30 x 54	762 x 1372	20.21	9.61
FSB3060	30 x 60	762 x 1524	22.12	10.02



Bottom Shelf

*Select a finish. Add suffix to model number.

Finish	Suffix
Grey Bond®	E
Polygard® (Blue)	PG
Gold Bond®	Y

Landing Shelves and Slanted Shelves

Also offered, but not shown:

- Landing Shelf: for use in prep lines, especially with Hot Wells
- Slanted Shelf: helps keep goods towards the front of the shelf and provides easy access when used as a top shelf
- Please contact factory



Landing Shelf



Slanted Shelf

SHELF COVERS

Standard Wire Shelf Covers

- Optional wire cover allows for storage of smaller items and provides air circulation
- Fits Standard and Bottom Shelves
- Not shown: Also available in 14" width and 18" and 24" lengths. Please contact factory

Model No.*	W x L		Weight	
	(In.)	(mm.)	(Lbs.)	(Kg.)
18" Width				
FSCW1830	18 x 30	457 x 762	3.93	1.78
FSCW1836	18 x 36	457 x 914	4.53	2.05
FSCW1842	18 x 42	457 x 1067	5.04	2.28
FSCW1848	18 x 48	457 x 1219	5.55	2.51
FSCW1854	18 x 54	457 x 1372	6.06	2.75
FSCW1860	18 x 60	457 x 1524	6.57	2.98
21" Width				
FSCW2130	21 x 30	533 x 762	4.28	1.94
FSCW2136	21 x 36	533 x 914	4.97	2.25
FSCW2142	21 x 42	533 x 1067	5.55	2.51
FSCW2148	21 x 48	533 x 1219	6.13	2.78
FSCW2154	21 x 54	533 x 1372	6.72	3.04
FSCW2160	21 x 60	533 x 1524	7.30	3.31
24" Width				
FSCW2430	24 x 30	610 x 762	4.64	2.10
FSCW2436	24 x 36	610 x 914	5.40	2.45
FSCW2442	24 x 42	610 x 1067	6.06	2.75
FSCW2448	24 x 48	610 x 1219	6.72	3.04
FSCW2454	24 x 54	610 x 1372	7.37	3.34
FSCW2460	24 x 60	610 x 1524	8.03	3.64
30" Width				
FSCW3030	30 x 30	762 x 762	5.34	2.42
FSCW3036	30 x 36	762 x 914	6.28	2.85
FSCW3042	30 x 42	762 x 1067	7.08	3.21
FSCW3048	30 x 48	762 x 1219	7.89	3.57
FSCW3054	30 x 54	762 x 1372	8.69	3.94
FSCW3060	30 x 60	762 x 1524	9.49	4.30



Standard Wire Shelf Cover

*Select a finish. Add suffix to model number.

Finish	Suffix
Grey Bond®	E
Polygard® (Blue)	PG
Gold Bond®	Y

Standard Solid Shelf Covers

- Flat surface prevents liquids from spilling below
- Easily detachable from shelf for cleaning
- Fits Standard and Bottom Shelves
- Available in Stainless Steel finish only
- Not shown: Also available in 14" width and 18" and 24" lengths.
Please contact factory

Model No.	W x L		Weight	
	(In.)	(mm.)	(Lbs.)	(Kg.)
18" Width				
FSCS1830S	18 x 30	457 x 762	10.65	4.83
FSCS1836S	18 x 36	457 x 914	12.58	5.70
FSCS1842S	18 x 42	457 x 1067	14.52	6.58
FSCS1848S	18 x 48	457 x 1219	16.45	7.45
FSCS1854S	18 x 54	457 x 1372	18.39	8.33
FSCS1860S	18 x 60	457 x 1524	20.33	9.21
21" Width				
FSCS2130S	21 x 30	533 x 762	12.33	5.59
FSCS2136S	21 x 36	533 x 914	14.57	6.60
FSCS2142S	21 x 42	533 x 1067	16.81	7.62
FSCS2148S	21 x 48	533 x 1219	19.05	8.63
FSCS2154S	21 x 54	533 x 1372	21.29	9.65
FSCS2160S	21 x 60	533 x 1524	23.53	10.66
24" Width				
FSCS2430S	24 x 30	610 x 762	14.01	6.35
FSCS2436S	24 x 36	610 x 914	16.56	7.50
FSCS2442S	24 x 42	610 x 1067	19.10	8.65
FSCS2448S	24 x 48	610 x 1219	21.65	9.81
FSCS2454S	24 x 54	610 x 1372	24.20	10.97
FSCS2460S	24 x 60	610 x 1524	26.74	12.12
30" Width				
FSCS3030S	30 x 30	762 x 762	17.37	7.87
FSCS3036S	30 x 36	762 x 914	20.53	9.30
FSCS3042S	30 x 42	762 x 1067	23.69	10.73
FSCS3048S	30 x 48	762 x 1219	26.85	12.17
FSCS3054S	30 x 54	762 x 1372	30.00	13.59
FSCS3060S	30 x 60	762 x 1524	33.16	15.02




Standard Solid Shelf Cover

SHELF COVERS

Counter Covers

- Work surface with covered sides
- Easy to clean
- Fits Standard Shelves only
- Available with or without backsplash
- Stainless Steel finish only
- Not shown: Also available in 24" width and 18" and 24" lengths.
Please contact factory

Model No.	W x L		Weight	
	(In.)	(mm.)	(Lbs.)	(Kg.)
With Backsplash				
FSCC3030BS4S	30 x 30	762 x 762	22.97	10.41
FSCC3036BS4S	30 x 36	762 x 914	26.34	11.93
FSCC3042BS4S	30 x 42	762 x 1067	29.70	13.46
FSCC3048BS4S	30 x 48	762 x 1219	33.06	14.98
FSCC3054BS4S	30 x 54	762 x 1372	36.42	16.50
FSCC3060BS4S	30 x 60	762 x 1524	39.78	18.02



Counter Cover
with Backsplash

Economy Knock Down
Pan Rack
APRE2018-3/KDA

Hanger Rail

- Hanger Rail attaches to uprights, and all other accessories attach to this
- Hanger Rail can also be used as a shelf backstop
- Other accessories also available in Wall Systems and Speed of Service sections of catalog

Model No.*	Length		Weight	
	(In.)	(mm.)	(Lbs.)	(Kg.)
FSHR18	18	457	3.02	1.37
FSHR24	24	610	4.03	1.83
FSHR30	30	762	5.04	2.28
FSHR36	36	914	6.05	2.74
FSHR42	42	1067	7.06	3.20
FSHR48	48	1219	8.07	3.66
FSHR54	54	1372	9.07	4.11
FSHR60	60	1524	10.08	4.57



Hanger Rail

*Select a finish. Add suffix to model number.

Finish	Suffix
Grey Bond®	E
Polygard® (Blue)	PG
Gold Bond®	Y

Bins

Model No.	Color	L x W x H		Weight	
		(In.)	(mm.)	(Lbs.)	(Kg.)
ISS30230B	Blue	11 x 5 ¹ / ₂ x 5	279 x 140 x 127	0.6	0.3
ISS30230E	Grey	11 x 5 ¹ / ₂ x 5	279 x 140 x 127	0.6	0.3
ISS30235B	Blue	11 x 11 x 5	279 x 279 x 127	0.9	0.4
ISS30235E	Grey	11 x 11 x 5	279 x 279 x 127	0.9	0.4
ISS30240B	Blue	14 ³ / ₄ x 8 ¹ / ₄ x 7	375 x 210 x 178	1.4	0.6
ISS30250B	Blue	14 ³ / ₄ x 16 ¹ / ₂ x 7	375 x 419 x 178	2.3	1.1
ISS30128R	Red	17 ³ / ₄ x 4 ¹ / ₈ x 4	451 x 105 x 102	0.5	0.2



Bin

ACCESSORIES

Grid Baskets

Model No.*	W x L x H		Weight	
	(In.)	(mm.)	(Lbs.)	(kg.)
GB12246	12 x 24 x 6	305 x 610 x 150	3 ³ / ₄	1.7
GB12186	12 x 18 x 6	305 x 457 x 150	3	1.4
GB18143	18 x 14 x 3	457 x 355 x 76	3	1.4
GBSPRINK	5 x 12 x 4	126 x 305 x 102	1	0.5
GB4418R1	4 x 4 x 18	102 x 102 x 457	1 ¹ / ₂	0.7
GB12106	12 x 10 x 6	305 x 254 x 150	2 ¹ / ₂	1.1




Grid Basket

Hooks & Holders

Model No.*	Description	W x L		Weight	
		(In.)	(mm.)	(Lbs.)	(Kg.)
HOOK24	24" Hook with seven 6" prongs	7 x 23 ³ / ₄ x 6 ¹ / ₂	182 x 603 x 165	1 ³ / ₄	0.8
HOOK12	12" Hook with four 6" prongs	7 x 12 x 6 ¹ / ₂	182 x 305 x 165	1	0.5
PHK	Pot Hook	—	—	—	—
GRSPOOD	Spoodle Holder	3 x 10	76 x 254	1	0.5
GRSCOOP	Scoop Holder	5 x 10	127 x 257	1 ¹ / ₄	0.6

*Select a finish. Add suffix to model number.

Finish	Suffix
Grey Bond®	E
Polygard® (Blue)	PG
Gold Bond®	Y



24" Hook



Spoodle Holder



Scoop Holder

Order Terms and Conditions

- Orders can be submitted via EDI, email or fax and are subject to acceptance by the factory.
- Credit card orders are accepted.
- All prices, specifications and discounts are subject to change without notice.
- Payment terms are net 30, unless otherwise stated for established accounts.
- Accounts will be established once satisfactory credit references are confirmed.
- Any applicable federal, state, or local sales tax will be added to the prices.
- We will not break cartons, where applicable.
- Possession of price list does not constitute an offer to sell.

Minimum Orders

- Minimum order is \$150.00 net.
- A \$35.00 service charge may be added for orders less than minimum.

Quotations and Custom Fabrication

- Quotations are valid for 30 days, unless otherwise stated.
- Drawings for custom items must be signed and will be accepted as correct. Any errors arising from same will be the responsibility of the customer.
- Made to order items are not returnable.

FOB Shipping Points

- FOB locations are by brand:
 - AMCO, ISS, LPI, Freestyle: Covington, GA
 - Kelmax: Stone Mountain, GA, Valencia, CA
 - Universal Stainless: Aurora, CO
- We reserve the right to split orders based on the FOB shipping point.

Freight Terms and Conditions

- Freight, service and handling charges are not subject to discount.
- Freight carriers will be chosen by the factory unless Purchase Order specifies customer carrier and includes Prepaid & Add with third party billing address
- While Seller will use all reasonable commercial efforts to maintain the delivery date acknowledged or quoted by the Seller, all shipping dates are approximates.
- We are not responsible for any delays in delivery which are beyond our control such as fires, strikes, floods, delays in transportation or any contingencies of similar character.
- Freight claims for damages are the responsibility of the customer and all claims must be filed by the customer with the carrier promptly.
- All claims for shortages must be brought to our attention within five (5) days from the date the merchandise is received.
- Kelmax Freight Classes are based on descriptions and generalizations provided by the National Motor Freight Traffic Association, January 2007 catalog. These classes are subject to interpretation by shipper and carrier.

Special Handling Charges

- Customers will be billed for trucking company charges that are due to special requests made by the customer, including:
 - Notifying customer before making a delivery
 - Requiring a Lift Gate Truck
 - Making deliveries during specific hours

Return Policy

- The minimum value of returned merchandise must be \$100 net
- Contact the factory for written approval to return merchandise
- Merchandise authorized to be returned must be shipped prepaid and is subject to a 25% restocking charge
- Returned goods must be received within 30 days of purchase
- Returned merchandise must be returned in the original, unopened and resalable packaging.
- All merchandise must have a Return Goods Authorization number to assure proper credit and must be noted on the shipping label and bill of lading.
- Certain products, such as those made to order, are not returnable. Contact Customer Service for the policy concerning specific products.

Cancellations

- Cancellations are not accepted on orders in transit or on custom equipment in production

Warranty

- Contact factory for Warranty information.

Note: Due to continuous product improvements, specifications and prices are subject to change.

EXPECT MORE



STORAGE PRODUCTS GROUP

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)
www.spgusa.com