

## More choices and superior performance to really get your business rolling.

What sets SPG carts apart from all the rest? Unique design features, quality construction, value driven price points, generous capacities, proven durability, unique models designed for specific applications, and versatile models engineered to handle any job you've got. We make all of this available to you.

But, what really sets our carts apart is the company that brings them to you. Beyond a broad selection, beyond the ruggedness, quality, and low cost, we offer you superior service that can rush you the equipment you need, and the technical support so essential both before and after purchase.

On the following pages, you'll discover our vast line-up of carts. Of course, you'll find them just about anywhere—in warehouses, distribution centers, factories, laboratories, foodservice operations, healthcare institutions, retail back-rooms, and more.

While our carts are very competitively priced, they're also resistance welded for greater strength and offer you important performance advantages—such as our unique quick release caster bracket for fast, easy bolt-on replacement of casters.

Our broad product range includes:

- Stock carts and trucks
- Industrial carts for pipe, lumber and cylinders
- Pallet trucks
- Lift trucks & tables
- U boats
- Platform trucks
- Wire and stainless steel carts
- Security units
- Mobile workbenches
- Mail carts

*Expect More...*

The right price. The best service. Superior performance. Rugged durability. When it comes to getting your business rolling, SPG offers you everything you need.



## STOCK CARTS

### Rolling Service Stock Carts

- Made of heavy gauge steel
- Standard push handles
- Unique quick release keyslot caster brackets with two 5" rigid and two 5" swivel casters, rubber
- 2 or 3 shelf units with 1½" lip or 3" lip up
- 1,000 lb. capacity
- For smooth on and off loading, order lips down suffix "LD"
- Gray finish
- F.O.B. IL

#### With 1½" Lip Up

Model No.	D x W x H (In.)	Wt. (Lbs.)
<b>2 - Shelf Units</b>		
GRSC1830-2R	18 x 30 x 35	58
GRSC1836-2R	18 x 36 x 35	63
<b>3 - Shelf Units</b>		
GRSC1830-3R	18 x 30 x 35	73
GRSC1836-3R	18 x 36 x 35	85

#### With 3" Lip Up

Model No.	D x W x H (In.)	Wt. (Lbs.)
<b>2 - Shelf Units</b>		
G3RSC1630-2R	16 x 30 x 35	50
G3RSC1836-2R	18 x 36 x 35	75
<b>3 - Shelf Units</b>		
G3RSC1630-3R	16 x 30 x 35	80
G3RSC1836-3R	18 x 36 x 35	90

For additional colors, capacities & casters: Please contact factory.



With 1½" Lip Up



With 3" Lip Up

## Ladder Carts

- Heavy gauge steel
- 2-step spring loaded ladder standard, grips floor when stepped on
- Tiered shelf design standard to maximize space and maneuverability
- 2 rigid and 2 swivel 5" rubber casters
- 1½" lip up on all shelves
- Drawer option add suffix "D"
- Powder coat paint finish
- F.O.B. IL

Model No. Steel	O.A. Size D x W (In.)	No. of Shelves	Ladder Height (In.)	Topstep Height (In.)	Wt. (Lbs.)
GLC2036-2	20 x 41½	2	63	26	75
GLC2048-2	20 x 53½	2	63	26	90
GLC2048-3	20 x 53½	3	63	26	150



GLC2036-3D

## Multi-Bin Service Carts

- Heavy gauge steel
- 1,000 lb. capacity
- Provides double-sided access to supplies
- Comes standard with push handle and center brackets "to hang totes"
- 5" rubber casters feature our unique quick release keyslot caster brackets
- Gray finish
- F.O.B. IL

Model No.	D x W x H (In.)	No. & Size of Bins	Wt. (Lbs.)
GRSC2436BLP48-R	24 x 36 x 35	48-6"W x 11"L x 5"H	150
GRSC2436BLP-R	24 x 36 x 35	Without Bins	110
GRSC1836BLP-R	18 x 36 x 35	Without Bins	110
GRSC2442BLP24-R	24 x 42 x 35	24-8½"W x 10"L x 7"H	155
GRSC2442BLP-R	24 x 42 x 35	Without Bins	135



GRSC2436BLP48-R

## UTILITY CARTS

### 2-Shelf Shop Trucks

- Shelves made of heavy gauge steel
- 1,000 lb. capacity
- Ergonomic offset handle
- Unique quick release keyslot caster brackets standard
- 5" rubber casters standard (2 rigid and 2 swivel)
- Powder coat finish
- F.O.B. IL
- Top shelf is 25" above floor
- 16" bottom to top shelf opening

Model No.	D x W (In.)	Wt. (Lbs.)
GLD2430-R	24 x 30	84
GLD2436-R	24 x 36	94
GLD2442-R	24 x 42	105
GLD2448-R	24 x 48	109
GLD2460-R	24 x 60	120
GLD3042-R	30 x 42	125
GLD3048-R	30 x 48	126
GLD3060-R	30 x 60	140



GLD3042-R

### Drawer Service Carts

- 1,000 lb. capacity
- Two drawers 20"D x 14"W x 5"H with keylock. 1½" deep shelves. Push handle. Comes standard with 2-rigid and 2-swivel casters which mount in our quick release keyslot caster brackets
- Powder coat finish
- F.O.B. IL

Model No.	Description	D x W x H (In.)	Wt. (Lbs.)
GRSCDDS2236-R	2 side by side drawers	22 x 36 x 35	133
GRSCDBT6B2236-R	2 drawers, w/ 6 bins*	22 x 36 x 35	155
GRSCDB2236-R	2 drawers, no bins	22 x 36 x 35	133

\* 8-1/4 W x 14-3/4 D x 7" H



GRSCDDS2236-R



GRSCDBT6B2236-R



### Instrument Carts

- Shelves made of heavy gauge steel
- Available with 2 shelves or 3 shelves
- Top shelf has lips down
- Additional shelves have lips up
- Push handle on 3-shelf units
- Non-slip ribbed vinyl matting glued to metal shelf
- 8" fully pneumatic casters (2-rigid, 2-swivel)
- 1,000 lb. capacity
- 2 shelf unit is 29" to top shelf, with 16" shelf clearance
- 3 shelf unit is 55" to top shelf, with 20" shelf clearance
- Finish is tan
- F.O.B. IL.

2-Shelf			3-Shelf	
D x W (In.)	Model No.	Wt. (Lbs.)	Model No.	Wt. (Lbs.)
24 x 36	GLIC2436-2	105	GLIC2436-3	145
24 x 48	GLIC2448-2	114	GLIC2448-3	163
30 x 36	GLIC3048-2	131	GLIC3048-3	187
30 x 48	GLIC3060-2	165	GLIC3060-3	230



GLIC2436-3



GLIC2448-2



GSWB3060, Stationary Workbench

GSWB3060-D  
Stationary Workbench  
w/optional drawer

### Work Benches

- Made of heavy gauge steel
- Stationary or Mobile
- Top shelf with 1½" retaining wall on 3 sides, front side lip down for easy access
- Lower half shelf is 15" deep with 4" high back
- Heavy duty tubular corner construction
- 22" clearance between shelves
- 2-rigid and 2-swivel/brake 5" polyurethane casters
- Powder gray coat finish
- F.O.B. IL

Model No.	D x W x H (In.)	Description	Wt. (Lbs.)
GSWB3048	30 x 48 x 35	Stationary	135
GSWB3060	30 x 60 x 35	Stationary	145
GMWB3048	30 x 48 x 35	Mobile	140
GMWB3060	30 x 60 x 35	Mobile	150
GMWB3072	30 x 72 x 35	Mobile	170

\*Drawer will be placed in the middle of the bench unless specified.  
Add a "-D" after the model number.

GMWB3060  
Mobile Workbench

## 3-SIDED CARTS

### 3-Sided Carts

- Bases made of heavy gauge steel
- 1,400 lb. capacity
- Height is 48" above the deck
- Push handle
- Additional shelves available
- 2 swivel and 2 rigid 5" x 2" phenolic casters
- Orange finish
- F.O.B. IL

Model No.	D x W (In.)	Wt. (Lbs.)
GEX1836TS-ORN	18 x 36	115
GEX2442TS-ORN	24 x 42	130
GEX2448TS-ORN	24 x 48	137
GEX2454TS-ORN	24 x 54	141
GEX2460TS-ORN	24 x 60	147
GEX3042TS-ORN	30 x 42	175
GEX3048TS-ORN	30 x 48	190
GEX3054TS-ORN	30 x 54	205
GEX3060TS-ORN	30 x 60	220
GEX3072TS-ORN	30 x 72	250
GEX3660TS-ORN	36 x 60	250
GEX3672TS-ORN	36 x 72	273

### Additional Shelves

- Add suffix "2" or "3" after "TS" of model no. to indicate a total of 2 or 3 shelf unit.

Example: GEX1836TS3 = 2 additional shelves or 3 shelves total, including the bottom.



GEX2460TS



GEX1836TS3

## SHELF CART / STOCK TRUCK

## Open Portable Shelf Cart

- All welded construction made of 1" square tubing with 1/2" rods on sides and back
- Heavy gauge steel shelves slope from front to back
- 14" clearance between shelves
- Standard 6" x 2" polyurethane casters (2-swivel, 2-rigid)
- 2,400 lb. capacity.
- 61" overall height
- Red finish.
- F.O.B. IL.

Model No.	D x W x H (In.)	Wt. (Lbs.)
GOPT2236-RED	22 x 36 x 61	193
GOPT2278-RED	22 x 78 x 61	342
GOPT2442-RED	24 x 42 x 61	225
GOPT2448-RED	24 x 48 x 61	260
GOPT3048-RED	30 x 48 x 61	260
GOPT3060-RED	30 x 60 x 61	340
GOPT3072-RED	30 x 72 x 61	403
GOPT3672-RED	36 x 72 x 61	458



GOPT2448

## Double Sided Mesh Stock Truck

- Heavy gauge steel
- Shelves slope toward center
- 8" x 2" polyurethane casters in diamond pattern for maximum maneuverability
- Red finish
- F.O.B. IL.

Model No.	O.A. Size D x W x H (In.)	Shelf Width (In.)	Wt. (Lbs.)
GDSM2448	24 x 48 x 56	12	250
GDSM3048	30 x 48 x 56	15	290
GDSM3060	30 x 60 x 56	15	310





## GAS STORAGE

### Horizontal Storage Units

- Holds 20, 30, or 40 Lb. cylinders

### Gas Cylinder Storage Units

- All welded (SU) or Knocked Down (KD)
- Sides are 13-gauge expanded metal
- 16-gauge solid steel roof
- Corner posts are 12-gauge
- Padlock loop & hinges
- Pre-drilled legs to anchor to floor
- Painted safety yellow with red legend: "Flammable-Keep Away From Flame"
- Meets all OSHA requirements and NFPA standards
- KD Frt Class = 85
- Set-up Frt Class = 175
- F.O.B. IL. = (All)

### Vertical Storage Units

- Safety chains
- Holds cylinders up to 200 Lbs.

All Welded Set-up (SU) Model No.	Knocked Down (KD) Model No.	Cylinders Stored	D x W x H (In.)	Wt. (Lbs.)
<b>Horizontal Storage Unit</b>				
GCH4SU	GCH4KD	4	32 x 38 x 37	170
GCH8SU	GCH8KD	8	32 x 38 x 70	280
GCH12SU	GCH12KD	12	49 x 38 x 70	340
GCH16SU	GCH16KD	16	65 x 38 x 70	490
<b>Vertical Storage Unit</b>				
GCV510SU	GCV510KD	5-10	32 x 38 x 70	204
GCV1020SU	GCV1020KD	10-20	65 x 38 x 70	360



GCV1020SU



GCH8SU



### Smooth Steel Deck U Boat

- Heavy duty all steel channel construction
- Removable handles
- 6-wheel design for maximum maneuverability
- 4" Polyurethane swivel casters on ends
- Center casters 8" heavy duty mold-on-rubber
- F.O.B. IL

Model No.	Deck Size D x W x H (In.)	Capacity	Wt. (Lbs.)
GUBS1660-84PU	16 x 60 x 60	1800	102
GUBS2460-84PU	24 x 60 x 60	1800	123

optional shelf  
available

### Diamond Deck U Boat

- Heavy-Duty all steel construction
- Features one piece galvanized steel diamond plate deck
- Removable handles
- 6-wheel design for maximum maneuverability
- 4" polyurethane swivel casters on ends
- Center casters 8" heavy-duty mold-on rubber
- F.O.B. IL

Model No.	Deck Size D x W x H (In.)	Capacity	Wt. (Lbs.)
UBDG1660	16 x 60 x 60	1800	102
GUBDG2460-84PU	24 x 60 x 60	1800	123

### Wood Deck U Boat

- Heavy-Duty all steel construction
- Features wood (with protective finish) deck encased in steel
- Removable handles
- 6-wheel design for maximum maneuverability
- 4" polyurethane swivel casters on ends
- Center casters 8" heavy-duty mold-on rubber
- F.O.B. IL

Model No.	Deck Size D x W x H (In.)	Capacity	Wt. (Lbs.)
GUBW1660-84PU	16 x 60 x 60	2000	102
GUBW2460-84PU	24 x 60 x 60	2000	123



Smooth Steel Deck U Boat



Diamond Deck U Boat



Wood Deck U Boat

## PLATFORM TRUCKS

### All Steel Platform Truck

- 1,500 lb. Capacity
- Removable handle
- Gray finish
- 2-swivel and 2-rigid casters, rubber
- F.O.B. IL

Model No.	D x W (In.)	Wt. (Lbs.)
GHPT2436-R	24 x 36	80
GHPT2460-R	24 x 60	107
GHPT2848-R	28 x 48	107
GHPT3048-R	30 x 48	112
GHPT3648-R	36 x 48	134



GHPT2436-R

### Heavy Duty All-Welded Platform Truck

- 2,000 lb. Capacity
- Made of heavy gauge steel
- 2-swivel and 2-rigid 8" x 2" mold-on rubber wheels rated at 500 lbs. per caster
- Gray finish
- F.O.B. IL

Model No.	D x W (In.)	Wt. (Lbs.)
GHDPT2448 <sup>†</sup>	24 x 48	130
GHDPT3060 <sup>†</sup>	30 x 60	150



GHDPT2448

Call about our  
QUICK SHIP  
program

### Heavy Duty Red Hand Pallet Truck

- 7½" x 2" Polyurethane wheels with aluminum core dissipate heat for increased wheel life in high use applications
- Adjustable push rods and reinforced forks
- Articulating axle adjusts automatically to ensure load stability over uneven surfaces or small debris
- Powder coated red
- F.O.B. IL
- Frt. Class = 92.5 (6-units crated — with handles not attached)
- Frt. Class = 175 (handle already attached)
- Adjustable push rods and reinforced forks



Heavy Duty Hand Pallet Truck

Model No.	Fork Size W x L (In.)	Lowered Ht. (In.)	Wheel Size (In.)	Wt. (Lbs.)
IE2148-55HC	21 x 48	2.9	7.5 x 2	180
IE2748-55HC	27 x 48	2.9	7.5 x 2	180

Call about our  
**QUICK SHIP**  
program



## PALLET TRUCKS

## Corrosion Resistant Pallet Trucks

Whether it is a clean-room or a cold-room environment or a highly corrosive chemical application, or the unit simply needs to be washed down on a regular basis, the GILLIS Corrosion Resistant Pallet Trucks will do the job.

## Galvanized Pallet Truck

- For corrosion resistance as well as cold applications
- Ideal for use in freezers or coolers with temperatures down to -10° Fahrenheit as well as chemical exposure applications
- Hygienic, durable and easy to clean,
- 100% galvanized pump, handle, frame and components, and polyurethane wheels and rollers
- Widely used in meat processing, wineries, etc., and is well-suited for transporting goods in and out of freezers/ coolers.



ISSPT2748

## Stainless Steel Pallet Truck

- Features 100% stainless steel pump, handle, frame and component construction, with polyurethane wheels and rollers
- It offers maximum corrosion resistance in chemical, wet or cold applications
- Providing durability, dependability and low maintenance, this unit is perfectly suited for many uses including those of chemical manufacturers, pharmaceutical companies, food manufacturers, and fisheries

Model No.	Load Capacity W x L (In.)	Lowered Height (In.)	Raised Height (In.)	Overall Fork Width (In.)	Fork Length (In.)	Steer Wheel Size (In.)	Roller Size (In.)	Wt. (Lbs.)
<b>Galvanized Pallet Truck</b>								
IGSPT2748	5500	2.9	7 <sup>3</sup> / <sub>4</sub>	27	48	7 x 2	2.9 x 3.6	175
<b>Stainless Steel Pallet Truck</b>								
ISSPT2748	5500	2.9	7 <sup>3</sup> / <sub>4</sub>	27	48	7 x 2	2.9 x 3.6	175

## PLASTEEL® NON-CORROSIVE CARTS

## 2 & 3-Shelf Utility Carts

Carts come complete with 5" rubber swivel casters.

### 2 Shelf Utility Carts

Solid Model No.	Vented Description	Shelf Size W x L	Wt. (Lbs.)
PS1836S33UC-2	PS1836V33UC-2	18 x 36	59
PS1848S33UC-2	PS1848V33UC-2	18 x 48	69
PS1860S33UC-2	PS1860V33UC-2	18 x 60	85
PS2436S33UC-2	PS2436V33UC-2	24 x 36	65
PS2448S33UC-2	PS2448V33UC-2	24 x 48	77
PS2460S33UC-2	PS2460V33UC-2	24 x 60	93

### 3 Shelf Utility Carts

Solid Model No.	Vented Description	Shelf Size W x L	Wt. (Lbs.)
PS1836S33UC-3	PS1836V33UC-3	18 x 36	75
PS1848S33UC-3	PS1848V33UC-3	18 x 48	80
PS1860S33UC-3	PS1860V33UC-3	18 x 60	114
PS2436S33UC-3	PS2436V33UC-3	24 x 36	84
PS2448S33UC-3	PS2448V33UC-3	24 x 48	102
PS2460S33UC-3	PS2460V33UC-3	24 x 60	126



PS1836S33UC-2


## 4-Shelf Carts

Carts come complete with 5" polyurethane swivel casters.

Solid Model No.	Vented Model No.	Shelf Size W x L x H (In.)	Wt. (Lbs.)
PS1836S54C-4	PS1836V54C-4	18 x 36 x 60	91
PS1848S54C-4	PS1848V54C-4	18 x 48 x 60	111
PS1860S54C-4	PS1860V54C-4	18 x 60 x 60	143
PS2436S54C-4	PS2436V54C-4	24 x 36 x 60	103
PS2448S54C-4	PS2448V54C-4	24 x 48 x 60	127
PS2460S54C-4	PS2460V54C-4	24 x 60 x 60	159
PS1836S64C-4	PS1836V64C-4	18 x 36 x 70	93
PS1848S64C-4	PS1848V64C-4	18 x 48 x 70	113
PS1860S64C-4	PS1860V64C-4	18 x 60 x 70	145
PS2436S64C-4	PS2436V64C-4	24 x 36 x 70	105
PS2448S64C-4	PS2448V64C-4	24 x 48 x 70	129
PS2460S64C-4	PS2460V64C-4	24 x 60 x 70	161



PS1848S54C-4SL



## SECURITY UNITS

### Stationary Security Units

- All-welded heavy gauge steel construction
- Expanded metal sides and backs
- Easy locking handle
- Gray finish
- F.O.B. IL.



with doors open



GSSU3048-2

### Mobile Security Units

- All-welded heavy gauge steel construction
- Expanded metal sides and backs
- Easy locking handle
- Gray finish
- 5" x 2" phenolic casters
- F.O.B. IL.



GSSU3048-3  
With extra shelf



GMSU3048-2  
w/optional fork pockets

Stationary Security Units			With Extra Shelf		Mobile Security Units		With Extra Shelf	
D x W x H (In.)	Model No.	Wt. (Lbs.)	Model No.	Wt. (Lbs.)	Model No.	Wt. (Lbs.)	Model No.	Wt. (Lbs.)
24 x 60 x 72	GSSU2460-2	315	GSSU2460-3	355	GMSU2460-2	325	GMSU2460-3	365
30 x 48 x 72	GSSU3048-2	330	GSSU3048-3	370	GMSU3048-2	340	GMSU3048-3	380
30 x 60 x 72	GSSU3060-2	355	GSSU3060-3	395	GMSU3060-2	365	GMSU3060-3	405
30 x 72 x 72	GSSU3072-2	370	GSSU3072-3	410	GMSU3072-2	380	GMSU3072-3	420
36 x 60 x 72	GSSU3660-2	385	GSSU3660-3	425	GMSU3660-2	395	GMSU3660-3	435
36 x 72 x 72	GSSU3672-2	415	GSSU3672-3	455	GMSU3672-2	425	GMSU3672-3	465

All Security Units are Available in:  
Gray, Tan, Blue, Yellow, Red, Orange and Green



## Mobile Pipe Cart

The mobile pipe cart serves as the perfect portable cart for the storage and transport of long materials. The sturdy all-welded arms create eight separate levels allowing storage and transport of pipe, conduit, steel fabricated parts, or other hard-to-handle items. Arm end stops retain round or unstable items from falling off arms. Shelves are a graduated depth from top to bottom:

- 12", 14", 16", 20".
- 1,000 lbs. capacity
- Tubular in design
- Load levels widen from 12" at the top level to 18" at the base
- Low overall height storage allows a person to reach and lift manually
- Portable - for multiple uses
- Standard (2) 5" swivel and (2) 5" rigid casters supplied
- Ships unassembled for freight savings



Mobile Pipe Cart

Model No.	Description	L x W x H (In.)	Wt. (Lbs.)
MO-559	Pipe Rack	50 x 43 x 69	172
MO-559-1-4	Upper Pan	50 x 11 <sup>13</sup> / <sub>16</sub> x 3 <sup>1</sup> / <sub>16</sub>	13
MO-559-1-3	Middle Pan	50 x 13 <sup>13</sup> / <sub>16</sub> x 3 <sup>1</sup> / <sub>16</sub>	14
MO-559-1-2	Lower Pan	50 x 15 <sup>13</sup> / <sub>16</sub> x 3 <sup>1</sup> / <sub>16</sub>	15 <sup>1</sup> / <sub>2</sub>
MO-559-1-1	Base Pan	50 x 20 <sup>1</sup> / <sub>16</sub> x 3 <sup>1</sup> / <sub>16</sub>	18 <sup>1</sup> / <sub>2</sub>

## SECURITY CART

### Collapsible Nesting Security Cart

Designed to provide simplified, secure transport of valuable goods with less effort and fewer employees, the Collapsible Nesting Security Cart easily carries a wide array of products, regardless of size or shape. A must for transporting valuable inventory such as jewelry or electronics, it delivers significant advantages:

- Reduced staffing needs: loaded carts can be linked together and towed as one coordinated unit utilizing an innovative built-in tow bar, allowing a single employee to easily manage and navigate several carts at once
- Less storage space: empty carts can collapse to 33% of their original size and be nested together for easier transport and a reduced footprint in both trucks and your storage facility

- A patent-pending design: the interior includes a built-in shelf that pivots into position when needed or out of the way to accommodate different products –an SPG exclusive
- Maximum security for your inventory: the unit includes clear view wire security panels with rugged, locking dual doors

Among its many performance features are:

- 6" premium rubber casters for easy navigation
- Synchronized brakes on the rear wheels operated by a single hand brake for greater control
- A generous half-ton capacity, including 500 lbs. per shelf
- Powder-coated in "Machine Red" for a more durable finish



Model No.	Depth(In.)	Width(In.)	Height(In.)	Wt. (Lbs.)
<b>Collapsible Nesting Cart</b>				
GNMSU3046-6PR	30 <sup>1</sup> / <sub>2</sub>	48 <sup>1</sup> / <sub>2</sub>	74 <sup>3</sup> / <sub>8</sub>	314

## PANEL &amp; LUMBER CART

### Panel & Lumber Cart

This well-engineered cart gives Jarke the edge. This cart is sized for standard lengths of lumber, plywood and other hardware items. The lumber cart promotes self-service in retail businesses.

- 1,200 lbs. capacity
- All-welded steel construction
- Smooth steel deck to prevent product damage
- Choice of wheels
- Painted high visibility orange
- Minor assembly required
- Cart Dimension 26" W x 30" D x 44<sup>3</sup>/<sub>4</sub>" H
- Other sizes available upon request



Model No.	Description	Wt. (Lbs.)
<b>Cart With Caster Assemblies</b>		
UC2630-P1	Cart w/ 5" Phenolic Wheels: 2 Swivel, 2 Rigid	88
UC2630-P2	Cart w/ 5" Phenolic Wheels: 4 Swivel	88
UC2630-L1	Cart w/ 5" Polypropylene Wheels: 2 Swivel, 2 Rigid	88
UC2630-L2	Cart w/ 5" Polypropylene Wheels: 4 Swivel	88



## BOTTLE / CYLINDER CARTS

### Bottle/Cylinder Cart and Pallet

A great addition to any plant that stores bottles/cylinders. Easy loading and unloading. "Cam Lock" locking mechanism ensures that divider arms stay securely in place while in transit. Available as a pallet or with casters as a cart.

- Easy manual release without spring pins or clips that can get bent or lost
- "Cam lock" locking mechanism ensures that divider arms stay securely in place while in transit
- Loading and unloading from both sides
- 3 pallet sizes available
- Easy roll-on/roll off of bottles
- Optional locking phenolic roller bearing casters allow pallet placement with easy mobility, 2 rigid and 2 swivel casters
- Painted high visibility orange
- Ships KD (knocked down)

Model No.	Number Of Cylinders	W x D x H (In.)	Wt. (Lbs.)
<b>Platform w/ No Casters</b>			
BCP-4	4	32 x 25 x 41	160
BCP-6	6	32 x 36 x 41	180
BCP-8	8	32 x 46 x 41	215
<b>Platform w/ 5" x 1 1/4" Casters</b>			
BCP-4C	4	32 x 25 x 41	200
BCP-6C	6	32 x 36 x 41	235
BCP-8C	8	32 x 46 x 41	280



Bottle/Cylinder Cart

### Low Profile Mobile Cylinder Truck

- Ergonomically designed truck allows easy bottle entry at 1 1/4" off the ground
- Bottles are held securely by chains with adjustable tear drop chain link lock plates welded securely to frame
- Lower swing away containment bar has a thumb latch release for quick containment of bottles
- 2 truck sizes available
- Painted high visibility orange
- Ships KD (knocked down)

Model No.	Description	W x D x H (In.)	Wt. (Lbs.)
MCT-6	6 Cylinder Cap.	24" x 43" x 42 1/2"	165
MCT-8	8 Cylinder Cap.	32" x 56" x 42 1/2"	230
<b>Optional</b>			
TH	Tow Bar	—	25



Low Profile Mobile Cylinder Truck



## Manual Lift Truck

The GILLIS IMHLT2200 Manual Hi-Rise Skid Lift Truck is a manually operated high lift truck designed to handle applications such as lifting and transporting skids and bottomless containers, loading and unloading conveyor systems

- Well suited for use as a mobile work station
- Built to work like a Stacker and Pallet Truck combined, the ergonomic design of the IMHLT2200 helps prevent bending and back injuries thereby reducing costly workmen's compensation claims



IMHLT2200



Model No.	Load Capacity W x L (In.)	Lowered Height (In.)	Raised Height (In.)	Overall Fork Width (In.)	Fork Length (In.)	Fork Width (In.)	Handle Height (In.)	Steer Wheel (In.)	Roller (In.)	Wt. (Lbs.)
IMHLT2200	2200	3.3	31 1/2	27	45	6.3	48 1/4	7 1/2 x 2	3 x 2	375

## LIFT TABLES

## Foot Pump Scissor Lift Tables

- Lift & transport design
- Polyurethane fixed & swivel wheels
- Upper lifting limit bypass
- Dual brake system on each model



IFPST330



Collapsed

Model No.	Capacity (Lbs.)	Overall Size W x L (In.)	Lowered Height (In.)	Raised Height (In.)	Handle Height (In.)	Wheel (In.)	Table W x L (In.)	Wt. (Lbs.)
IFPST330	330	17 <sup>3</sup> / <sub>4</sub> x 35	8 <sup>3</sup> / <sub>4</sub>	29 <sup>1</sup> / <sub>2</sub>	38	4	17 <sup>3</sup> / <sub>4</sub> x 27 <sup>1</sup> / <sub>2</sub>	101
IFPST660	660	19 <sup>3</sup> / <sub>4</sub> x 41	11	35 <sup>1</sup> / <sub>2</sub>	39	5	19 <sup>3</sup> / <sub>4</sub> x 32	165
IFPSTD770*	770	19 <sup>3</sup> / <sub>4</sub> x 46	11 <sup>1</sup> / <sub>4</sub>	51 <sup>1</sup> / <sub>2</sub>	39	5	19 <sup>3</sup> / <sub>4</sub> x 36	265
IFPST1100	1100	19 <sup>3</sup> / <sub>4</sub> x 41	13 <sup>1</sup> / <sub>2</sub>	35 <sup>1</sup> / <sub>2</sub>	38	5	19 <sup>3</sup> / <sub>4</sub> x 32	187
IFPST1650	1650	22 <sup>1</sup> / <sub>2</sub> x 52	16 <sup>1</sup> / <sub>2</sub>	40	39	6	20 x 39 <sup>1</sup> / <sub>4</sub>	254

\*Has a double scissor lift to reach the additional raised height.



IFPST660



IFPSTD770



IFPST1100



IFPST1650



## STAINLESS STEEL CARTS

## Stainless Steel Carts

The carts are functionally designed and engineered to give you remarkably long service life. The carts are available in 300 lb. and 500 lb. load ratings, ideal for most applications.

These Stainless Steel Carts are:

- Easy to clean — Ideally suited for restaurant and foodservice environments
- Environmentally Stable — Unaffected by frequent or rapid changes in temperature or humidity
- Non-Corrosive — Made from high quality stainless steel that will not contaminate or stain transported items

## Key Features

- Durable chasis frame
- Protective bumpers on legs and handles
- Rubber swivel casters with unique removable design
- Hemmed shelf edges
- Shelves are resistance welded to legs for added strength
- No set up required

## Utility Carts

- Top and middle shelves have a 1" edge on three sides

## Guard Rail Cart

- Top and middle shelves have a 2" edge on three sides and guard rail on fourth side
- Bottom shelf has guard rail on four sides



Utility Carts

Call about our  
QUICK SHIP  
program



Guard Rail Carts

Model No.	W x L x H (In.)	Shelf (In.)	No. of Shelves	Shelf Clearance (In.)	Capacity (Lbs.)	Caster (In.)	Wt. (Lbs.)
<b>Utility Carts-Medium Duty</b>							
LP411*	16 <sup>3</sup> / <sub>4</sub> x 27 <sup>1</sup> / <sub>4</sub> x 32 <sup>1</sup> / <sub>8</sub>	15 <sup>5</sup> / <sub>8</sub> x 24 <sup>1</sup> / <sub>8</sub>	3	12 <sup>1</sup> / <sub>4</sub>	500	4	25
<b>Guard Rail Carts-Medium Duty</b>							
LP526	19 <sup>1</sup> / <sub>4</sub> x 31 x 34 <sup>3</sup> / <sub>4</sub>	18 x 27 <sup>3</sup> / <sub>8</sub>	3	11	500	4	40

\*Can ship via UPS

## MAIL CARTS

### Mail/Record/Chart Carts

File capacity 80-120 legal folders. 2 removable baskets. Adjustable hanging file folder guide rails for use of legal or letter size folders. Non-marking casters. Contents visible from all sides...no lost or hidden items. Light weight...but rugged  $\frac{7}{8}$ " tube construction. Chrome plated...for long lasting durability



LS-2



LS-3



LS-4

Model No.	Cart Size W x L (In.)	Top Size W x L x H	Baskets Bottom W x L x H (In.)	Casters Front	Casters Back	Wt. (Lbs.)
LS-2	19 x 27	17 x 25 x 11	17 x 25 x 7	4" Swivel	4" Rigid	41
LS-3	23 x 30	17 x 25 x 11	17 x 25 x 7	5" Swivel	10" Semi-Pneumatic	52
LS-4	23 x 41	17 x 36 x 11	17 x 36 x 7	5" Swivel	10" Semi-Pneumatic	60

## HEAVY DUTY SQUARE POST WIRE CARTS

## Wire Shelf Carts

- Superbly constructed — 1" square posts offer 27% more steel than round posts
- 17% higher collar than competition for better rigidity
- 2 and 3 shelf utility carts come standard with 5" rubber swivel casters
- 4 shelf carts come standard with 5" polyurethane swivel casters
- Durable plated finish

## 2 &amp; 3 Shelf Utility Carts - 39" High

Shelf	2-Shelf	Wt.	3-Shelf	Wt.
W x L (In.)	Model No.	(Lbs.)	Model No.	(Lbs.)
18 x 36	A1836CP33UC-2	49	A1836CP33UC-3	60
18 x 48	A1848CP33UC-2	57	A1848CP33UC-3	72
18 x 60	A1860CP33UC-2	63	A1860CP33UC-3	81
24 x 36	A2436CP33UC-2	54	A2436CP33UC-3	68
24 x 48	A2448CP33UC-2	64	A2448CP33UC-3	83
24 x 60	A2460CP33UC-2	73	A2460CP33UC-3	96



A1836CP33UC-3

## 4 Shelf Carts - 60" &amp; 70" High

Shelf	Overall Ht.	4-Shelf	Wt.
W x L (In.)	(In.)	Model No.	(Lbs.)
18 x 36	60	A1836CP54C-4	71
18 x 48	60	A1848CP54C-4	87
18 x 60	60	A1860CP54C-4	99
24 x 36	60	A2436CP54C-4	81
24 x 48	60	A2448CP54C-4	101
24 x 60	60	A2460CP54C-4	119
18 x 36	70	A1836CP64C-4	73
18 x 48	70	A1848CP64C-4	89
18 x 60	70	A1860CP64C-4	101
24 x 36	70	A2436CP64C-4	83
24 x 48	70	A2448CP64C-4	103
24 x 60	70	A2460CP64C-4	121



A2448CP54C-4

## HEAVY DUTY SQUARE POST WIRE CARTS

### 3-Sided Carts

- Post mounted panels eliminate need for a top shelf
- 4" x 4 1/2" mesh back and side enclosures keep materials from falling during movement. 1200 lb. cart capacity
- Height 70"
- Comes standard with 5" polyurethane swivel casters

4-Shelf	Shelf	Wt.
Model No.	W x L (In.)	(Lbs.)
A1836CP64TS-4	18 x 36	113
A1848CP64TS-4	18 x 48	134
A1860CP64TS-4	18 x 60	155
A2436CP64TS-4	24 x 36	127
A2448CP64TS-4	24 x 48	152
A2460CP64TS-4	24 x 60	179




A2448CP64TS-4

### Security Carts

- Keep valuable materials secured while storing and transporting
- Features 2" x 2" wire mesh on all sides for visibility
- Front door has lockable handle (padlock not included)
- 1200 lb. cart capacity
- Height 70"
- Comes standard with 5" polyurethane swivel casters

2-Shelf	Shelf	Wt.
Model No.	W x L (In.)	(Lbs.)
A1830CP64SEC-2	18 x 30	118
A1848CP64SEC-2	18 x 48	175
A1860CP64SEC-2	18 x 60	211
A2430CP64SEC-2	24 x 30	127
A2448CP64SEC-2	24 x 48	185
A2460CP64SEC-2	24 x 60	224



A2448CP64SEC-2



## HEAVY DUTY SQUARE POST WIRE CARTS

**Bin Divided Cart**

- Finish—durable plated
- (4) 5" polyurethane swivel casters
- Includes bumpers
- Easy to adjust bins to suit your needs
- Overall height 70"

Call for quote.



BD1848-464

**Heavy Duty Square Post Cart Accessories****Smart-Casters®**

Turn standard carts into Smart-Karts. Using Smart-Casters makes your cart a "Smart-Kart" and provides cart users with maneuverability and control. The 4-position, swivel lock casters can be set as swivel or rigid, in any combination, with the touch of a toe. Set of 4 casters - 2 swivel and 2 smart.

Model No.	Wt. (Lbs.)
G5PGSL22	12
(Set of 4)	



A2448CP64TS-4

## STANDARD DUTY ROUND POST WIRE CARTS

### 2 & 3 Shelf Utility Carts

These units consist of 2 or 3 plated shelves, 1 set of (2) plated handles and (4) Swivel rubber casters for 800 lb. capacity.

#### 2 Shelf Carts

5" Rubber Casters	5" Poly Casters	W x L	Wt.
Model No.	Model No.	(In.)	(Lbs.)
MA1836C33UC-2R	MA1836C33UC-2P	18 x 36	40
MA1842C33UC-2R	MA1842C33UC-2P	18 x 42	43
MA1848C33UC-2R	MA1848C33UC-2P	18 x 48	47
MA2436C33UC-2R	MA2436C33UC-2P	24 x 36	48
MA2442C33UC-2R	MA2442C33UC-2P	24 x 42	52
MA2448C33UC-2R	MA2448C33UC-2P	24 x 48	54
MA2460C33UC-2R	MA2460C33UC-2P	24 x 60	64

#### 3 Shelf Carts

5" Rubber Casters	5" Poly Casters	W x L	Wt.
Model No.	Model No.	(In.)	(Lbs.)
MA1836C33UC-3R	MA1836C33UC-3P	18 x 36	50
MA1842C33UC-3R	MA1842C33UC-3P	18 x 42	54
MA1848C33UC-3R	MA1848C33UC-3P	18 x 48	57
MA2436C33UC-3R	MA2436C33UC-3P	24 x 36	61
MA2442C33UC-3R	MA2442C33UC-3P	24 x 42	67
MA2448C33UC-3R	MA2448C33UC-3P	24 x 48	70
MA2460C33UC-3R	MA2460C33UC-3P	24 x 60	85

### 4-Shelf Carts with Stem Casters

4-Shelf carts with 54" or 64" plated posts. 800 lb. capacity.

#### 54" Posts - (Overall height 60")

Rubber Casters	Poly Casters	Size	Wt.
Model No.	Model No.	W x L	(Lbs.)
MA1836C54CR-4	MA1836C54C-4	18 x 36	62
MA1848C54CR-4	MA1848C54C-4	18 x 48	72
MA1860C54CR-4	MA1860C54C-4	18 x 60	92
MA1872C54CR-4	MA1872C54C-4	18 x 72	104
MA2436C54CR-4	MA2436C54C-4	24 x 36	76
MA2448C54CR-4	MA2448C54C-4	24 x 48	88
MA2460C54CR-4	MA2460C54C-4	24 x 60	108
MA2472C54CR-4	MA2472C54C-4	24 x 72	128

#### 64" Posts - (Overall height 70")

Rubber Casters	Poly Casters	Size	Wt.
Model No.	Model No.	W x L	(Lbs.)
MA1836C64CR-4	MA1836C64C-4	18 x 36	64
MA1848C64CR-4	MA1848C64C-4	18 x 48	74
MA1860C64CR-4	MA1860C64C-4	18 x 60	94
MA1872C64CR-4	MA1872C64C-4	18 x 72	106
MA2436C64CR-4	MA2436C64C-4	24 x 36	78
MA2448C64CR-4	MA2448C64C-4	24 x 48	90
MA2460C64CR-4	MA2460C64C-4	24 x 60	110
MA2472C64CR-4	MA2472C64C-4	24 x 72	130



MA1836C33UC-2R



MA1836C33UC-3R



MA2448C64C-4

## STANDARD DUTY ROUND POST WIRE CARTS

## 3-Sided Carts


Shelf attached 3 x 3 mesh panels hook over the top shelf channel and into the bottom shelf for easy assembly. Additional slip ties keep panels secure during transit. The 3-sided design keeps materials from falling during movement and the top shelf allows for cart covers to fit snugly. Carts come with (4) 5" polyurethane swivel casters. 1200 lb. cart capacity.

## 4-Shelf Cart

Model No.	W x L (In.)	Overall Height (In.)	Wt. (Lbs.)
MTS336C72-4	18 x 36	78	88
MTS342C72-4	18 x 42	78	93
MTS348C72-4	18 x 48	78	100
MTS372C72-4	18 x 72	78	142
MTS536C72-4	24 x 36	78	106
MTS542C72-4	24 x 42	78	114
MTS548C72-4	24 x 48	78	120
MTS560C72-4	24 x 60	78	145
MTS572C72-4	24 x 72	78	170

## 5-Shelf Cart

Model No.	W x L (In.)	Overall Height (In.)	Wt. (Lbs.)
MTS336C72-5	18 x 36	78	98
MTS342C72-5	18 x 42	78	104
MTS348C72-5	18 x 48	78	112
MTS372C72-5	18 x 72	78	162
MTS536C72-5	24 x 36	78	119
MTS542C72-5	24 x 42	78	129
MTS548C72-5	24 x 48	78	136
MTS560C72-5	24 x 60	78	166
MTS572C72-5	24 x 72	78	196



MTS548C72-4

## Warranty & Product Suitability

### Statement

SPG has made a continuous commitment to quality and service. The content of this catalog reflects the years of experience we have in storage technology. All products shown have practical application potential that will increase your storage and handling of virtually any product.

If none of our standard racks or material handling equipment will solve your unique problem, SPG engineers will study your needs and design a variation to these standards or special equipment to meet your specific requirements. The system we recommend will minimize handling and promote flow through your facility. Behind all the factors considered in design and testing, we have but one simple goal: to make products for people and products pursuant to guidelines established by ANSI (American National Standard Institute), UBC (Uniform Building Code) and RMI (Rack Manufacturers Institute).

### Product Suitability

Many states and localities have individual codes and regulations governing sales, construction, installation, and/or use of products for certain purposes, which may vary from those in neighboring areas. SPG cannot guarantee compliance, and can not be responsible for how the product is installed or used. Before purchase and use of a product, please review the product application, and the national and local codes and regulations. Be sure that the product, installation and use will comply with them.

### Warranty / Limited Liability

The SPG products are fully warranted for one year against defects in design, material and workmanship under normal use except for collision, overloading or improper installation. All products must be installed in accordance with written instructions provided by SPG. Your exclusive remedy and our only liability arising out of any sale shall be the replacement or repair of the goods or refund of the purchase price paid by the buyer, whichever such remedy we select. Any replacement, repair or return must have written authorization before any action is taken. If we elect to repay the purchase price, a written authorization will be issued and the goods must be returned immediately. Any exception to this policy must be agreed to in writing by an officer of SPG.

## Terms & Conditions

### Terms & Credit

NET 30 days. All prices are F.O.B. Factory. All purchases are subject to a credit review. Credit review may delay production and/or shipping schedules.

### Freight and Routing

All shipments are F.O.B. factory. When a carrier has not been specified, we will route shipment in the best way. With prepaid third party shipments, the third party's discount will apply. Customer pick-ups must be made within three days of notification of completion.

### Returns

It is the responsibility of the consignee or his representative to check shipments against the bill of lading or packing list. If damaged or short, indicate on the delivery receipt the extent of the shortage or damage. A claim for damage or shortage cannot be processed if the delivery receipt is signed without exception. Stock product can be returned within 30 days when authorized in writing by SPG products and return freight charges are prepaid. There will be a 25% restocking charge. Made-to order and used products cannot be returned.

### Cancellation

SPG reserves the right to apply reasonable charges for material and labor performed prior to the cancellation of any order. A formal acknowledgement of these charges will be sent by SPG after notice of cancellation is received.

### Minimum Order Quantity

Stock items can be ordered in any quantity, \$25 minimum. Orders for made-to-order items in quantities less than the minimum quantity shown in this price list will be subject to an additional set-up charge based on type of equipment. Call factory for setup charges.

### Delivery

Stock items can usually be shipped within 2 weeks. Delivery of made-to-order and non-stock items will be scheduled based on receipt of order and/or approved drawings, when applicable.



To place an order,  
contact your dealer today!

EXPECT MORE



**STORAGE PRODUCTS GROUP**

SPG International, LLC  
11230 Harland Drive NE  
Covington, GA 30014  
877-503-4SPG (4774)

Gillis/Jarke Manufacturing  
800-225-5424

[www.spgusa.com](http://www.spgusa.com)