



Drive-Thru Support Equipment


30" X 48" PACK STATION



TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION

ISS® Pack Station

Increase Productivity for Drive-Thru, Takeout, and Delivery Service Options.


ISS Wire Workstation designed to make alternative dining a painless process. Ample undershelf storage provides a 30" x 48" wire shelf with dividers for easy categorization. A stainless steel surface makes prep a snap. And two overhead shelves provide convenient access to labels, stickers, boxes, bags, etc. 4 swivel casters take this station anywhere you need it.

Part Number	W x L x H (in.)	W x L x H (mm)
WST1803C	30 x 48 x 72	762 x 1219 x 1829


Drive-Thru Support Equipment

24" X 36" UNDERCOUNTER STATION

TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION



ISS® Under-Counter Station


Increase Speed-of-Service for Drive-Thru, Takeout, and Delivery Service Options.

A 2-Tier Mobile Wire Shelving Cart. Designed to fit under foodservice counters. Ideal for replenishing stock and keeping products at point of use. 4 polyurethane swivel casters offer easy maneuverability and mobility. And the unit can be easily assembled without tools – thanks to our patented one-piece hinged Sure Lock™, numbered posts and assembly instructions.


Part Number	W x L x H (in.)	W x L x H (mm)
CHPUBC	24 x 36 x 24	610 x 914 x 610

Drive-Thru Support Equipment


30" X 54" PICK-UP DRIVE-THRU COUNTER



TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION

ISS® Pick-Up Drive-Thru Counter


Increase Productivity for Drive-Thru, Takeout, and Delivery Service Options.

Part Number	W x L x H (in.)	W x L x H (mm)
PUDT6540EY	30 x 54 x 35	762 x 1371 x 889


Drive-Thru Support Equipment

24" X 54" DRIVE-THRU COUNTER

TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION




ISS® Drive-Thru Counter

Increase Productivity for Drive-Thru, Takeout, and Delivery Service Options.

Part Number	W x L x H (in.)	W x L x H (mm)
WST157Y	24 x 54 x 60	610 x 1371 x 1524

Drive-Thru Support Equipment

30" X 54" DRIVE-THRU COUNTER




ISS® Drive-Thru Counter


Increase Productivity for Drive-Thru, Takeout, and Delivery Service Options.

Part Number	W x L x H (in.)	W x L x H (mm)
WST690Y	30 x 54 x 66	762 x 1371 x 1676

TECHNICAL DETAILS *not to scale*



FRONT ELEVATION




SIDE ELEVATION


Drive-Thru Support Equipment

18" X 42" DRIVE-THRU COUNTER

TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION




ISS® Drive-Thru Counter

Increase Speed-of-Service for Drive-Thru, Takeout, and Delivery Service Options.


Part Number	W x L x H (in.)	W x L x H (mm)
WST659E	18 x 42 x 35	457 x 1066 x 889

Drive-Thru Support Equipment

24"X 48" DRIVE-THRU STATION



TECHNICAL DETAILS *not to scale*




FRONT ELEVATION

ISS® Drive-Thru Station

Increase Productivity for Drive-Thru, Takeout, and Delivery Service Options.

Part Number	W x L x H (in.)	W x L x H (mm)
WST1165C	24 x 48 x 76	609 x 1219 x 1930




SIDE ELEVATION


Drive-Thru Support Equipment

21" X 30" DRIVE-THRU STAND

TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION




ISS® Drive-Thru Stand

Increase Speed-of-Service for Drive-Thru, Takeout, and Delivery Service Options.


Part Number	W x L x H (in.)	W x L x H (mm)
WST1060C	21 x 30 x 81	533 x 762 x 2057

Drive-Thru Support Equipment


18"X 36" PRE-PAY DRIVE-THRU COUNTER



TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION


ISS® Pre-Pay Drive-Thru Counter

Increase Productivity for Drive-Thru, Takeout, and Delivery Service Options.


Part Number	W x L x H (in.)	W x L x H (mm)
WST1230Y	18 x 36 x 86	457 x 914 x 2184

Drive-Thru Support Equipment


30"X 48" DRIVE-THRU STATION



TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION


ISS® Drive-Thru Station

Increase Productivity for Drive-Thru, Takeout, and Delivery Service Options.

Part Number	W x L x H (in.)	W x L x H (mm)
WST1273Y	30 x 48 x 35	762 x 1219 x 889

Drive-Thru Support Equipment

30"X 42" DRIVE-THRU COUNTER




ISS® Drive-Thru Counter


Increase Productivity for Drive-Thru, Takeout, and Delivery Service Options.

Part Number	W x L x H (in.)	W x L x H (mm)
WST1344Y	30 x 42 x 66	914 x 1549 x 1676

TECHNICAL DETAILS *not to scale*



FRONT ELEVATION




SIDE ELEVATION


Drive-Thru Support Equipment

24" X 60" DRIVE-THRU EXPEDITING STATION

TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION



ISS® Drive-Thru Expediting Station


Increase Speed-of-Service for Drive-Thru, Takeout, and Delivery Service Options.

Part Number	W x L x H (in.)	W x L x H (mm)
WST1357Y	24 x 60 x 76	610 x 1524 x 1930


Drive-Thru Support Equipment

21" X 60" DRIVE-THRU COUNTER


TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION




ISS® Drive-Thru Counter

Increase Speed-of-Service for Drive-Thru, Takeout, and Delivery Service Options.

Part Number	W x L x H (in.)	W x L x H (mm)
WST1535Y	21 x 60 x 35	533 x 1524 x 889

Drive-Thru Support Equipment

21" X 30" DRIVE-THRU STAND




ISS® Drive-Thru Stand

Increase Speed-of-Service for Drive-Thru, Takeout, and Delivery Service Options.


Part Number	W x L x H (in.)	W x L x H (mm)
WST1060C	21 x 30 x 76	533 x 762 x 1930

Drive-Thru Support Equipment


30"X 45" DRIVE-THRU COUNTER



TECHNICAL DETAILS *not to scale*



FRONT ELEVATION



SIDE ELEVATION


ISS® Drive-Thru Counter

Increase Productivity for Drive-Thru, Takeout, and Delivery Service Options.

Part Number	W x L x H (in.)	W x L x H (mm)
WST1630Y	30 x 45 x 35	762 x 1143 x 889


Drive-Thru Support Equipment

18" X 54" DRIVE-THRU COUNTER



ISS® Drive-Thru Counter with Condiment Tower

Part Number	W x L x H (in.)	W x L x H (mm)
WST444Y	18 x 54 x 66	457 x 1371 x 1676



ISS® Drive-Thru Counter

Part Number	W x L x H (in.)	W x L x H (mm)
WST444NCY	18 x 54 x 35	457 x 1371 x 889

Drive-Thru Support Equipment

DRIVE-THRU WORKSTATIONS

ISS™ Drive-Thru Workstation

- 30" x 60" baseline drive thru workstation provides the ultimate in organization, accessibility and workspace
- Minimizes time, motion and effort required to stage orders
- Comes with overhead storage area, condiment bins, lower storage shelving area — and open area to accommodate undercounter equipment needs
- Can also be converted to use our condiment tower and order stager system
- Choose from Plating Plus™, Grey Bond® or Gold Bond® finishes
- Also available in:
 - 18", 24", and 36" depths
 - 30", 36", 42", 48", 54" and 60" lengths

Model No. WST1363Y

For an assembled unit, add "A" as suffix to the model no.



ISS™ Open Base Workstation

- 30" x 30" baseline multi-purpose workstation is ideal as a prep station, drive-thru counter, sandwich-making stand, or equipment stand
- Available in all standard depths and lengths
- Upper and lower storage shelving
- Choose from a wide array of posts, shelves, shelf covers and accessories
- Durable design with shelves rated to support 1,250 lbs. of uniformly distributed weight
- Features Gold Bond® finish and a 10-year warranty against corrosion
- Available in a variety of essential sizes

Model No. WTO3030Y

For an assembled unit, add "A" as suffix to the model no.



Drive-Thru Support Equipment

DRIVE-THRU ACCESSORIES



ISS™ Under-Counter Condiment Cart

- Three open wire shelves, each with a built-in ledge to prevent condiment bins from falling
- Digital posts with casters
- Three bin blocker bars (one per shelf) prevent condiment bins from sliding to the back of each shelf

Model No.	Bins	L x W x H	
		(In.)	(mm)
WST1082C	12	18 x 24 x 24.5	455 x 610 x 623



ISS™ Order Stager

- Countertop organizer keeps orders separated and in proper sequence
- Right-to-left order flow
- Includes 3 divider bars and Divider Bar Holder (not shown in photo)

Model No.	W x L x H		Weight	
	(In.)	(mm.)	(Lbs)	(Kg.)
ORDSTAGL	21 x 30 x 6	540 x 762 x 152	6	3



ISS™ Condiment Towers

- A proven system to speed customers through at the counter and the drive thru window
- Gravity-fed bins keep condiments organized and deliver first-in, first-out inventory control
- Kit includes: two 29" gray posts, two 15" gray posts, 3-sided frame, 18" hanger bar, five 3-way bins; straw holder
- Two order flow options (left-to-right is "R" model; right-to-left is "L" model)
- Strong, wear resistant ABS plastic
- Also available in 18" lengths
- Shown with ISS™ Order Stager (not included)

Model No.	W x L x H		Weight	
	(In.)	(mm.)	(Lbs)	(Kg.)
CONDTOW24L	24.5 x 24.5 x 30.5	622 x 622 x 750	3	14
CONDTOW24R	24.5 x 24.5 x 30.5	622 x 622 x 750	3	14

Drive-Thru Support Equipment

FREESTYLE CANTILEVER WORKSTATIONS

- The ergonomic design maximizes usable kitchen space and provides added storage for packaging, smallwares, menus, ingredients, utensils and more
- An impressive total load-bearing capacity of 2,800 lbs.
 - each upper shelf has a 600-lb. capacity
 - bottom shelf capacity is 1,000 lbs.
- Plug and place steamers, microwaves, food warmers and other standard equipment
- Fast, easy cleaning of food prep surfaces and overall structure
- 30" deep stainless steel work surface provides plenty of area for prep work
- Open-base design delivers adequate space for a fridge under the work surface of the 48", 54" and 60" models
- Shelf and work surface heights adjust in 2" increments
- Add components or shelves without tools
- No front uprights for an uninterrupted work surface

Before you choose a workstation, consider why so many major national foodservice operations have turned to Freestyle® to improve storage, efficiency and productivity.

Freestyle® combines the versatility and flexibility of a freestanding unit while providing rock-solid strength and stability to support steamers, microwaves and other vital equipment

From the ability to add or reconfigure shelves quickly and without tools to the wide selection of accessories available — everything about Freestyle® is customizable.

Unlike most competitive units, Freestyle® doesn't require a bottom shelf for stability — freeing up floor space underneath for a refrigerator at a prep station or a safe at the Drive-Thru.

Storage is enhanced by virtue of a 2,800-lb. unit capacity...shelves that can be positioned in 2" increments...and shelf surface areas that are uninterrupted by front uprights.



Model No.	Prep Surface Widths	Overhead Shelf Widths	Lengths	Inside Clearance
WST1491E	30" (762 mm)	18" (457 mm)	60" (1524 mm)	56" (1429 mm)
WST1539E	30" (762 mm)	18" (457 mm)	54" (1372 mm)	50 (1276 mm)
WST1492E	30" (762 mm)	18" (457 mm)	48" (1219 mm)	44 (11245 mm)
WST1493E	30" (762 mm)	18" (457 mm)	36" (914 mm)	32 (819 mm)


Need Even More Capacity?

The innovative Freestyle® Brace can quickly and easily increase the weight capacity of a Freestyle® by 200 lbs. or 400 lbs. per shelf. (See page 25 for details.)


Drive-Thru Support Equipment

FREESTYLE CANTILEVER WORKSTATIONS

Customizable with a complete line of accessories:




Wire Shelf Cover



Solid Shelf Cover




Grid Basket



24" Hook




Spoodle Holder



Scoop Holder



Hanger Rails



Bins



Pot Hook Grey