

## SUPERIOR SELECTION

SPG offers all kinds of carts in a wide range of sizes, styles and materials — including stainless steel, aluminum, wire, steel and plastic — all designed to deliver better performance, efficiency and economy.



### Kelmax Rocket Cart

Sure to be one of the most used pieces of equipment in your organization, this incredible workhorse can be reconfigured quickly and easily to handle a wide range of jobs.

- Ergonomic and space-saving design improves stocking efficiencies and maximizes labor savings
- Galvanized steel construction provides strength, durability and an extended service life
- Vertical supports and shelf collapse and fold in to allow for nesting of several units to conserve valuable backroom space
- Split shelf design makes it easier to stack product
- Dual shelf designed to handle a variety of package sizes or provide a flat, stable work surface
- Compact design reduces aisle congestion and promotes safer, easier shopping experience for customers
- Includes a convenient pull handle, paper towel holder, and a hook to hang a trash bag

Model No.	Overall Dimensions	Weight
4G0786	26" W x 41" L x 69" H	114 Lbs.



### Kelmax Produce Stocking Cart

- Versatile 2-tier high-capacity design
- Heavy duty galvanized solid top shelf (22" x 44")
- Galvanized square tube bottom shelf
- 5" polyurethane plate casters; 2 swivel and 2 rigid



Model No.	Capacity (Lbs.)	L x W x H (In.)	L x W x H (mm)	Weight (Lbs.) (Kg)	
4G0172	800	51 x 22 x 36	1295 x 559 x 914	64	29

Also available with bumpers (Model No. 4G1073)

### Kelmax Aluminum Meal Delivery Carts

- Aluminum construction
- All-welded units with double pan top
- Door opens 270 degrees on stainless steel hinges
- Stainless steel gravity latch is drilled for padlock
- Four 5" poly swivel casters
- Holds 14" x 18" or 15" x 20" Trays (except 4H2200)
- Non-insulated; NSF certified



Model No.	L x W x H		Tray Capacity	Tray Spacing	Weight	
		(mm)			(In.)	(Lbs.)
<b>Single Door</b>						
4H6791	32 x 24 x 39	813 x 610 x 991	10	6	85	39
4H6792	32 x 24 x 45	813 x 610 x 1143	12	6	94	43
4H6793	32 x 24 x 51	813 x 610 x 1296	14	6	103	47
4H6794	32 x 24 x 57	813 x 610 x 1448	16	6	112	51
4H6795	32 x 24 x 63	813 x 610 x 1600	18	6	121	55
4H6796	32 x 24 x 69	813 x 610 x 1753	20	6	130	59
4H6797	32 x 24 x 45	813 x 610 x 1143	24	3	104	47
4H2200*	21.5 x 28 x 69	546 x 711 x 1753	40	1.5	105	48

\*Holds 18" x 26" or 18" x 13" Trays



SPG's foodservice products are all manufactured to meet NSF standards. For specific items, visit [www.nsf.org](http://www.nsf.org)

## EXCEPTIONAL ECONOMY

Throughout our extensive product line-up, SPG offers the lowest cost of ownership to help you drive out costs while driving up productivity.



### ISS Contender™ Utility Carts

- Ideal for receiving, busing and general material handling
- Wire construction; 2-shelf or 3-shelf models
- Easy maneuverability with 5" diameter, swivel, resilient, non-marking casters
- Assembly requires no tools or extra hardware
- Plating Plus™ — zinc plating, chromate steel and clear lacquer form a finish that's hard, durable and attractive
- Load rating is 800 lbs.

Model No.	W x L x H (In.)	Weight
<b>2-Shelf Utility Carts</b>		
MUC18302C	18 x 30 x 39	37
MUC18362C	18 x 36 x 39	40
MUC24362C	24 x 36 x 39	47
<b>3-Shelf Utility Carts</b>		
MUC18303C	18 x 30 x 39	43
MUC18363C	18 x 36 x 39	47
MUC24363C	24 x 36 x 39	60



ISS Contender™ carts are also available with Contender Grey™ Epoxy finish for humid and moist environments. Custom handles are also available. Call your SPG representative for details.

### Kelmax Heavy Duty Stainless Steel Utility Cart

- A reinforced tube adds strength under front lip of shelves
- 5" x 2" polyurethane plate casters
- 1,100 lb-rolling capacity
- Stainless steel caster hardware
- Made in 304 Series stainless steel for rust resistance



Model No.	No of Shelves	Shelf Spacing(In.)	Shelf Size	W x L x H (In.)	W x L x H (mm.)	Weight (Lbs)	Weight (Kg.)
4J0473	2	23	18 x 32	37.5 x 19.5 x 37	953 x 496 x 940	74	34
4J0407	3	11	18 x 32	37.5 x 19.5 x 37	953 x 496 x 940	90	41

Kelmax stainless steel Utility Carts are available in:  
37-1/2", 38-1/2" and 54-1/2" lengths  
19-1/4" and 22-1/2" widths



### ISS™ Universal Staging Cart

- Provides maximum cooler storage in minimum space
- Improves thawing and storage capabilities, facilitates product rotation and includes 12 aluminum trays
- Ideal for any product that needs tempering in a walk-in cooler
- End-loading rack offers generous capacity and can hold up to 28 trays
- Assembles without tools—thanks to our Sure Lock™ coupler, numbered posts and easy instructions

Model No.	W x L x H	
	(In.)	(mm.)
WST1384Y	21 x 30 x 68.5	533 x 762 x 1740

### Kelmax Aluminum Meat Lug Carts

- All welded construction
- 5" polyurethane swivel stem casters



Model No.	Lug Capacity	L x W x H		Weight	
		(In.)	(mm.)	(Lbs)	(Kg.)
4H0682	1	25 x 16 x 19	635 x 406 x 483	10	4.5
4H0690	2	25 x 16 x 33	635 x 406 x 838	18	8
4H0694	6	27 x 19 x 69	686 x 483 x 1753	30	13.5

Kelmax Meat Lug Carts are also available in 3 and 4-lug capacities  
Order lugs separately - see page 76



SPG's foodservice products are all manufactured to meet NSF standards. For specific items, visit [www.nsf.org](http://www.nsf.org)

### Kelmax Mixing Bowl Dolly

- Designed for the toughest conditions
- 16-ga. 304 Series stainless steel construction tubing with .25" thick ring
- 800 lb. capacity
- Mobile unit on 5" polyurethane casters

Model No.	Ring Size (In.)	L x W x H		Weight	
		(In.)	(mm.)	(Lbs)	(Kg.)
4J0274	19	28 x 21 x 30	711 x 533 x 761	45	20

Available with 19" and 30" rings, in 26" and 30" heights



## MAXIMUM MOBILITY

Whether you need to maneuver in tight, busy kitchen spaces or transport meals, supplies and more — SPG has a complete selection of products to help move your operation forward.



### Kelmax Aluminum Sheet Pan Dolly

- Store and transport foodservice trays with greater efficiency and convenience
- One or two tier units
- Holds 18" x 26" sheet trays
- 5" polyurethane swivel plate casters
- Heavy-duty units have 1-1/4" square tubing
- All welded aluminum construction

Model No.	Capacity (Lbs)	L x W x H		Weight	
		(In.)	(mm.)	(Lbs)	(Kg.)
4H1331	900	27 x 22 x 32	686 x 559 x 813	22	10



### Tray Modules Mobile Unit

- Space saving cart for storing trays
- Each cart consists of 4 shelves, 4 posts, four 5" CM5M swivel casters, 4 donut bumpers and tray modules to fill each shelf tray
- Tray module is TM241PG, spacing is 1-9/16"
- Shelving is 24" wide, 77" high

Polygard® Model No.	Tray Cap.	Length (In.)	Length (mm.)	Weight (Lbs.)	Weight (Kg.)
TM2448PG	96	48	1220	160	72.6
TM2460PG	112	60	1525	190	86.2
TM2472PG	144	72	1830	206	93.4



### AMCO® Dishwasher Rack Dolly

- Rugged polypropylene construction
- Durable rubber 4" dia. swivel casters
- Reduces ware handling, breakage — increases staff efficiency and productivity
- Easily moves 150 to 180 glasses
- 2" deep waste well stops water from dripping onto the floor
- Sized to fit all brands of dishwasher racks
- Color: Brown

Model No.	W x L x H		Weight	
	(In.)	(mm.)	(Lbs)	(Kg.)
232	21 x 21 x 7	540 x 540 x 178	12	5
233	21 x 21 x 36	540 x 540 x 914	17	8



Model No. 232

Model No. 233



### Kelmax U-Boat

- Heavy-duty dual steel channel base deck
- 6-wheel design offers maximum maneuverability
- 2 - 8" rigid center polyurethane wheels
- 4 — 4" swivel polyurethane end casters
- One U-Boat does the work of five (5) hand trucks
- 24" deck is available when a larger capacity is needed

Model No.	Capacity (Lbs)	W x D (In.)	W x D (mm.)	Weight (Lbs) (Kg.)	
4G0251 16" Deck U-Boat	2,500	60 x 16	1524 x 407	87	39
4G0372 16" Deck U-Boat	2,500	48 x 16	1219 x 407	90	40
4G0263 18" Deck U-Boat	2,000	60 x 18	1524 x 457	105	47
4G0276 24" Deck U-Boat	2,000	60 x 24	1524 x 610	120	54
4G0722 Shelf 16 x 48	—	16 x 48	407 x 1219	26	12
4G0729 Shelf 16 x 60	—	16 x 60	407 x 1524	29	13



### Kelmax Hand Trucks

- Beveled plate and heavy-duty steel construction
- Easy-to-control loop handle
- SPG's unique Kick-Off feature makes it easier to unload products

Model No.	Handle Type	Wheel Type	Capacity (Lbs)	Weight (Lbs) (Kg.)	
4K0163	Loop Handle	Semi Pneumatic	600	35	16