

More choices and superior performance to really get your business rolling.

What sets SPG carts apart from all the rest? Unique design features, quality construction, value driven price points, generous capacities, proven durability, unique models designed for specific applications, and versatile models engineered to handle any job you've got. We make all of this available to you.

But, what really sets our carts apart is the company that brings them to you. Beyond a broad selection, beyond the ruggedness, quality, and low cost, we offer you superior service that can rush you the equipment you need, and the technical support so essential both before and after purchase.

On the following pages, you'll discover our vast line-up of carts. Of course, you'll find them just about anywhere—in warehouses, distribution centers, factories, laboratories, foodservice operations, healthcare institutions, retail back-rooms, and more.

While our carts are very competitively priced, they're also resistance welded for greater strength and offer you important performance advantages—such as our unique quick release caster bracket for fast, easy bolt-on replacement of casters.

Our broad product range includes:

- Stock carts and trucks
- Industrial carts for pipe, lumber and cylinders
- Pallet trucks
- Lift trucks & tables
- U boats
- Platform trucks
- Wire and stainless steel carts
- Security units
- Mobile workbenches
- Mail carts

Expect More...

The right price. The best service. Superior performance. Rugged durability. When it comes to getting your business rolling, SPG offers you everything you need.





CARTS

STOCK CARTS

Rolling Service Stock Carts

- Made of heavy gauge steel
- Standard push handles
- Unique quick release keyslot caster brackets with two 5" rigid and two 5" swivel casters, rubber
- 2 or 3 shelf units with 1 ½" lip
- 1,000 lb. capacity
- For smooth on and off loading, order lips down suffix "LD"
- Gray finish
- F.O.B. IL

With 1 ½" Lip Up

Model No.	D x W x H (In.)	Wt. (Lbs.)
2 - Shelf Units		
GRSC1830-2R	18 x 30 x 35	58
GRSC1836-2R	18 x 36 x 35	63
3 - Shelf Units		
GRSC1830-3R	18 x 30 x 35	73
GRSC1836-3R	18 x 36 x 35	85



With 1 ½" Lip Up

Ladder Carts

- Heavy gauge steel
- 2-step spring loaded ladder standard, grips floor when stepped on
- Tiered shelf design standard to maximize space and maneuverability
- 2 rigid and 2 swivel 5" rubber casters
- 1½" lip up on all shelves
- Drawer option add suffix "D"
- Powder coat paint finish
- F.O.B. IL
- 1,000 lb capacity

Model No. Steel	O.A. Size D x W (In.)	No. of Shelves	Ladder Height (In.)	Topstep Height (In.)	Wt. (Lbs.)
GLC2036-2	20 x 41½	2	63	26	75
GLC2048-2	20 x 53½	2	63	26	90
GLC2048-3	20 x 53½	3	63	26	150



GLC2036-3D

CARTS

UTILITY CARTS

2-Shelf Shop Trucks

- Shelves made of heavy gauge steel
- 1,000 lb. capacity
- Ergonomic offset handle
- Unique quick release keyslot caster brackets standard
- 5" rubber casters standard (2 rigid and 2 swivel)
- Powder coat finish
- F.O.B. IL
- Top shelf is 25" above floor
- 16" bottom to top shelf opening

Model No.	D x W (In.)	Wt. (Lbs.)
GLD2430-R	24 x 30	84
GLD2436-R	24 x 36	94
GLD2442-R	24 x 42	105
GLD2448-R	24 x 48	109
GLD3042-R	30 x 42	125
GLD3048-R	30 x 48	126
GLD3060-R	30 x 60	140



GLD3042-R

Drawer Service Carts

- 1,000 lb. capacity
- Two drawers 20"D x 14"W x 5"H with keylock. 1½" deep shelves. Push handle. Comes standard with 2-rigid and 2-swivel casters which mount in our quick release keyslot caster brackets
- Powder coat finish
- F.O.B. IL

Model No.	Description	D x W x H (In.)	Wt. (Lbs.)
GRSCDDS2236-R	2 side by side drawers	22 x 36 x 35	133
GRSCDBT6B2236-R	2 drawers, w/ 6 bins*	22 x 36 x 35	155
GRSCDB2236-R	2 drawers, no bins	22 x 36 x 35	133

* 8-1/4 W x 14-3/4 D x 7" H



GRSCDDS2236-R



GRSCDBT6B2236-R

Work Benches

- Made of heavy gauge steel
- Stationary or Mobile
- Top shelf with 1½" retaining wall on 3 sides, front side lip down for easy access
- Lower half shelf is 15" deep with 4" high back
- Heavy duty tubular corner construction
- 22" clearance between shelves
- 2-rigid and 2-swivel/brake 5" polyurethane casters
- Powder gray coat finish
- F.O.B. IL

Model No.	D x W x H (In.)	Description	Wt. (Lbs.)
GSWB3048	30 x 48 x 35	Stationary	135
GSWB3060	30 x 60 x 35	Stationary	145
GMWB3048	30 x 48 x 35	Mobile	140
GMWB3060	30 x 60 x 35	Mobile	150
GMWB3072	30 x 72 x 35	Mobile	170

*Drawer will be placed in the middle of the bench unless specified.
Add a "-D" after the model number.



GSWB3060, Stationary Workbench



GSWB3060-D
Stationary Workbench
w/optional drawer



GMWB3060
Mobile Workbench

CARTS

3-SIDED CARTS

3-Sided Carts

- Bases made of heavy gauge steel
- 800 lb. capacity per shelf
- Height is 48" above the deck
- Push handle
- Additional shelves available
- 2 swivel and 2 rigid 5" x 2" phenolic casters
- Orange finish
- F.O.B. IL

Model No.	D x W (In.)	Wt. (Lbs.)
GEX1836TS-ORN	18 x 36	115
GEX2442TS-ORN	24 x 42	130
GEX2448TS-ORN	24 x 48	137
GEX2454TS-ORN	24 x 54	141
GEX2460TS-ORN	24 x 60	147
GEX3042TS-ORN	30 x 42	175
GEX3048TS-ORN	30 x 48	190
GEX3054TS-ORN	30 x 54	205
GEX3060TS-ORN	30 x 60	220
GEX3072TS-ORN	30 x 72	250
GEX3660TS-ORN	36 x 60	250
GEX3672TS-ORN	36 x 72	273

Additional Shelves

- Add suffix "2" or "3" after "TS" of model no. to indicate a total of 2 or 3 shelf unit.

Example: GEX1836TS3 = 2 additional shelves or 3 shelves total, including the bottom.



GEX2460TS



GEX1836TS3

Open Portable Shelf Cart

- All welded construction made of 1" square tubing with ½" rods on sides and back
- Heavy gauge steel shelves slope from front to back
- 14" clearance between shelves
- Standard 6" x 2" polyurethane casters (2-swivel, 2-rigid)
- 800 lb. capacity per shelf
- 61" overall height
- GREY finish.
- F.O.B. IL.

Model No.	D x W x H (In.)	Wt. (Lbs.)
GOPT2236	22 x 36 x 61	193
GOPT2278	22 x 78 x 61	342
GOPT2442	24 x 42 x 61	225
GOPT2448	24 x 48 x 61	260
GOPT3048	30 x 48 x 61	260
GOPT3060	30 x 60 x 61	340
GOPT3072	30 x 72 x 61	403
GOPT3672	36 x 72 x 61	458



GOPT2448

CARTS

GAS STORAGE

Horizontal Storage Units

- Holds 20, 30, or 40 Lb. cylinders

Gas Cylinder Storage Units

- All welded (SU) or Knocked Down (KD)
- Sides are 13-gauge expanded metal
- 16-gauge solid steel roof
- Corner posts are 12-gauge
- Padlock loop & hinges
- Pre-drilled legs to anchor to floor
- Painted safety yellow with red legend: "Flammable-Keep Away From Flame"
- Meets all OSHA requirements and NFPA standards
- KD Frt Class = 85
- Set-up Frt Class = 175
- F.O.B. IL. = (All)

Vertical Storage Units

- Safety chains
- Holds cylinders up to 200 Lbs.

All Welded Set-up (SU) Model No.	Knocked Down (KD) Model No.	Cylinders Stored	D x W x H (In.)	Wt. (Lbs.)
Horizontal Storage Unit				
GCH4SU	GCH4KD	4	32 x 38 x 37	170
GCH8SU	GCH8KD	8	32 x 38 x 70	280
GCH12SU	GCH12KD	12	49 x 38 x 70	340
GCH16SU	GCH16KD	16	65 x 38 x 70	490
Vertical Storage Unit				
GCV510SU	GCV510KD	5-10	32 x 38 x 70	204
GCV1020SU	GCV1020KD	10-20	65 x 38 x 70	360



GCV1020SU



GCH8SU

Smooth Steel Deck U Boat

- Heavy duty all steel channel construction
- Removable handles
- 6-wheel design for maximum maneuverability
- 4" Polyurethane swivel casters on ends
- Center casters 8" heavy duty mold-on-rubber
- F.O.B. IL

Model No.	Deck Size D x W x H (In.)	Capacity	Wt. (Lbs.)
GUBS1660-84PU	16 x 60 x 60	1800	102
GUBS2460-84PU	24 x 60 x 60	1800	123



optional shelf
available

Smooth Steel Deck U Boat

CARTS

PLATFORM TRUCKS

All Steel Platform Truck

- 1,500 lb. Capacity
- Removable handle
- Gray finish
- 2-swivel and 2-rigid casters, rubber
- F.O.B. IL

Model No.	D x W (In.)	Wt. (Lbs.)
GHPT2436-R	24 x 36	80
GHPT2460-R	24 x 60	107
GHPT2848-R	28 x 48	107
GHPT3048-R	30 x 48	112
GHPT3648-R	36 x 48	134



GHPT2436-R

Heavy Duty All-Welded Platform Truck

- 2,000 lb. Capacity
- Made of heavy gauge steel
- 2-swivel and 2-rigid 8" x 2" mold-on rubber wheels rated at 500 lbs. per caster
- Gray finish
- F.O.B. IL.

Model No.	D x W (In.)	Wt. (Lbs.)
GHDPT2448 [†]	24 x 48	130
GHDPT3060 [†]	30 x 60	150



GHDPT2448

Heavy Duty Red Hand Pallet Truck

- 7½" x 2" Polyurethane wheels with aluminum core dissipate heat for increased wheel life in high use applications
- Adjustable push rods and reinforced forks
- Articulating axle adjusts automatically to ensure load stability over uneven surfaces or small debris
- Powder coated red
- F.O.B. IL
- Frt. Class = 92.5 (6-units crated — with handles not attached)
- Frt. Class = 175 (handle already attached)
- Adjustable push rods and reinforced forks



Heavy Duty Hand Pallet Truck

Model No.	Fork Size W x L (In.)	Lowered Ht. (In.)	Wheel Size (In.)	Wt. (Lbs.)
IE2748-55HC	27 x 48	2.9	7.5 x 2	180

CARTS

PALLET TRUCKS

Corrosion Resistant Pallet Trucks

Whether it is a clean-room or a cold-room environment or a highly corrosive chemical application, or the unit simply needs to be washed down on a regular basis, the GILLIS Corrosion Resistant Pallet Trucks will do the job.

Galvanized Pallet Truck

- For corrosion resistance as well as cold applications
- Ideal for use in freezers or coolers with temperatures down to -10° Fahrenheit as well as chemical exposure applications
- Hygienic, durable and easy to clean,
- 100% galvanized pump, handle, frame and components, and polyurethane wheels and rollers
- Widely used in meat processing, wineries, etc., and is well-suited for transporting goods in and out of freezers/ coolers.



ISSPT2748

Stainless Steel Pallet Truck

- Features 100% stainless steel pump, handle, frame and component construction, with polyurethane wheels and rollers
- It offers maximum corrosion resistance in chemical, wet or cold applications
- Providing durability, dependability and low maintenance, this unit is perfectly suited for many uses including those of chemical manufacturers, pharmaceutical companies, food manufacturers, and fisheries

Model No.	Load Capacity W x L (In.)	Lowered Height (In.)	Raised Height (In.)	Overall Fork Width (In.)	Fork Length (In.)	Steer Wheel Size (In.)	Roller Size (In.)	Wt. (Lbs.)
Galvanized Pallet Truck								
IGSPT2748	5500	2.9	7 ³ / ₄	27	48	7 x 2	2.9 x 3.6	175
Stainless Steel Pallet Truck								
ISSPT2748	5500	2.9	7 ³ / ₄	27	48	7 x 2	2.9 x 3.6	175

2 & 3-Shelf Utility Carts

Carts come complete with 5" rubber swivel casters.

2 Shelf Utility Carts

Solid Model No.	Vented Description	Shelf Size W x L	Wt. (Lbs.)
PS1836S33UC-2	PS1836V33UC-2	18 x 36	59
PS1848S33UC-2	PS1848V33UC-2	18 x 48	69
PS1860S33UC-2	PS1860V33UC-2	18 x 60	85
PS2436S33UC-2	PS2436V33UC-2	24 x 36	65
PS2448S33UC-2	PS2448V33UC-2	24 x 48	77
PS2460S33UC-2	PS2460V33UC-2	24 x 60	93

3 Shelf Utility Carts

Solid Model No.	Vented Description	Shelf Size W x L	Wt. (Lbs.)
PS1836S33UC-3	PS1836V33UC-3	18 x 36	75
PS1848S33UC-3	PS1848V33UC-3	18 x 48	80
PS1860S33UC-3	PS1860V33UC-3	18 x 60	114
PS2436S33UC-3	PS2436V33UC-3	24 x 36	84
PS2448S33UC-3	PS2448V33UC-3	24 x 48	102
PS2460S33UC-3	PS2460V33UC-3	24 x 60	126



PS1836S33UC-2


4-Shelf Carts

Carts come complete with 5" polyurethane swivel casters.

Solid Model No.	Vented Model No.	Shelf Size W x L x H (In.)	Wt. (Lbs.)
PS1836S54C-4	PS1836V54C-4	18 x 36 x 60	91
PS1848S54C-4	PS1848V54C-4	18 x 48 x 60	111
PS1860S54C-4	PS1860V54C-4	18 x 60 x 60	143
PS2436S54C-4	PS2436V54C-4	24 x 36 x 60	103
PS2448S54C-4	PS2448V54C-4	24 x 48 x 60	127
PS2460S54C-4	PS2460V54C-4	24 x 60 x 60	159
PS1836S64C-4	PS1836V64C-4	18 x 36 x 70	93
PS1848S64C-4	PS1848V64C-4	18 x 48 x 70	113
PS1860S64C-4	PS1860V64C-4	18 x 60 x 70	145
PS2436S64C-4	PS2436V64C-4	24 x 36 x 70	105
PS2448S64C-4	PS2448V64C-4	24 x 48 x 70	129
PS2460S64C-4	PS2460V64C-4	24 x 60 x 70	161



PS1848S54C-4SL



CARTS

SECURITY UNITS

Stationary Security Units

- All-welded heavy gauge steel construction
- Expanded metal sides and backs
- Easy locking handle
- Gray finish
- F.O.B. IL.



with doors open



GSSU3048-2

Mobile Security Units

- All-welded heavy gauge steel construction
- Expanded metal sides and backs
- Easy locking handle
- Gray finish
- 5" x 2" phenolic casters
- F.O.B. IL.



GSSU3048-3
With extra shelf



GMSU3048-2
w/optional fork pockets

Stationary Security Units			With Extra Shelf		Mobile Security Units		With Extra Shelf	
D x W x H (In.)	Model No.	Wt. (Lbs.)	Model No.	Wt. (Lbs.)	Model No.	Wt. (Lbs.)	Model No.	Wt. (Lbs.)
24 x 60 x 72	GSSU2460-2	315	GSSU2460-3	355	GMSU2460-2	325	GMSU2460-3	365
30 x 48 x 72	GSSU3048-2	330	GSSU3048-3	370	GMSU3048-2	340	GMSU3048-3	380
30 x 60 x 72	GSSU3060-2	355	GSSU3060-3	395	GMSU3060-2	365	GMSU3060-3	405
30 x 72 x 72	GSSU3072-2	370	GSSU3072-3	410	GMSU3072-2	380	GMSU3072-3	420
36 x 60 x 72	GSSU3660-2	385	GSSU3660-3	425	GMSU3660-2	395	GMSU3660-3	435
36 x 72 x 72	GSSU3672-2	415	GSSU3672-3	455	GMSU3672-2	425	GMSU3672-3	465

All Security Units are Available in:
Gray, Tan, Blue, Yellow, Red, Orange and Green

Mobile Pipe Cart

The mobile pipe cart serves as the perfect portable cart for the storage and transport of long materials. The sturdy all-welded arms create eight separate levels allowing storage and transport of pipe, conduit, steel fabricated parts, or other hard-to-handle items. Arm end stops retain round or unstable items from falling off arms. Shelves are a graduated depth from top to bottom:

- 12", 14", 16", 20".
- 1,000 lbs. capacity
- Tubular in design
- Load levels widen from 12" at the top level to 18" at the base
- Low overall height storage allows a person to reach and lift manually
- Portable - for multiple uses
- Standard (2) 5" swivel and (2) 5" rigid casters supplied
- Ships unassembled for freight savings
- Shelves are optional and do not come with unit



Mobile Pipe Cart

Model No.	Description	L x W x H (In.)	Wt. (Lbs.)
MO-559	Pipe Rack	50 x 43 x 69	172
MO-559-1-4	Upper Pan	50 x 11 ¹³ / ₁₆ x 3 ¹ / ₁₆	13
MO-559-1-3	Middle Pan	50 x 13 ¹³ / ₁₆ x 3 ¹ / ₁₆	14
MO-559-1-2	Lower Pan	50 x 15 ¹³ / ₁₆ x 3 ¹ / ₁₆	15 ¹ / ₂
MO-559-1-1	Base Pan	50 x 20 ¹ / ₁₆ x 3 ¹ / ₁₆	18 ¹ / ₂

CARTS

SECURITY CART

Collapsible Nesting Security Cart

Designed to provide simplified, secure transport of valuable goods with less effort and fewer employees, the Collapsible Nesting Security Cart easily carries a wide array of products, regardless of size or shape. A must for transporting valuable inventory such as jewelry or electronics, it delivers significant advantages:

- Reduced staffing needs: loaded carts can be linked together and towed as one coordinated unit utilizing an innovative built-in tow bar, allowing a single employee to easily manage and navigate several carts at once
- Less storage space: empty carts can collapse to 33% of their original size and be nested together for easier transport and a reduced footprint in both trucks and your storage facility

- A patent-pending design: the interior includes a built-in shelf that pivots into position when needed or out of the way to accommodate different products –an SPG exclusive
- Maximum security for your inventory: the unit includes clear view wire security panels with rugged, locking dual doors

Among its many performance features are:

- 6" premium rubber casters for easy navigation
- Synchronized brakes on the rear wheels operated by a single hand brake for greater control
- A generous half-ton capacity, including 500 lbs. per shelf
- Powder-coated in "Machine Red" for a more durable finish



Model No.	Depth(In.)	Width(In.)	Height(In.)	Wt. (Lbs.)
Collapsible Nesting Cart				
GNMSU3046-6PR	30 ¹ / ₂	48 ¹ / ₂	74 ³ / ₈	314

Panel & Lumber Cart

This well-engineered cart gives Jarke the edge. This cart is sized for standard lengths of lumber, plywood and other hardware items. The lumber cart promotes self-service in retail businesses.

- 1,200 lbs. capacity
- All-welded steel construction
- Smooth steel deck to prevent product damage
- Choice of wheels
- Painted high visibility orange
- Minor assembly required
- Cart Dimension 26" W x 30" D x 44¾" H
- Other sizes available upon request



Model No.	Description	Wt. (Lbs.)
Cart With Caster Assemblies		
UC2630-P1	Cart w/ 5" Phenolic Wheels: 2 Swivel, 2 Rigid	88
UC2630-P2	Cart w/ 5" Phenolic Wheels: 4 Swivel	88
UC2630-L1	Cart w/ 5" Polypropylene Wheels: 2 Swivel, 2 Rigid	88
UC2630-L2	Cart w/ 5" Polypropylene Wheels: 4 Swivel	88

CARTS

LIFT TABLES

Foot Pump Scissor Lift Tables

- Lift & transport design
- Polyurethane fixed & swivel wheels
- Upper lifting limit bypass
- Dual brake system on each model



IFPST330



Collapsed

Model No.	Capacity (Lbs.)	Overall Size W x L (In.)	Lowered Height (In.)	Raised Height (In.)	Handle Height (In.)	Wheel (In.)	Table W x L (In.)	Wt. (Lbs.)
IFPST330	330	17 ³ / ₄ x 35	8 ³ / ₄	29 ¹ / ₂	38	4	17 ³ / ₄ x 27 ¹ / ₂	101
IFPST660	660	19 ³ / ₄ x 41	11	35 ¹ / ₂	39	5	19 ³ / ₄ x 32	165
IFPSTD770*	770	19 ³ / ₄ x 46	11 ¹ / ₄	51 ¹ / ₂	39	5	19 ³ / ₄ x 36	265
IFPST1100	1100	19 ³ / ₄ x 41	13 ¹ / ₂	35 ¹ / ₂	38	5	19 ³ / ₄ x 32	187
IFPST1650	1650	22 ¹ / ₂ x 52	16 ¹ / ₂	40	39	6	20 x 39 ¹ / ₄	254

*Has a double scissor lift to reach the additional raised height.



IFPST660



IFPSTD770



IFPST1100



IFPST1650



Manual Lift Truck

The GILLIS IMHLT2200 Manual Hi-Rise Skid Lift Truck is a manually operated high lift truck designed to handle applications such as lifting and transporting skids and bottomless containers, loading and unloading conveyor systems

- Well suited for use as a mobile work station
- Built to work like a Stacker and Pallet Truck combined, the ergonomic design of the IMHLT2200 helps prevent bending and back injuries thereby reducing costly workmen's compensation claims



IMHLT2200



Model No.	Load Capacity W x L (In.)	Lowered Height (In.)	Raised Height (In.)	Overall Fork Width (In.)	Fork Length (In.)	Fork Width (In.)	Handle Height (In.)	Steer Wheel (In.)	Roller (In.)	Wt. (Lbs.)
IMHLT2200	2200	3.3	31 1/2	27	45	6.3	48 1/4	7 1/2 x 2	3 x 2	375

CARTS

MAIL CARTS

Mail/Record/Chart Carts

File capacity 80–120 legal folders. 2 removable baskets. Adjustable hanging file folder guide rails for use of legal or letter size folders. Non-marking casters. Contents visible from all sides...no lost or hidden items. Light weight...but rugged $\frac{7}{8}$ " tube construction. Chrome plated...for long lasting durability



LS-2



LS-3



LS-4

Model No.	Cart Size W x L (In.)	Top Size W x L x H	Baskets Bottom W x L x H (In.)	Casters Front	Casters Back	Wt. (Lbs.)
LS-2	19 x 27	17 x 25 x 11	17 x 25 x 7	4" Swivel	4" Rigid	41
LS-3	23 x 30	17 x 25 x 11	17 x 25 x 7	5" Swivel	10" Semi-Pneumatic	52
LS-4	23 x 41	17 x 36 x 11	17 x 36 x 7	5" Swivel	10" Semi-Pneumatic	60

Wire Shelf Carts

- Superbly constructed — 1" square posts offer 27% more steel than round posts
- 17% higher collar than competition for better rigidity
- 2 and 3 shelf utility carts come standard with 5" rubber swivel casters
- 4 shelf carts come standard with 5" polyurethane swivel casters
- Durable plated finish

2 & 3 Shelf Utility Carts - 39" High

Shelf	2-Shelf	Wt.	3-Shelf	Wt.
W x L (In.)	Model No.	(Lbs.)	Model No.	(Lbs.)
18 x 36	A1836CP33UC-2	49	A1836CP33UC-3	60
18 x 48	A1848CP33UC-2	57	A1848CP33UC-3	72
18 x 60	A1860CP33UC-2	63	A1860CP33UC-3	81
24 x 36	A2436CP33UC-2	54	A2436CP33UC-3	68
24 x 48	A2448CP33UC-2	64	A2448CP33UC-3	83
24 x 60	A2460CP33UC-2	73	A2460CP33UC-3	96



A1836CP33UC-3

4 Shelf Carts - 60" & 70" High

Shelf	Overall Ht.	4-Shelf	Wt.
W x L (In.)	(In.)	Model No.	(Lbs.)
18 x 36	60	A1836CP54C-4	71
18 x 48	60	A1848CP54C-4	87
18 x 60	60	A1860CP54C-4	99
24 x 36	60	A2436CP54C-4	81
24 x 48	60	A2448CP54C-4	101
24 x 60	60	A2460CP54C-4	119
18 x 36	70	A1836CP64C-4	73
18 x 48	70	A1848CP64C-4	89
18 x 60	70	A1860CP64C-4	101
24 x 36	70	A2436CP64C-4	83
24 x 48	70	A2448CP64C-4	103
24 x 60	70	A2460CP64C-4	121



A2448CP54C-4

CARTS

HEAVY DUTY SQUARE POST WIRE CARTS

3-Sided Carts

- Post mounted panels eliminate need for a top shelf
- 4" x 4 ½" mesh back and side enclosures keep materials from falling during movement. 1200 lb. cart capacity
- Height 70"
- Comes standard with 5" polyurethane swivel casters

4-Shelf	Shelf	Wt.
Model No.	W x L (In.)	(Lbs.)
A1836CP64TS-4	18 x 36	113
A1848CP64TS-4	18 x 48	134
A1860CP64TS-4	18 x 60	155
A2436CP64TS-4	24 x 36	127
A2448CP64TS-4	24 x 48	152
A2460CP64TS-4	24 x 60	179




A2448CP64TS-4

Security Carts

- Keep valuable materials secured while storing and transporting
- Features 2" x 2" wire mesh on all sides for visibility
- Front door has lockable handle (padlock not included)
- 1200 lb. cart capacity
- Height 70"
- Comes standard with 5" polyurethane swivel casters

2-Shelf	Shelf	Wt.
Model No.	W x L (In.)	(Lbs.)
A1830CP64SEC-2	18 x 30	118
A1848CP64SEC-2	18 x 48	175
A1860CP64SEC-2	18 x 60	211
A2430CP64SEC-2	24 x 30	127
A2448CP64SEC-2	24 x 48	185
A2460CP64SEC-2	24 x 60	224



A2448CP64SEC-2

Bin Cart with Garment Bar

- Finish—Plating Plus
- 12 bins for maximum storage
- Easy to adjust bins to suit your needs
- Overall height 70"

Call for quote.

	Shelf	Wt.
Model No.	W x L (In.)	(Lbs.)
WST1648C	24 x 48	135




WST1648C

Heavy Duty Square Post Cart Accessories

Smart-Casters®

Turn standard carts into Smart-Karts. Using Smart-Casters makes your cart a "Smart-Kart" and provides cart users with maneuverability and control. The 4-position, swivel lock casters can be set as swivel or rigid, in any combination, with the touch of a toe. Set of 4 casters - 2 swivel and 2 smart.

Model No.	Wt. (Lbs.)
G5PGSL22	12
(Set of 4)	



A2448CP64TS-4

CARTS

STANDARD DUTY ROUND POST WIRE CARTS

2 & 3 Shelf Utility Carts

These units consist of 2 or 3 plated shelves, 1 set of (2) plated handles and (4) Swivel rubber casters for 800 lb. capacity.

2 Shelf Carts

5" Rubber Casters	5" Poly Casters	W x L	Wt.
Model No.	Model No.	(In.)	(Lbs.)
MA1836C33UC-2R	MA1836C33UC-2P	18 x 36	40
MA1842C33UC-2R	MA1842C33UC-2P	18 x 42	43
MA1848C33UC-2R	MA1848C33UC-2P	18 x 48	47
MA2436C33UC-2R	MA2436C33UC-2P	24 x 36	48
MA2442C33UC-2R	MA2442C33UC-2P	24 x 42	52
MA2448C33UC-2R	MA2448C33UC-2P	24 x 48	54
MA2460C33UC-2R	MA2460C33UC-2P	24 x 60	64



MA1836C33UC-2R

3 Shelf Carts

5" Rubber Casters	5" Poly Casters	W x L	Wt.
Model No.	Model No.	(In.)	(Lbs.)
MA1836C33UC-3R	MA1836C33UC-3P	18 x 36	50
MA1842C33UC-3R	MA1842C33UC-3P	18 x 42	54
MA1848C33UC-3R	MA1848C33UC-3P	18 x 48	57
MA2436C33UC-3R	MA2436C33UC-3P	24 x 36	61
MA2442C33UC-3R	MA2442C33UC-3P	24 x 42	67
MA2448C33UC-3R	MA2448C33UC-3P	24 x 48	70
MA2460C33UC-3R	MA2460C33UC-3P	24 x 60	85



MA1836C33UC-3R

4-Shelf Carts with Stem Casters

4-Shelf carts with 54" or 64" plated posts. 800 lb. capacity.

54" Posts - (Overall height 60")

Rubber Casters	Poly Casters	Size	Wt.
Model No.	Model No.	W x L	(Lbs.)
MA1836C54CR-4	MA1836C54C-4	18 x 36	62
MA1848C54CR-4	MA1848C54C-4	18 x 48	72
MA1860C54CR-4	MA1860C54C-4	18 x 60	92
MA1872C54CR-4	MA1872C54C-4	18 x 72	104
MA2436C54CR-4	MA2436C54C-4	24 x 36	76
MA2448C54CR-4	MA2448C54C-4	24 x 48	88
MA2460C54CR-4	MA2460C54C-4	24 x 60	108
MA2472C54CR-4	MA2472C54C-4	24 x 72	128

64" Posts - (Overall height 70")

Rubber Casters	Poly Casters	Size	Wt.
Model No.	Model No.	W x L	(Lbs.)
MA1836C64CR-4	MA1836C64C-4	18 x 36	64
MA1848C64CR-4	MA1848C64C-4	18 x 48	74
MA1860C64CR-4	MA1860C64C-4	18 x 60	94
MA1872C64CR-4	MA1872C64C-4	18 x 72	106
MA2436C64CR-4	MA2436C64C-4	24 x 36	78
MA2448C64CR-4	MA2448C64C-4	24 x 48	90
MA2460C64CR-4	MA2460C64C-4	24 x 60	110
MA2472C64CR-4	MA2472C64C-4	24 x 72	130



MA2448C64C-4

3-Sided Carts

Shelf attached 3 x 3 mesh panels hook over the top shelf channel and into the bottom shelf for easy assembly. Additional slip ties keep panels secure during transit. The 3-sided design keeps materials from falling during movement and the top shelf allows for cart covers to fit snugly. Carts come with (4) 5" polyurethane swivel casters. 1200 lb. cart capacity.

4-Shelf Cart

Model No.	W x L (In.)	Overall Height (In.)	Wt. (Lbs.)
MTS336C72-4	18 x 36	78	88
MTS342C72-4	18 x 42	78	93
MTS348C72-4	18 x 48	78	100
MTS372C72-4	18 x 72	78	142
MTS536C72-4	24 x 36	78	106
MTS542C72-4	24 x 42	78	114
MTS548C72-4	24 x 48	78	120
MTS560C72-4	24 x 60	78	145
MTS572C72-4	24 x 72	78	170

5-Shelf Cart

Model No.	W x L (In.)	Overall Height (In.)	Wt. (Lbs.)
MTS336C72-5	18 x 36	78	98
MTS342C72-5	18 x 42	78	104
MTS348C72-5	18 x 48	78	112
MTS372C72-5	18 x 72	78	162
MTS536C72-5	24 x 36	78	119
MTS542C72-5	24 x 42	78	129
MTS548C72-5	24 x 48	78	136
MTS560C72-5	24 x 60	78	166
MTS572C72-5	24 x 72	78	196



MTS548C72-4