

INSPIRED INNOVATION

incredibly space-efficient...and representative of the kind of thinking that goes into all SPG racks.



Kelmax Aluminum Z-Racks

- Z-Racks have reinforced gussets for greater strength
- Heavy-duty runners welded to uprights
- Holds bun trays
- Keeps product fresher by allowing food to thaw properly
- Nesting reduces storage footprint by up to 50%
- Lifetime guarantee against rust
- Units have standard 5" polyurethane casters



Model No.	Description	Tray Capacity	Spacing	Dimensions	
				(in.)	(mm)
4H7196	APREZ10186	10	6	26X 20.375X 69.375	660X 518X 1762
4H7204	APREZ12185	12	5	26X 20.375X 69.375	660X 518X 1762
4H7205	APREZ15184	15	4	26X 20.375X 69.375	660X 518X 1762
4H7206	APREZ18183/65	18	3	26X 20.375X 63.375	660X 518X 1610
4H7207	APREZ20183	20	3	26X 20.375X 69.375	660X 518X 1762

Kelmax Aluminum Standard Duty Pan Racks

- Round tops and reinforced gussets for greater strength
- Runners welded to uprights
- Holds both 18" x 26" sheet pans and 14" x 18" trays
- Units have standard 5" polyurethane casters
- Lifetime guarantee against rust

Model No.	Tray Capacity	Spacing (In.)	D x L x H (In.)	D x L x H (mm.)	Weight (Lbs.)	Weight (Kg.)
End Load						
4H0855	12	5	26 x 21 x 69	660 x 533 x 1778	38	17
4H0963	20	3	26 x 21 x 69	660 x 533 x 1778	45	20
4H1023	25	2.5	26 x 21 x 69	660 x 533 x 1778	47	21
Side Load						
4H0880	12	5	29 x 18 x 69	457 x 737 x 1778	35	16
4H0953	18	3	29 x 18 x 64	457 x 737 x 1626	38	17
4H1039	30	2	29 x 18 x 69	457 x 737 x 1778	43	20

Aluminum Standard Duty Pan Racks are available with tray capacity from 10 to 30 Half sizes and custom sizes are also available to hold other types of trays Rack covers, caster options, brakes, bumpers are also available





ISS™ Rolling Pastry Rack

- Ideal for the storage of pastry backstock, packaged food, food trays
- Nine (9) wire shelves for storing and rotating inventory
- Marine waterfall shelf edge for easy loading and unloading
- Highly mobile with 5" swivel casters, 2 with brakes
- Patented Sure Lock™ coupler and numbered posts ensure easy, tool-free assembly
- Plating Plus™ — carbon steel plated with bright zinc and lacquer-coated for a tough, durable finish

Model No.	Width (In.)	Length (In.)	Height (In.)	Weight (Lbs.)
STBK524MC	24	24	76.5	144

Kelmax Aluminum Heavy Duty Racks

- .100" thick runner
- All-welded construction
- 5" poly U swivel plate casters
- 1-1/4" heavy wall uprights
- Heavy-duty wheel channel



SPG's foodservice products are all manufactured to meet NSF standards. For specific items, visit www.nsf.org

Model No.	Tray Capacity	Spacing (In.)	D x L x H (In.)	D x L x H (mm.)	Weight (Lbs.)	Weight (Kg.)
4H0950	18	3	26 x 21 x 65	660 x 533 x 1651	66	30
4H0991	20	3	26 x 21 x 69	660 x 533 x 1753	70	32



Kelmax Aluminum Oven Rack

- Oven racks accommodate three common lifts: A-Lift, B-Lift, C-Lift
- Includes rack, lift and high temperature casters
- Standard runners are 1" x 1-1/2" wide, custom runners available
- Holds 18" x 26" sheet pans or 20" x 30" trays

Model No.	(In.)	D x L x H (mm.)	Number of Runners	Spacing (In.)
4H5433	26 x 20 x 71	660 x 518 x 1813	15	4



SPG: Your Source For Oven Racks

SPG offers oven racks for all of the industry's most popular oven brands, including: Hobart, Revent, Baxter, Adamatic, Lucks and Bakers Aid.

- Aluminum or stainless steel construction
- End-load, side-load, and double-side load configurations
- A variety of spacing and capacity options
- A selection of high-temperature casters options

THE RIGHT RACKS

From enclosed cabinets and steam racks to can racks and dunnage, SPG offers a vast selection of storage systems designed for specific tasks — and to help your operation run more smoothly and profitably.



Kelmax Enclosed Cabinets

- Great for areas where cabinets will be in public view such as hospital hallways or dining halls
- Tray spacing on 1" or 1-1/2"
- All welded units with double pan tops
- Door opens 270 degrees on stainless steel hinges
- Stainless steel gravity latch is drilled for padlock
- Heavy-duty models have reinforced center supports and standard 5" x 2" casters

Model No.	Tray Capacity	Spacing (In.)	D x L x H (mm.)		Weight (Lbs.) (Kg.)	
End-Load — 1 1/2 in. Spacing						
4H2179	16	1.5	28 x 22 x 32	711 x 559 x 813	80	36
4H2187	24	1.5	28 x 22 x 44	711 x 559 x 1118	95	43
4H2193	32	1.5	28 x 22 x 56	711 x 559 x 1422	95	43
4H2200	40	1.5	28 x 22 x 68	711 x 559 x 1727	105	48
End-Load — Heavy-duty — 1 1/2 in. Spacing						
4H2223	40	1.5	28 x 22 x 68	711 x 559 x 1727	115	52
Side-Load — 1 1/2 in. Spacing						
4H2195	32	1.5	20 x 31 x 56	508 x 787 x 1422	92	42
End-Load — Heavy-duty — 1 in. Spacing						
4H2229	60	1	28 x 22 x 68	711 x 559 x 1728	115	52



Kelmax Keg Dunnage Racks

- Organize inventory and optimize keg storage space
- Keep kegs off the floor to reduce the chance for damage
- Heavy-duty 1-1/2" x 2" tubular frame
- "E" channel laterals run front to back to allow sliding of kegs
- All-welded aluminum construction
- Lifetime guarantee against rust

Model No.	Number of Kegs	W x L x H (In.)	W x L x H (mm.)	Weight (Lbs.) (Kg.)	
4H2237	2	18 x 36 x 12	457 x 915 x 305	9	4

Kelmax Keg Dunnage Racks are available in 18" and 24" widths, and 36" and 48" lengths — call for details





Kelmax Poly Food Box Racks

- Ideal for transporting and holding poly food boxes from the service area to the kitchen
- Great for helping sort products in the cooler
- Strong 1" square tubular aluminum construction
- Durable 5" poly U swivel stem casters

Model No.	Tray Capacity	Spacing (In.)	D x L x H (In.) (mm.)		Weight (Lbs.) (Kg.)	
4H0728	5	6	26 x 21 x 38	660 x 533 x 965	26	12
4H0731	8	6	26 x 21 x 69	660 x 533 x 1753	31	14
4H0721	15	4	26 x 21 x 69	660 x 533 x 1753	36	16
4H0724	20	3	26 x 21 x 69	660 x 533 x 1753	42	19

Some soft side boxes will not work in these racks



SPG's foodservice products are all manufactured to meet NSF standards. For specific items, visit www.nsf.org



Kelmax Standard Tubular Dunnage Racks

- Square Tubular Dunnage Racks are an economical way to hold medium to heavy-duty boxes
- All units come with a lifetime guarantee against rust
- Extra-strong 1-1/2" square aluminum tubing
- Plastic cap feet
- 8" legs

Model No.	L x D (In.)	L x D (mm.)	Capacity	Weight (Lbs.) (Kg.)	
20-in. Wide Racks					
4H1752	20 x 36	508 x 914	2100	8	4
4H1810	20 x 48	508 x 1219	1800	10	5
4H1853	20 x 60	508 x 1524	1500	13	6
24-in. Wide Racks					
4H1759	24 x 36	610 x 914	2100	9	4
4H1818	24 x 48	610 x 1219	1800	12	5
4H1857	24 x 60	610 x 1524	1500	15	7

Also available with 12" legs. Welded cap is an available option



ISS™ Plastic Dunnage Racks

- Lightweight one-piece seamless polyethylene
- Rust and corrosion-proof
- Slotted to provide excellent air circulation
- Use in dry storage or in walk-in coolers/freezers
- Guaranteed for up to 10 years
- Holds up to 2,000 lbs. (907 kg.)
- Fits flush to adjacent units to maximize space utilization

Model No.	W x L x H (In.)	Number of Legs	Weight (Lbs)
DUN2436	24 x 36 x 12	4	14
DUN2448	24 x 48 x 12	6	18
DUN2448	24 x 60 x 12	6	25

HIGHER CAPACITY

With storage capacity up to 150 No. 10 cans...a patented system that grows with your operation ... automatic FIFO inventory rotation...easy loading and easy access — SPG has a unique capacity for creating efficient storage solutions.



AMCO® Take 10® Can Storage

This patented, gravity-fed can storage system delivers front load/front unload FIFO inventory control — Take 10® maximizes your storage space while providing unparalleled access to inventory.

- You can use Take 10® modules on your existing shelving or purchase a complete can storage system
- Modules can be stacked atop each other so that your storage system can expand as your needs grow, while conserving valuable space
- Fits onto all brands of shelving at least 18" deep and 42" long



SM-10



SM2-MB

Model No.	Description	Can Cap	W x L x H		Weight	
			(In.)	(mm.)	(Lbs.)	(Kg.)
SM-10	Can Storage Module	30	21 x 40 x 18.5	535 x 1015 x 464	35	16
2-SM10	Stationary Base, 2 Modules	60	21 x 40 x 36.5	535 x 1015 x 927	70	32
SM2-MB	Mobile Base, 2 Modules	60	21 x 42 x 51	535 x 1065 x 1295	127	58

The Best Names In The Business All Have One Thing In Common: The SPG Name.

Within the SPG product line-up, you'll find the most well-known and respected names in foodservice equipment. Each of our lines brings its own unique features, benefits and efficiencies to foodservice operations, and together they offer an outstanding combination of selection, quality and value.

- AMCO®
- ISS™
- KELMAX
- FREESTYLE®
- ISS CONTENDER™
- UNIVERSAL® STAINLESS
- GILLIS
- JARKE®

Kelmax Full Size Can Racks



- Organize your stock room with the 4H1580 unit
- Ships set up, ready to use
- FIFO Can Rack holds 156 cans — 13 cans per opening
- FIFO is First In - First Out; load and empty from front
- All welded aluminum construction will never rust
- Mobile kit available factory installed for safety
- 5" poly U plate casters, 2 swivel w/brakes and 2 rigid

Model No.	Capacity of No.10 Cans	D x L x H (In.) (mm.)		Weight (Lbs.) (Kg.)	
Full Size Unit — Holds 6 Cans Per Opening					
4H1580	162	35 x 25 x 71	889 x 635 x 1803	60	27
FIFO Can Rack					
4H3054	156	42 x 28 x 79	1067 x 711 x 2006	166	75

Full-size units are also available in a variety of dimensions with can capacities of up to 216, call for additional choices.

Kelmax Half Size Can Racks



- Unit doubles as work table so you maximize your space
- Available with aluminum top, 304 Series stainless steel top or 5/8" poly top
- 5" poly U expandable stem casters, 4 swivel, 2 with brakes
- Ships set up, ready to use

Model No.	Capacity of No.10 Cans	Type of Top	D x L x H (In.) (mm.)		Weight (Lbs.) (Kg.)	
4H1603	54	Aluminum	35 x 28 x 35	889 x 711 x 889	54	24
4H1604	54	Poly Top	35 x 28 x 35	889 x 711 x 889	65	29
4H1606	54	Stainless Steel	35 x 28 x 35	889 x 711 x 889	61	27

Half-size can racks are also available in 48" height/72 can capacity, call for additional choices.

Kelmax Insert Rack



- Insert Racks for freezers and coolers
- Fits most reach-ins with 21" door clearance
- Standard runner holds 18" x 26" Pans
- Universal runner holds both 12" x 20" steam table pans and 18" x 26" sheet pans

Model No.	Tray Capacity	Spacing (In.)	D x L x H (In.) (mm.)		Weight (Lbs.) (Kg.)	
4H0932	16	3	24 x 21 x 51	610 x 533 x 1295	26	12



SPG's foodservice products are all manufactured to meet NSF standards. For specific items, visit www.nsf.org