


## ISS™ WALL TRAX™ Wall-to-wall efficiency.

Minimize wasted time and motion of your kitchen staff — and increase productivity and service speed! Employing a channel and grid design, the ISS™ Wall Trax™ System ensures the ingredients, tools and utensils your kitchen staff needs are always within easy reach.



ISS™ Wall Trax™ is a complete wall mounted storage solution with specially engineered aluminum channel and grid system to increase efficiency and expand storage capacity.

- ISS™ Wall Trax™ channels and grids are easy to install
- Easily attach accessories without the need for tools or hardware
- All shelves can be moved by simply unhooking from grid or channel
- Available in three finishes, all corrosion-resistant, epoxy-based polymer coated: Grey Bond®, Gold Bond® and Polygard® (Blue)



Use this chart to select your finish

Finish	Use Suffix
Grey Bond®	E
Gold Bond®	Y
Polygard® (Blue)	PG



### ISS™ Wall Trax™ Hooks

Model No.	Description	W x L x W		Weight	
		(in.)	(mm)	(Lbs.)	(Kg)
<b>Hanging Hooks (Attach to Wall Trax channel or grid)</b>					
HOOK24	24" hook w/seven 6" prongs	7 x 24 x 6.5	182 x 603 x 165	2	.8
HOOK12	12" hook w/four 6" prongs	7 x 12 x 6.5	182 x 305 x 165	1	.5
PHK	Pot hook				
<b>Wall-mounted Hooks (Attach directly to wall)</b>					
HOOK246R2	24" hook w/seven 6" prongs	6.5 x 24 x 7	182 x 603 x 165	2	.8
HOOK243R1	12" hook w/four 6" prongs	3.5 x 24 x 7	89 x 629 x 184	1	.5
HOOK20ADJ	20" hook w/seven 3" prongs	4 x 20 x 4.5	83 x 502 x 114	1.5	.7



Select finish - add suffix to model number

### ISS™ Wall Trax™ Accessories

Model No.	Description	W x L x H		Weight	
		(in.)	(mm)	(Lbs.)	(Kg)
GRBTLHD	Bottle Holder	4 x 21 x 13	102 x 533 x 330	2	.1
GRSCOOP	Scoop Holder	5 x 10 x 6	127 x 254 x 150	3	.6
DISHHOLD	Monkey Dish Holder	4 x 21 x 17	102 x 533 x 432	24	11
PLATERK	Plate Rack	8 x 8 x 1	216 x 216 x 54	1.5	.7

Select finish — add suffix to model number. Additional sizes available



## ISS™ Wall Trax™ Shelves

Model No.	(in.)	W x L (mm)	Weight (Lbs.) (Kg)	
<b>Flat Shelves</b>				
GS1436	14 x 36	356 x 914	8	4
GS1448	14 x 48	356 x 1219	11	5
GS1836	18 x 36	457 x 914	9	4
GS1848	18 x 48	457 x 1219	13	6
<b>Flat Shelves with Lip</b>				
GSL1436	14 x 36	356 x 914	8	4
GSL1448	14 x 48	356 x 1219	11	5
GSL1836	18 x 36	457 x 914	9	4
GSL1848	18 x 48	457 x 1219	13	6
<b>Slanted Shelves</b>				
GSS1436	14 x 36	356 x 914	8	4
GSS1448	14 x 48	356 x 1219	11	5
GSS1836	18 x 36	457 x 914	9	4
GSS1848	18 x 48	457 x 1219	13	6

Select finish — add suffix to model number.



## ISS™ Wall Trax™ Grid

• Mounts directly to wall — brackets included

Model No.	(in.)	W x L (mm)	Weight (Lbs.) (Kg)	
GRWM2436	24 x 36	610 x 914	10	4.5
GRWM2448	24 x 48	610 x 1219	13	6
GRWM3636	36 x 36	914 x 914	15	7
GRWM3648	36 x 48	914 x 1219	19	9

Select finish — add suffix to model number.



## ISS™ Wall Trax™ Offset Grid

• For use with channels

Model No.	(in.)	W x L (mm)	Weight (Lbs.) (Kg)	
GRO2436	24 x 36	610 x 914	10	4.5
GRO2448	24 x 48	610 x 1219	13	6

## ISS™ Wall Trax™ Baskets

Model No.	(in.)	W x L x H (mm)	Weight (Lbs.) (Kg)	
GB12186	12 x 18 x 6	305 x 457 x 150	3	1
GB14183	14 x 18 x 3	355 x 457 x 76	3	1
GBSPRNK	5 x 12 x 4	126 x 305 x 102	1	.5
GB12106	12 x 10 x 6	254 x 305 x 150	2.5	1

Select finish — add suffix to model number. Additional sizes available



## ISS™ Wall Trax™ Channel

Model No.	(in.)	W x L (mm)	Weight (Lbs.) (Kg)	
TRAX2A	4 x 24	102 x 610	3.5	1
TRAX4A	4 x 48	102 x 1219	7	3
TRAX8A	4 x 96	102 x 2438	14	6
TRAXSTOPS	Wall Trax™ Channel End Caps (1 ea.)			
TRAXTOGS	Wall Trax™ Toggle Fasteners			



## WALL SHELVING


### How to make the most of your space.

Only SPG offers you so many ways to transform that unused wall space above sinks, worktables and counters into valuable storage. Wall shelving from ISS™, AMCO®, Kelmax and Universal® all provide distinctive features and benefits — and all are available from a single source.



#### ISS™ Wall Shelving

- Choose from three ISS™ Wall Shelving products that support ISS™, AMCO® and ISS Contender™ cantilever shelves on catalog pages 13, 15 and 17.



#### ISS™ Wall Mount Post Kit

- Posts attach directly to wall, shelves attach to posts with Sure-Lock™ couplers (included with shelves)
- Each kit includes two posts and four post brackets
- Recommended for shelves 14" and 18" wide and up to 48" long
- Strength rated to 60 lbs. of evenly distributed static load

Hardware for mounting the brackets to the wall not included

Model No.	Width		Weight	
	(in.)	(mm)	(Lbs.)	(Kg)
WMT14Y	14	356	3	1
WMT34Y	34	876	5	2

#### ISS™ Single & Double Shelf Brackets

- Order one single-shelf bracket for each end of shelf
- Order one double shelf bracket where shelves share a common post

Plating Plus™ Model No.	For Shelf Width		Weight	
	(in)	(mm)	(Lbs.)	(Kg)
<b>Single Wall Mount Bracket</b>				
PWS14C1	14	356	1.5	.7
PWS18C1	18	457	2	.9
PWS24C1	24	610	2.5	1.1
<b>Double Wall Mount Bracket</b>				
PWS14C2	14	356	3	1.4
PWS18C2	18	457	3.5	1.6
PWS24C2	24	610	4	1.8



Also available in Gold Bond® (Y) and Grey Bond® (E) finishes

#### ISS™ Wall Mount Posts

Plating Plus™ Model No.	Gold Bond® Model No.	Description	(in.)	(mm.)
PWMT14C	PWMT14Y	For 1 tier of shelves	14	356
PWMT34C	PWMT34Y	For 2 tiers of shelves	34	864

Also available in 54" and 62" heights for 3 or more shelves, Shelves ordered separately

#### How To Order

##### Step 1: Order Posts

- Posts can support one or more tiers of shelving
- For a continuous run of shelving, shelves share a middle post
- Kit includes one post and two mounting brackets. An additional center bracket is included for the 54" and 62" length posts. Hardware for mounting to wall not included

##### Step 2: Order Brackets

- Order one Single Shelf Bracket for each end of shelf
- Order one Double Shelf Bracket where shelves share a common post



## AMCO II® Wall Shelving Kit

- Kits include 1 or 2 wire shelves, one pair of brackets
- Holds 250 lbs. of evenly distributed static load per shelving unit
- Distance between the two shelves is 16-1/2"

Plating Plus™ Model No.	W x L x H (In.) (mm.)		Weight (Lbs.) (Kg)	
<b>One-Shelf Kit</b>				
W1236CP-1	12 x 36 x 11	305 x 915 x 280	12	5.5
<b>Two-Shelf Kit</b>				
W1236CP-2	12 x 36 x 29	305 x 915 x 737	24	11

Available in:

12", 18" and 21" widths, 36" and 48" lengths

One-shelf kits available in 11", 18-1/2" and 21-1/2" heights

Two-shelf kits available in 29", 36-1/2" and 39-1/2" heights



## AMCO® Wall Shelving Kit With Wall Standards

- Kits include 1 or 2 wire shelves and one pair of wall standards and fasteners
- Holds 250 lbs of evenly distributed static load per shelving unit
- The distance between the two shelves is 9-1/2"

Plating Plus™ Model No.	W x L x H (In.) (mm.)		Weight (Lbs.) (Kg)	
<b>One-Shelf Kit</b>				
W1236CPSH-1	12 x 36 x 11.5	305 x 915 x 292	9	4
<b>Two-Shelf Kit</b>				
W1236CPSH-2	12 x 36 x 22	305 x 915 x 565	18	8

Available in:

12" and 18" widths, 36" and 48" lengths



## AMCO II® Cantilever Wall Shelving

- Kits include 2 shelves, 2 posts, and fasteners
- Holds 60 lbs. of evenly distributed static load per shelving unit

Plating Plus™ Model No.	W x L x H (In.) (mm.)		Weight (Lbs.) (Kg)	
<b>Two-Shelf Kit</b>				
AC123618CP	12 x 36 x 18	305 x 915 x 565	20	9
AC124818CP	12 x 48 x 18	305 x 1220 x 565	26	12
AC183618CP	18 x 36 x 18	457 x 915 x 565	24	11
AC184818CP	18 x 48 x 18	457 x 1220 x 565	32	14.5



# WALL SYSTEMS

## Kelmax Aluminum Boat Racks

- Wall, ceiling, and table-mount models available
- Table-mount will fit stainless steel or aluminum tables
- 15" deep, available in:
  - 24" or 36" widths
  - 48", 60", 72" or 96" lengths



## Kelmax Channel Wall Shelves

- Aluminum channel construction
- Load capacity is dependent on type of wall and mounting hardware

Model No.	No. of (Channels)	L x D (in.)	L x D (mm)	Weight (Lbs.)	Weight (Kg)
4H1404	1	36 x 12	914 x 305	7	3
4H1415	2	36 x 18	916 x 457	13	6



## SPG: We Build Better Equipment So You Can Achieve Better Results.

While SPG manufactures shelving, sinks, carts, cabinets, racks, workstations and more, what we really offer you is productivity, efficiency, durability, versatility and performance. You'll find all of this in every product we sell and every service we provide. Beyond our innovative storage systems is a network of service and support that can help you maximize the performance of every square inch of space and every single employee in your facilities.



SPG's foodservice products are all manufactured to meet NSF standards. For specific items, visit [www.nsf.org](http://www.nsf.org)