

### FOODSERVICE CATALOG 2020

Complete Solution Guide

spgusa.com



# Raising the bar for quality equipment, while lowering the total cost of ownership.

The SPG name has only been around since 2010, however the product lines that comprise our company have been among the most well-known and respected names in the foodservice business for nearly six decades. Individually, each of the product lines below brings unique expertise, capabilities and quality to foodservice operations. Together, they offer you a total turnkey solution.

**AMCO**®: The industry leader in premium shelving, equipment and accessories that utilize an ultra-strong square-post system.

ISS™: Strong, versatile wire-based shelving, wall storage systems, carts, racks, dollies, workstations and more.

**ISS Contender™**: The industry's workhorse in wire shelving and accessories — the ideal choice for general applications.

**Freestyle**®: Strong, versatile and space-efficient, Freestyle® freestanding cantilever shelving and workstations provide maximum performance for every area of your operations.

**Kelmax®**: The gold standard in aluminum equipment — from storage and transport to specialty items for everything from produce and bakery to material handling.

**Universal**® **Stainless**: The stainless steel fabrication specialists — offering a vast array of sinks, tables, cabinets, shelves, racks, stands, counters and more.

**Gillis® & Jarke®**: SPG's two material handling lines deliver equipment that's tough, durable, innovative, efficient and economical.

Together, the SPG product lines create unique synergies and efficiencies that enable SPG to deliver an extraordinary array of service and products to your organization. With the broadest selection of foodservice equipment available anywhere, only SPG can offer you so many choices that lead to greater productivity, profitability, performance — and the lowest cost of ownership.





## You'll find a lot of amazing products in this catalog. But only a fraction of the amazing products we make.

As you look through these pages, bear in mind that the products shown are representative of the far greater number of solutions we offer. For any item you see, there may be dozens, hundreds — or even thousands — of additional products we can provide. SPG offers different sizes, materials, finishes, configurations and accessories to ensure you get the equipment that best fits your needs and your business.

If you don't see exactly what you want in these pages, ask your SPG representative about it. With the broadest selection of foodservice equipment, chances are we already make whatever you're looking for — and can provide it to you through your SPG representative.

Contact a SPG Product Specialist for a Free Solutions Consultation:

customerservice@spgusa.com

877.503.4SPG (4774)

#### **Sections**

SHELVING	10-21
WALL SYSTEMS	22-25
SECURITY UNITS	26-27
WORKSTATIONS	28-31
CARTS	32-35
RACKS	36-41
TABLES	42-49
SINKS	50-52
BACK-OF-HOUSE	53-55





877-503-4774

3

#### By creating efficiencies in our organization we can bring them to yours.

At SPG, every product we offer is designed and manufactured to provide immediate value when you buy it, and to continuously accelerate and maximize your ROI over time. To achieve this, we follow a strict, formalized process that results in the lowest cost of ownership for our customers, and that can only be achieved by a holistic approach that addresses three areas.



#### 1. Quality Manufacturing

Incorporating best practices in manufacturing and quality control, we continually seek new efficiencies in production to drive out cost. At the same time, we use only high-quality material in our equipment — and we use more of it — to ensure our products hold more, last longer and provide enduring value.

#### 2. Patented Efficiency Innovations

Using input from customers, our products are designed by an elite engineering team using sophisticated tools. As a result, our products are fast and easy to set up...inventory is easier to access space is optimized...staff productivity is increased...and our scalable solutions can be reconfigured to meet your future needs.

#### 3. Total Solutions

Beyond our vast selection of equipment, SPG offers customized sizes and solutions...site design and consultative services...and the experience and technical expertise to help you get the most out of your space, your people and your investment.



An uncompromising commitment to quality... exclusive leading-edge innovation...and the industry's widest selection of products - it all comes together to provide your business with the ultimate in storage solutions and the lowest cost of ownership. And we back it with the best guarantee in the business.





#### The SPG Difference

Here's just a brief checklist of some of the ways SPG goes over andabove our competitors to add value and lower the cost of ownership.

#### We Use More And Better Materials


- Premium 300 Series stainless steel
- Stronger welds
- · More metal at key stress points
- 27% more metal in our AMCO® shelving posts
- · Full-metal thickness throughout our sink bowls


#### **We Offer Exclusive Patented Innovation**

- · Award-winning ergonomics
- Cooler/freezer capacity gains of 30% 68%
- · A pan rack with a 50% smaller storage footprint

#### **We Deliver Total Solutions**

- The broadest selection of storage products
- · More choices to create custom solutions









# There are opportunities everywhere in your operation. We'll help you find them.


While we are happy to sell a customer a single piece of equipment, the real value we provide is our ability to analyze your operation and design a comprehensive solution customized to your unique needs. Working with you, we'll help you uncover the hidden opportunities that exist in your facilities. Then, we'll help you select the right systems and integrate them into your operation in a way that increases workflow, maximizes storage capacity, improves employee productivity, cuts costs and increases profitability.

We can offer you these services because SPG manufactures the widest selection of equipment solutions on the market. And, we match that selection with years of proven experience.

Our comprehensive product selection can provide an integrated system that encompasses every facet of your operations. From the backroom to the bakery to the bar...from the drive-thru to the dish and dry storage areas...we'll put together the equipment — and a comprehensive plan — that will help you maximize the efficiency and performance of your business.











877-503-4774

7

#### **How to Choose Shelving**

The right shelving system will provide you with the perfect combination of performance, features, benefits, longevity and efficiency. Following is a short primer on how to select and customize a shelving system that will fulfill your needs and provide your business with the lowest cost of ownership. When choosing shelving, consider:

**Type of Material:** SPG manufactures shelving in a wide range of material. Each has its own unique advantages: including wire, stainless steel, steel, aluminum, and plastic.

#### **WIRE**

Strong, economical shelving systems for a wide range of environments

#### STAINLESS STEEL

Natural corrosion resistance and strength for dry storage and harsh high-moisture environments

#### **STEEL**

Heavy-duty — with a variety of coatings for every area


#### **ALUMINUM**

Strong, lightweight and never rusts —it's the perfect solution for caustic applications and harsh environments. And it's the ideal material for both hot and cold environments

#### **PLASTIC**

Durable, rust-free and easy to clean — an economical solution for cooler/freezer use, as well as dry storage

**The Environment:** Cooler and freezer applications require corrosion prevention — aluminum, stainless steel and plastic are naturally rust resistant. However, SPG has special finishes for our wire shelving that provide a surface that's both extremely durable and rust resistant. All SPG shelving will perform excellently in dry environments — and all are NSF approved.







Finishes	Descript	ion	
Plating Plus™	A 3-step process that includes: 1. Zinc plating 2. Rust-inhibiting chromate seal 3. Clear lacquer NSF approved		
Contender Grey™	Dark Grey	All SPG proprietary polymer coatings have 3-step process over plating quality steel wire:	
Polygard®(Blue)	Blue	1. Zinc plating	
Grey Bond®	Light Grey	2. Rust inhibiting chromate seal	
Gold Bond®	Gold	<ol><li>Electrostatically applied baked-on antimicrobial polymer coating</li></ol>	
		All are NSF approved for food and splash zones	
Stainless Steel	An electro-polishing treatment is applied to surface of 300 Series Stainless Steel. NSF approved for all environments.		
Aluminum	Liahtweiah	t and never rusts. NSF approved for all environments	

The space that you can dedicate to storage. If space is limited, you'll want a space-saving solution. Cantilever shelving is an excellent choice because it has no front uprights, so you'll get maximum, uninterrupted space. Shelves that can be easily repositioned can help eliminate wasted space. In coolers and freezers, our Mod-A-Flex®, Freestyle® and Kelmax shelving systems offer built-in and freestanding solutions that can dramatically increase capacity and operational efficiency. High-density and Ultra-density systems provide the ultimate in storage efficiency by minimizing and eliminating wasted aisle space.

**Capacity.** If you're storing heavy, high-density products like containers of liquids, kitchen equipment or sacks of produce, you'll need stronger shelving units.

**Accessibility.** Shelving should facilitate access to items that are stocked and restocked on a regular basis. With SPG cantilever shelving, there are no front posts to obstruct reach. And the marine waterfall edge on our ISS™ shelving makes loading and unloading fast, easy and secure.

**Future storage needs.** To allow for future expansion, choose an SPG scalable system — those with add-on kits that share an upright with the existing unit. This forms a single, structurally strong and continuous unit, and saves space to maximize storage capacity and reduces capital costs.

No matter what your storage needs, SPG has the solution that will help you get more from your shelving investment. Contact your SPG representative today.





## Shelving Solutions

Organizing, displaying, and storing your inventory is an essential part of your business. Whether food service, industrial, retail or hospitality, your shelving has to hold up under pressure. You'll find that SPG has an industry-leading line-up of proven, reliable shelving solutions.

SPG offers numerous shelving advantages, including:

- Strength
- Easy Assembly
- Versatility
- Durability
- Selection

SPG has the shelving you need in the specs that you require.

877-503-4774

Contact a SPG Product Specialist for a Free Solutions Consultation:

customerservice@spgusa.com 877.503.4SPG (4774)





#### **AMCO® Wire Shelving**




- Unique square post design uses 27% more steel for greater strength and durability than typical round post systems
- Frame is 12-ga. solid steel
- Solid 2-1/8" robotic welds provide more stability than the two spot welds used on round post systems
- Shelf wire averages 50% thicker than other systems providing greater shelf capacity and strength
- · Shelves come in 5 widths and 8 lengths
- Shelves up to 48" long support up to 1,000 lbs. (450 kg)
- Shelves are available in wire (standard, extra-wide, slanted and inverted with ledge) — plus heavy-duty, 18-ga. solid stainless steel, and plastic (Plasteel® and Plastic Plus®)
- · Assembly is fast and easy
- Posts are notched on 2" centers to assure perfect shelf alignment every time
- Shelves have solid edges instead of truss edges, making them easier to clean and label

AMCO® Shelves				WIDTH		
Alvico 3	Alvico Sileives		12 15 18			24
	24	A1224*	A1524*	A1824*	A2124*	A2424*
	30	A1230*	A1530*	A1830*	A2130*	A2430*
	36	A1236*	A1536*	A1836*	A2136*	A2436*
LENGTH	42	A1242*	A1542*	A1842*	A2142*	A2442*
LENGIA	48	A1248*	A1548*	A1848*	A2148*	A2448*
	54	A1254*	A1554*	A1854*	A2154*	A2454*
	60	A1260*	A1560*	A1860*	A2160*	A2460*
	72	A1272*	A1572*	A1872*	A2172*	A2472*

AMCO® Posts		TY	PE
		Stationary	Mobile
	8	P08*	PC08*
LENGTH	34	P34*	PC34*
	54	P54*	PC54*
	64	P64*	PC64*
	72	P72*	PC72*
	84	P84*	PC84*

* Available Finishes			
Plated	CP		
Polygard Blue	PG		
Grey Bond	GR		
Stainless	SS		
Black	BK		







#### **AMCO® Plastic Plus® & Plasteel® Shelving**



#### AMCO® Plastic Plus® Shelving

- Grey polypropylene plastic removable panels easily snap onto heavy duty epoxy coated frames
- Sectional panels can be easily removed from frames for cleaning — no tools or hardware required
- An antimicrobial agent protects the finish from bacteria, mold, mildew and fungi that cause odors, stains and product degradation\*
- For all environments from -20°F (-29°C) to 190°F (88°C)
- Strength rated to support 1,000 lbs. (455kg) of uniformly loaded static weight per shelf
- Fits standard AMCO® square posts and is compatible with other AMCO® shelving products
- Stainless steel posts recommended for a rust-free solution
  - \* This product does not protect users or others against bacteria, viruses, germs or other disease organisms. It is for the protection of the product only. This antimicrobial product should always be thoroughly cleaned after each use.



#### AMCO® Plasteel® Shelving

- Steel-reinforced plastic shelves support 1,000 lbs. each
- Available in solid or vented style solid style has raised edge to contain liquid spills
- Grey high-impact structural foam plastic
- May be used with all other styles of Amco® shelves
- Solid style accepted by the United States Department of Agriculture for direct food contact
- Stainless steel post recommended since it never rusts

AMCO® Plastic		WI	DTH
Plus Shelves		18 24	
	36	PP1836*	PP2436*
	42	PP1842*	PP2442*
LENGTH	48	PP1848*	PP2448*
	54	PP1854*	PP2454*
	60	PP1860*	PP2460*

AMCO® Plasteel		WI	DTH
Shelves		18 24	
LENGTH	30	PS1830*	PS2430*
	36	PS1836*	PS2436*
	48	PS1848*	PS2448*
	60	PS1860*	PS2460*

* Available Models			
Vented V			
Solid	S		





#### **ISS® Wire Shelving**



- Durable round post system is interchangeable with other manufacturers' shelving products
- · Ideal for most any environment
- Shelves up to 60" long are rated to support 1,250 lbs. of uniformly distributed static weight
- Shelves feature extra trusses for a higher load rating, less deflection and the ability to use longer shelves
- Posts are numbered on 1" increments to speed assembly and ensure more precise shelf alignment
- Our one-piece hinged Sure-Lock™ coupler makes assembly easy and improves stability
- Shelves are available in wire, dunnage, Series 300 solid stainless steel and plastic
- Marine waterfall shelf edge allows easy loading and unloading



ISS® Shelves		WIDTH					
133 311	eives	14 18 21 24				30	36
	24	1424*	1824*	2124*	2424*	3024*	3624*
	30	1430*	1830*	2130*	2430*	3030*	3630*
	36	1436*	1836*	2136*	2436*	3036*	3636*
	42	1442*	1842*	2142*	2442*	3042*	3642*
LENGTH	48	1448*	1848*	2148*	2448*	3048*	3648*
	54	1454*	1854*	2154*	2454*	3054*	3654*
	60	1460*	1860*	2160*	2460*	3060*	3660*
	66	1466*	1866*	2166*	2466*	3066*	3666*
	72	1472*	1872*	2172*	2472*	3072*	3672*

ISS® Stainless		WIDTH	
Steel Shelves		18 24	
LENGTH	30	1830FSW	2430FSW
	36	1836FSW	2436FSW
LENGIA	42	1842FSW	2442FSW
	48	1848FSW	2448FSW

ISS® Inverted		WI	DTH
Shelves		18 24	
	24	1824IS*	2424IS*
LENGTH	30	1830IS*	2430IS*
	36	1836IS*	2436IS*
	48	1848IS*	2448IS*

ISS® Posts		TY	PE
		Stationary	Mobile
	14	P14*	P14N*
	34	P34*	P34N*
	36	P36*	P36N*
LENGTH	54	P54*	P54N*
	62	P62*	P62N*
	74	P74*	P74N*
	86	P86*	P86N*

ISS® Support Posts			
LENGTH	31	P31Y	
	34	P34Y	

ISS® Split Posts			
LENGTH 70 PS70*			

Post Available Finishes			
Plated	С		
Gold Bond	Υ		
Grey Bond	E		
Stainless Steel	S		

Shelf Available Finishes			
Plated	С		
Gold Bond	Υ		
Grey Bond	E		





#### ISS® New Era® Shelving



- Corrosion free shelves heavy-duty epoxy coated steel frames and grey polypropylene plastic removable panels
- · Antimicrobial agent protects the shelf finishes from bacteria, mold, mildew and fungi that cause odors, stains and product degeneration — keeping shelving cleaner in between cleanings\*
- · Available in solid and vented styles
- · Sectional panels are easy to remove and clean
- Shelves can be used with ISS™ posts and shelving components - stainless steel posts recommended
- · No tools or hardware required
- Can be used in all environments from -20°F (-29°C) to 190°F (88°C)
- · Load capacity of 1,000 lbs. (455kgs) per shelf of uniformly distributed static weight
- \* This product does not protect users or others against bacteria, viruses, germs or other disease organisms. It is for the protection of the product only. The antimicrobial product should always be thoroughly cleaned after each use.

ISS® New Era			WIDTH		
Shelv	res	18 21 24		24	
	30	LPS1830*	LPS2130*	LPS2430*	
	36	LPS1836*	LPS2136*	LPS2436*	
	42	LPS1842*	LPS2142*	LPS2442*	
LENGTH	48	LPS1848*	LPS2148*	LPS2448*	
	54	LPS1854*	LPS2154*	LPS2454*	
	60	LPS1860*	LPS2160*	LPS2460*	
	72	LPS1872*	LPS2172*	LPS2472*	

* Available Mo	dels
Vented	V
Solid	S














#### **ISS Contender® Shelving**



- ISS Contender<sup>™</sup> round post shelving is a strong, economical solution for both dry and refrigerated storage needs
- Available with Plating Plus<sup>™</sup> finish for display and dry environments — or Contender Grey™ Epoxy finish which is warranted for seven years against naturally occurring corrosion in high-moisture, high-humidity environments
- Each 48" shelf is rated to support up to 800 lbs. (363 kgs) of uniformly distributed static load weight - longer shelves can support up to 600 lbs. (272 kgs)
- · Assembles in minutes without tools or hardware
- Shelves are installed on the posts in 1" (25mm) increments and can be changed easily as storage needs change



ISS CONTE	NDER®	WIDTH		
Shelv	es	14	18	24
	30	IC1430*	IC1830*	IC2430*
	36	IC1436*	IC1836*	IC2436*
	42	IC1442*	IC1842*	IC2442*
LENGTH	48	IC1448*	IC1848*	IC2448*
	54	IC1454*	IC1854*	IC2454*
	60	IC1460*	IC1860*	IC2460*
	72	IC1472*	IC1872*	IC2472*

ISS CONTENDER®		TYPE		
Posts		Stationary	Mobile	
LENGTH	34	IC034*	IC034NF*	
	54	IC054*	IC054NF*	
	64	IC064*	IC064NF*	
	72	IC072*	IC072NF*	
	84	IC084*	IC084NF*	

* Available Finishes		
Plated Plus®	С	
Contender Grey®	CG	





#### Freestyle® Cantilever Shelving System



- Each shelf has a load-bearing capacity of 600 lbs. with a unit rating of 1,800 lbs. for cantilevered shelves and 1,000 lbs. capacity on the bottom shelf - for a total unit capacity of 2,800 lbs.
- No front uprights so it offers greater accessibility to inventory
- · Increases sq. ft. and cubic volume storage capacity in existing footprint
- · Adjustable shelves on 2" increments for maximum flexibility - no tools required
- Unit is fully expandable side-to-side with Add-On unit using common uprights with dual-side adjustment
- · Durable heavy-duty steel construction
- · Shelving available in 5 widths and 8 lengths
- · Uprights available in 5 heights
- · Shelves, uprights, and frame kits have a durable grey epoxybased finish with advanced antimicrobial protective agent
- · Complete assortment of accessories including hanger rails and shelf covers in wire and stainless steel

Freestyle®		WIDTH			
Shelv	res	18	24	30	
	24	FS1824E	FS2424E	FS3024E	
	30	FS1830E	FS2430E	FS3030E	
	36	FS1836E	FS2436E	FS3036E	
LENGTH	42	FS1842E	FS2442E	FS3042E	
	48	FS1848E	FS2448E	FS3048E	
	54	FS1854E	FS2454E	FS3054E	
	60	FS1860E	FS2460E	FS3060E	

Freestyle®		WIDTH			
Bottom S	helves	18 24 30		30	
	24	FSB1824E	FSB2424E	FSB3024E	
	30	FSB1830E	FSB2430E	FSB3030E	
	36	FSB1836E	FSB2436E	FSB3036E	
LENGTH	42	FSB1842E	FSB2442E	FSB3042E	
	48	FSB1848E	FSB2448E	FSB3048E	
	54	FSB1854E	FSB2454E	FSB3054E	
	60	FSB1860E	FSB2460E	FSB3060E	

Freest	yle®		DEPTH	
Uprig	hts	18	24	30
	34	FSU3418E	FSU3424E	FSU3430E
	54	FSU5418E	FSU5424E	FSU5430E
LENGTH	62	FSU6218E	FSU6224E	FSU6230E
	74	FSU7418E	FSU7424E	FSU7430E
	86		FSU8624E	FSU8630E





#### **Freestyle® Cantilever Shelving Accessories**

Freestyle		WIDTH			
Stainless Covers		18	24	30	
	24	FSCS1824S	FSCS2424S	FSCS3024S	
	30	FSCS1830S	FSCS2430S	FSCS3030S	
	36	FSCS1836S	FSCS2436S	FSCS3036S	
LENGTH	42	FSCS1842S	FSCS2442S	FSCS3042S	
	48	FSCS1848S	FSCS2448S	FSCS3048S	
	54	FSCS1854S	FSCS2454S	FSCS3054S	
	60	FSCS1860S	FSCS2460S	FSCS3060S	

Freestyle Wire Covers		WIDTH			
		18	24	30	
	24	FSCW1824LHE	FSCW2424LHE	FSCW3024LHE	
	30	FSCW1830LHE	FSCW2430LHE	FSCW3030LHE	
	36	FSCW1836LHE	FSCW2436LHE	FSCW3036LHE	
LENGTH	42	FSCW1842LHE	FSCW2442LHE	FSCW3042LHE	
	48	FSCW1848LHE	FSCW2448LHE	FSCW3048LHE	
	54	FSCW1854LHE	FSCW2454LHE	FSCW3054LHE	
	60	FSCW1860LHE	FSCW2460LHE	FSCW3060LHE	

Stainless	WIDTH		
r Covers	24	30	
24	FSCC2424S	FSCC3024S	
30	FSCC2430S	FSCC3030S	
36	FSCC2436S	FSCC3036S	
42	FSCC2442S	FSCC3042S	
48	FSCC2448S	FSCC3048S	
54	FSCC2454S	FSCC3054S	
60	FSCC2460S	FSCC3060S	
	24 30 36 42 48 54	7 Covers 24 24 FSCC2424S 30 FSCC2430S 36 FSCC2436S 42 FSCC2442S 48 FSCC2448S 54 FSCC2454S	

Freestyle Hanger Rail			
	24	FSHR24E	
	30	FSHR30E	
	36	FSHR36E	
Size	42	FSHR42E	
	48	FSHR48E	
	54	FSHR54E	
	60	FSHR60E	
•			

Freestyle Dividers		
	18	FSD18E
Size	24	FSD24E
	30	FSD30E

#### Freestyle® Reinforcement Brace

- Dramatically increases the load capacity of Freestyle® shelving:
  - by 25% on 30-in. shelves, from 600 lbs. to 800 lbs.
- by 40% on shelves up to 24-in. deep, from 600 lbs. to 1,000 lbs.
- Provides the additional strength critical for the storage and display of heavy, high-density products
- Low-profile design and placement make it virtually invisible and will not interfere with shelf positioning
- Installation is fast, easy and requires no tools
- · Significantly increases the life of your shelving
- · Set includes 1 left and 1 right brace for shelf








#### Freestyle® Cantilever Shelving Starter & Add-On Kits

#### **FREESTYLE 4-TIER STARTER UNITS**

Includes: 1 starter frame kit, 3 standard shelves, 1 bottom shelf, and 4 standard wire covers with label holders.


	WxL		Weight	
Model No.	(in.)	(mm.)	(lbs.)	(kg.)
FSMS741836E	18 x 36 x 74	457 x 914 x 1880	138	62
FSMS741848E	18 x 48 x 74	457 x 1219 x 1880	158	72
FSMS741860E	18 x 60 x 74	457 x 1534 x 1880	193	88
FSMS742436E	24 x 36 x 74	609 x 914 x 1880	160	72
FSMS742448E	24 x 48 x 74	609 x 1219 x 1880	185	84
FSMS742460E	24 x 60 x 74	609 x 1534 x 1880	211	96
FSMS861836E	18 x 36 x 86	457 x 914 x 2184	144	66
FSMS861848E	18 x 48 x 86	457 x 1219 x 2184	165	75
FSMS861860E	18 x 60 x 86	457 x 1534 x 2184	200	91
FSMS862436E	24 x 36 x 86	609 x 914 x 2184	166	75
FSMS862448E	24 x 48 x 86	609 x 1219 x 2184	191	87
FSMS862460E	24 x 60 x 86	609 x 1534 x 2184	217	98



#### FREESTYLE 4-TIER ADD-ON UNITS

Includes: 1 add-on frame kit, 3 standard shelves, 1 bottom shelf, and 4 standard wire covers with label holders.

		Wei	ight	
Model No.	(in.)	(mm.)	(lbs.)	(kg.)
FSMA741836E	18 x 36 x 74	457 x 914 x 1880	111	51
FSMA741848E	18 x 48 x 74	457 x 1219 x 1880	132	60
FSMA741860E	18 x 60 x 74	457 x 1534 x 1880	167	76
FSMA742436E	24 x 36 x 74	609 x 914 x 1880	132	60
FSMA742448E	24 x 48 x 74	609 x 1219 x 1880	158	72
FSMA742460E	24 x 60 x 74	609 x 1534 x 1880	183	83
FSMA861836E	18 x 36 x 86	457 x 914 x 2184	115	52
FSMA861848E	18 x 48 x 86	457 x 1219 x 2184	135	61
FSMA861860E	18 x 60 x 86	457 x 1534 x 2184	170	77
FSMA862436E	24 x 36 x 86	609 x 914 x 2184	136	62
FSMA862448E	24 x 48 x 86	609 x 1219 x 2184	161	73
FSMA862460E	24 x 60 x 86	609 x 1534 x 2184	187	85







#### Freestyle® Sweeping Corner Beer Cave Solutions



- The Freestyle sweeping corner bridges the gap between adjacent corner Freestyle units without the use of a shared upright
- Provides easier access for product retrieval and stocking for employees
- · Provides greater visibility and accessibility for customers, maximizes profit

#### QUICK ORDER KITS - 3 & 4 TIER, VENTED & SOLID, COMPLETE CORNER, GREY BOND

	Model No.	Description	Shelf Depth	Includes		
	3 - Tier Solid Grey Bond Corner Kit					
e	FSACS24E-3T-KIT	Angled Corner 24" Shelf Kit - 3 Tier; Solid Bridges	24	4 upper bridges; 2 bottom bridges; 4 back braces		
ı≝	FSACS30E-3T-KIT	Angled Corner 30" Shelf Kit - 3 Tier; Solid Bridges	30	4 upper bridges; 2 bottom bridges; 4 back braces		
1	3 - Tier Vented G	Grey Bond Corner Kit				
3	FSACV24E-3T-KIT	Angled Corner 24" Shelf Kit - 3 Tier; Vented Bridges	24	4 upper bridges; 2 bottom bridges; 4 back braces		
	FSACV30E-3T-KIT	Angled Corner 30" Shelf Kit - 3 Tier; Vented Bridges	30	4 upper bridges; 2 bottom bridges; 4 back braces		
	4 - Tier Solid Grey Bond Corner Kit					
e	FSACS24E-4T-KIT	Angled Corner 24" Shelf Kit - 4 Tier; Solid Bridges	24	6 upper bridges; 2 bottom bridges; 4 back braces		
F	FSACS30E-4T-KIT	Angled Corner 30" Shelf Kit - 4 Tier; Solid Bridges	30	6 upper bridges; 2 bottom bridges; 4 back braces		
1	4 - Tier Vented Grey Bond Corner Kit					
4	FSACV24E-4T-KIT	Angled Corner 24" Shelf Kit - 4 Tier; Vented Bridges	24	6 upper bridges; 2 bottom bridges; 4 back braces		
	FSACV30E-4T-KIT	Angled Corner 30" Shelf Kit - 4 Tier; Vented Bridges	30	6 upper bridges; 2 bottom bridges; 4 back braces		

#### **SWEEPING CORNER BRACING KITS**

#### **AVAILABLE FINISHES**

4 braces for a 2-sided configuration

Model No.	Shelf Depth	Qty
FSACAS18*KIT4	18	4
FSACAS24*KIT4	24	4
FSACAS30*KIT4	30	4

Finish	Suffix
Grev Bond	Е





#### Kelmax® Fixed & Adjustable Shelving

#### **Kelmax® Aluminum Fixed Shelving**

- Aluminum construction offers higher load ratings so larger loads can be supported across a longer span of shelving
- Aluminum shelving is ideal in hot or caustic applications that might damage the coating of wire shelving
- Kelmax shelving is warranted to be free from manufacturing defects for five years
- · All welded aluminum shelving ships set up
- Overall height is 60" for 2 and 3-shelf units and 72" for 4-shelf unit
- · Mitered top for extra strength
- · Clearance between shelves:

Two-shelf unit: 48.5" Three-shelf unit: 22.5" Four-shelf unit: 18.5"

· Choose from 4 types of shelves

#### Kelmax® Aluminum Adjustable Shelving

- Create a custom aluminum shelving solution with a choice of four different shelving types (see below)
- Load capacities from 900 lbs. to 2,100 lbs. per shelf
- Shelves are adjustable and interchangeable in the same width and length

#### Shelf Selection Guide

Which shelves are right for you? Use this quick reference to help guide your selection:

**Solid Shelves:** A solid all-around choice — ideal for storage of small items and to contain spills.

**Tubular Shelves:** Ideal for the storage of cases or large boxes.

**T-Bar Shelves:** The extra vertical support you need when storing items perpendicularly.

**Channel Shelves:** Provide extra strength for large or small items, while allowing air circulation.







**Tubular Shelf** 



T-Bar Shelf





Adjustable Shelving



Channel Shelf





#### **Kelmax® Cantilever Shelving**

#### **Kelmax Cantilever Fixed Shelving Units**

- Includes frame and 2 4 fixed shelves (20" or 24" depths)
- · For safety, front legs do not extend past the bottom shelf
- · Tubular bottom shelf is standard with all kits, and is easily removed without the use of tools for cleaning — all other shelves are fixed and not adjustable or removable
- · Clearance between fixed shelves:
- Two-shelf unit: 59"
- Three-shelf unit: 28"
- Four-shelf unit: 18"
- Channel and tubular shelves support 1500 lbs. per shelf solid shelves support 900 lbs. per shelf
- Freestanding unit does not require bolting to walls for support

Channel Shelf Model No.	LXWXH (in.)
20- inch wide sl	helves
4H0310	36 x 20 x 72
4H0341	48 x 20 x 72
24- inch wide sl	helves
4H0317	36 x 24 x 72
4H0351	48 x 24 x 72
4H0366	60 x 24 x 72

#### **Kelmax Cantilever Frames and Adjustable Shelves**

- · Tubular base dunnage shelf is standard, and easily removed without the use of tools for cleaning
- Up to 5 additional shelf positions shelves can be added or removed without tools
- Available in two shelf depths: 20" and 24"
- · Clearance between adjustable shelves is 10"
- · Maximum load capacity per shelving unit is 2,800 lbs
- · Frames and adjustable shelves sold separately

Model No.	LXWXH (in.)
24- inch Deep S	Shelving Frames
4H4501	36 x 24 x 72
4H2977E	48 x 24 x 72
4H4500	60 x 24 x 72
4H4500E	60 x 24 x 72







## Wall System Solutions

Only SPG offers you so many ways to transform that unused wall space above sinks, worktables and counters into valuable storage. Wall shelving from ISS™, AMCO®, Kelmax® and Universal® all provide distinctive features and benefits — and all are available from a single source.

We have unique wall system solutions that are customized for numerous needs. The process for ordering and obtaining your wall system solution is as easy as 1, 2, 3:

- 1) Order Posts
- 2) Order Brackets
- 3) Order Shelves

At SPG, our wall systems allow you to minimize wasted time and motion — and increase productivity and service speed.

877-503-4774

Contact a SPG Product Specialist for a Free Solutions Consultation:

customerservice@spgusa.com 877.503.4SPG (4774)





#### **AMCO® Mod-A-Flex® Shelving**



- · Designed for walk-in coolers and freezers
- Ceiling mounted no need to reinforce side walls
- Boosts capacity by up to 30% with the freedom to adjust shelves to the height of the product being stored
- · No posts on the floor make cleaning easy
- · Shelves can be removed without tools for cleaning
- Easy and fast adjustment of shelves; simply slide the shelf sideways to lift out of current location
- Antimicrobial grey epoxy coating for maximum cleanliness and moisture resistance

Every detail of the Mod-A-Flex® system is designed to improve employee efficiency, productivity and speed of service — reducing labor and storage costs while contributing to overall operational results.

Mod-A-Flex® not only increases storage capacity up to 30% ... it also offers greater organization and higher visibility of stock... shelves can also be quickly and easily removed and repositioned...and because there are no posts, cleaning the floor is faster, easier and more thorough.

Mod-A-Flex - Standard Shelves		WIDTH			
		12	18	21	
	24	MX1224GR	MX1824GR	MX2424GR	
	30	MX1230GR	MX1830GR	MX2430GR	
LENGTH	36	MX1236GR	MX1836GR	MX2436GR	
LENGTH	42	MX1242GR	MX1842GR	MX2442GR	
	48	MX1248GR	MX1848GR	MX2448GR	
	60	MX1260GR	MX1860GR	MX2460GR	

Mod-A-Flex -		WIDTH		
Aluminum Shelves		18	21	
	24	MXSV1824A	MXSV2424A	
	30	MXSV1830A	MXSV2430A	
LENGTH	36	MXSV1836A	MXSV2436A	
LENGIH	42	MXSV1842A	MXSV2442A	
	48	MXSV1848A	MXSV2448A	
	60	MXSV1860A	MXSV2460A	

MOD-A-FLEX WALL UPRIGHTS			
	18	MXD18GR	
LENGTH	36	MXD36GR	
LENGIH	72	MXD72GR	
	85	MXD85GR	

MOD-A-FLEX UPRIGHT EXTENDERS		
	15	MXEXT15GR
LENGTH	26	MXEXT26GR
	36	MXEXT36GR

MOD-A-FLEX HANGING UPRIGHTS					
	36	MX36GR			
	40	MX40GR			
LENGTH	61	MX61GR			
LLIVOIII	72	MX72GR			
	81	MX81GR			
	99	MX99GR			





#### ISS® Wall-Trax® Shelving



ISS<sup>TM</sup> Wall Trax<sup>TM</sup> is a complete wall mounted storage solution with specially engineered aluminum channel and grid system to increase efficiency and expand storage capacity.

- ISS™ Wall Trax™ channels and grids are easy to install
- Easily attach accessories without the need for tools
- or hardware
- All shelves can be moved by simply unhooking from grid or channel
- Available in three finishes, all corrosion-resistant, epoxy-based polymer coated: Grey Bond®, Gold Bond® and Black

Flat Grid		HEIGHT		
		24	36	48
	24	GRWM2424*		
LENGTH	36	GRWM2436*	GRWM3636*	
	48	GRWM2448*	GRWM3648*	GRWM4848*
	60		GRWM3660*	

Offset Grid		HEIGHT		
		20	24	40
LENGTH	24		GRO2424*	
	36	GRO2036*	GRO2436*	
	48	GRO2048*	GRO2448*	GRO4048*

Wall Trax Channels			
18	TRAX18A		
24	TRAX2A		
42	TRAX42APD		
48	TRAX4A		
50	WENTRAXAPD		
60	TRAX5A		
96	TRAX8A		
	18 24 42 48 50 60		

Grid Available Finishes			
Gold Bond	Υ		
Grey	E		
Stainless Steel	S		
Black (GRWM Only) BLK			

Grid Baskets
GB12106*
GB12186*
GB12246*
GB18143*
GB3420*
GB4512*
GB6186*
GB994*

Grid Shelves			WIE	TH
	Туре	LENGTH	14	18
	GS	24	GS1424*	GS1824*
	GS	36	GS1436*	GS1836*
	GS	48	GS1448*	GS1848*
LENGTH	GSS	24	GSS1424*	GSS1824*
LENGTH	GSS	36	GSS1436*	GSS1836*
	GSS	48	GSS1448*	GSS1848*
	GSL	24	GSL1424*	GSL1824*
	GSL	36	GSL1436*	GSL1836*
	GSL	48	GSL1448*	GSL1848*


Grid Shelf Available		
Finishes		
Gold Bond Y		
Grey	Е	
Stainless Steel	S	





#### Wire Shelving Wall Brackets

#### **ISS™ Wall Shelving**



Direct Wall Mount		WIDTH	
Brackets		14	18
Mount Type	Single	WM14S*	WM18S*
Mount Type	Double	WM14D*	WM18D*

Post Wall Mount Brackets		Length		
		14	34	54
<b>Mount Type</b>	Single	PWMT14*	PWMT34*	PWMT54*

Finishes	
Υ	
E	

\*Shelves sold separately

#### **AMCO™ Wall Shelving**



AMCO Wall Shelf Kits		SUPPORT	
		Front	Front & Rear
TIERS	1	W1236CP-1	W1236CPSH-1
HERS	2	W1236CP-2	W1236CPSH-2

Amco Post Wall Mount		Length
Bracket		24
<b>Mount Type</b>	Single	AWB2

- Kits include 1 or 2 wire shelves and one pair of wall standards and fasteners
- Holds 250 lbs of evenly distributed static load per shelving unit
- The distance between the two shelves is 9-1/2"

#### **AMCO™ Cantilever Wall Shelving**



AMCO CANTILEVER		WIDTH
SHELVES		12
LENGTH	36	1236PG
LENGIH	48	1248PG





### Security Solutions

Whether you're in need of high security shelving to protect against theft, highdensity shelving to maximize storage capacity or any other specialized product, you can look to SPG for proven solutions to meet any challenge you may face.

SPG has an array of securing solutions that are customized to fit your needs. Our solutions include:

- Security Shelving
- Security Trucks
- Stationary Security Units
- Intermediate Shelves for Security Units

SPG security units allow you to stock more products, more securely.

877-503-4774

Contact a SPG Product Specialist for a Free Solutions Consultation:

customerservice@spgusa.com 877.503.4SPG (4774)





#### **Stationary & Mobile Security Units**

#### **AMCO® Security Shelving**

- Lockable wire enclosure limits opportunities to steal, reducing losses due to theft
- Provides a secure area with adjustable shelving for storage of costly items that tend to disappear
- 2"x 2" wire-spacing prevents small goods from being removed
- Door secures at both top and bottom, and handle has hasp design so it can be padlocked (padlock not included)
- Shelves and posts may be ordered in any available finish enclosure available in Plating Plus™ finish only
- Available in stationary and mobile models choose from a variety of standard caster offerings

Stationary Models	Mobile Models	Dimensions
SU1300CP	SU1172CPMO	18 x 48 x 72
SU1316CP	SU1188CPMO	24 x 48 x 72
SU1302CP	SU1174CPMO	18 x 60 x 72
SU1318CP	SU1190CPMO	24 x 60 x 72





#### **ISS™ Stationary Security Units**

- Includes 4 posts, top and bottom shelves, 2 side panels,
   2 back panels and 2 lockable front doors
- Order intermediate shelves separately

877-503-4774

Plating Plus™	Gold Bond®	WxLxH
SR536C	SR536Y	24 x 36 x 68
SR548C	SR548Y	24 x 48 x 68
SR560C	SR560Y	24 x 60 x 68

#### **ISS™ Mobile Security Trucks**

- · Standard Security Trucks include:
- 4 posts; top and bottom shelves; 2 side panels; 2 back panels; 2 lockable front doors; 4 5" resilient stem swivel casters, 4 bumpers order intermediate shelves separately

Heavy Duty Security Trucks include a dolly frame with wraparound bumpers and 5" resilient plate casters

Plating Plus™	Gold Bond®	WxLxH
Standard		
SS536C	SS536Y	24 x 36 x 68
SS548C	SS548Y	24 x 48 x 68
SS560C	SS560Y	24 x 60 x 68
Heavy Duty		
SH536C	SH536Y	24 x 36 x 68
SH548C	SH548Y	24 x 48 x 68
SH560C	SH560Y	24 x 60 x 68





27

## Workstation Solutions

Imagine a tough, durable storage system that can be adapted to countless applications throughout your foodservice operation. And, no matter what role it plays, it brings you greater storage capacity, greater efficiency, improved staff productivity, and greater economy.

Incredibly flexible, it can be configured to virtually any application:

- Drive-Thru & Take Out Counter
- Prep Station
- Sandwich Making Stand
- · Mobile Equipment Stand
- Warewashing Station

SPG workstations allow you to get more out of your space and more out of your staff. The versatility, utility, and durability that our solution provides, adds up to greater profitability for your business

Contact a SPG Product Specialist for a Free Solutions Consultation:

customerservice@spgusa.com 877.503.4SPG (4774)





#### Freestyle® Workstation



Model #	Prep Surface Widths	Lengths	Inside Clearance
WST1491E	30"	60"	56"
WST1539E	30"	54"	50"
WST1492E	30"	48"	44"
WST1493E	30"	36"	32"

- The ergonomic design maximizes usable kitchen space and provides added storage for packaging, smallwares, menus, ingredients, utensils and more
- An impressive total load-bearing capacity of 2,800 lbs.
- each upper shelf has a 600-lb. capacity
- bottom shelf capacity is 1,000 lbs.
- Plug and place steamers, microwaves, food warmers and other standard equipment
- Fast, easy cleaning of food prep surfaces and overall structure
- 30" deep stainless steel work surface provides plenty of area for prep work
- Open-base design delivers adequate space for a fridge under the work surface of the 48", 54" and 60" models
- · Shelf and work surface heights adjust in 2" increments
- · Add components or shelves without tools
- No front uprights for an uninterrupted work surface

Before you choose a workstation, consider why so many major national foodservice operations have turned to Freestyle® to improve storage, efficiency and productivity.

Freestyle® combines the versatility and flexibility of a freestanding unit while providing rock-solid strength and stability to support steamers, microwaves and other vital equipment

From the ability to add or reconfigure shelves quickly and without tools to the wide selection of accessories available — everything about Freestyle® is customizable.

Unlike most competitive units, Freestyle® doesn't require a bottom shelf for stability — freeing up floor space underneath for

a refrigerator at a prep station or a safe at the Drive-Thru.

Storage is enhanced by virtue of a 2,800-lb. unit capacity... shelves that can be positioned in 2" increments...and shelf surface areas that are uninterrupted by front uprights.





#### **ISS®** Workstations

#### **ISS™ Drive-Thru Workstation**

- 30" x 60" baseline drive thru workstation provides the ultimate in organization, accessibility and workspace
- · Minimizes time, motion and effort required to stage orders
- Comes with overhead storage area, condiment bins, lower storage shelving area —
- and open area to accommodate undercounter equipment needs
- Can also be converted to use our condiment tower and order stager system
- Choose from Plating Plus<sup>™</sup>, Grey Bond® or Gold Bond® finishes
- · Also available in:

18", 24", and 36" depths 30", 36", 42", 48", 54" and 60" lengths

For an assembled unit, add "A" as suffix to the model no.





#### ISS™ 72-In. Prep Station

- Combines strength and durability with the ultimate in accessibility and ergonomic design
- 18" deep wire and stainless steel shelves, 30" x 66" stainless countertop and channel dunnage shelf
- · Accessories include grid baskets, scoop holder, pot hook and more
- · Gold Bond® finish for years of durable service

For an assembled unit, add "A" as suffix to the model no.

Model#	WxLxH
10172MB	30 x 72 x 86







#### **Drive-Thru Equipment**



#### **ISS™ Under-Counter Condiment Cart**

- Three open wire shelves, each with a built-in ledge to prevent condiment bins from falling
- · Digital posts with casters
- · Three bin blocker bars (one per shelf) prevent condiment bins from sliding to the back of each shelf
- 12 Bins

Model #	LxWxH
WST1082C	18 X 24 X 24.5



#### ISS™ Order Stager

- · Countertop organizer keeps orders separated and in proper sequence
- · Right-to-left order flow
- Includes 3 divider bars and Divider Bar Holder (not shown in photo)

Model #	LxWxH	
ORDSTAGL	21 x 30 x 6	



#### **ISS™ Condiment Towers**

- · A proven system to speed customers through at the counter and the drive thru window
- · Gravity-fed bins keep condiments organized and deliver first-in, first-out inventory control
- Kit includes: two 29" gray posts, two 15" gray posts, 3-sided frame, 18" hanger bar, five 3-way bins; straw holder
- Two order flow options (left-to-right is "R" model; right-to-left is "L" model)
- · Strong, wear resistant ABS plastic
- Also available in 18" lengths
- Shown with ISS™ Order Stager (not included)

Model #	LxWxH	
CONDTOW24L	24.5 x 24.5 x 30.5	
CONDTOW24R	24.5 x 24.5 x 30.5	

877-503-4774





31

### Cart Solutions

The cart is the workhorse of numerous operations. Even in its most basic form, the cart delivers extraordinary versatility, performance and productivity — advantages are magnified even further when a cart is designed for a specific function. That's why SPG offers the widest and deepest line of carts in the industry.

Our broad product range includes:

- Stock carts and trucks
- U boats
- Wire and stainless steel carts
- Security units

You'll also find all SPG carts are built to deliver maximum durability and rust resistance for years of dependable service. When it comes to finding the right cart, nobody offers as many choices as SPG.

877-503-4774

Contact a SPG Product Specialist for a Free Solutions Consultation:

customerservice@spgusa.com 877.503.4SPG (4774)





#### **Transport Carts**

#### **Kelmax Produce Stocking Cart**

- · Versatile 2-tier high-capacity design
- Heavy duty galvanized solid top shelf (22" x 44")
- · Galvanized square tube bottom shelf
- 5" polyurethane plate casters; 2 swivel and 2 rigid

Kelmax Produce Cart		WIDTH
		22
LENGTH	40	4G0189
	44	4G0172



#### **Kelmax U-Boat**

- · Heavy-duty dual steel channel base deck
- · 6-wheel design offers maximum maneuverability
- 2 8" rigid center polyurethane wheels
- 4 4" swivel polyurethane end casters
- One U-Boat does the work of five (5) hand trucks
- 24" deck is available when a larger capacity is needed

Kelmax U-Boats		WIDTH	
		16	18
LENGTH	60	4G0251*	4G0263

\*Diamond Tread



#### **Kelmax Heavy-Duty Stainless Steel Utility Cart**

- A reinforced tube adds strength under front lip of shelves
- 5" x 2" polyurethane plate casters
- 1,100 lb-rolling capacity
- · Stainless steel caster hardware
- Made in 304 Series stainless steel for rust resistance

Kelmax Stainless Carts		TIERS	
		2	3
LENGTH x WIDTH	33 x 21	4J0497*	4J0504*
		4J0204	4J0207
	49 X 21		4J0217

\*Economy Line

877-503-4774







33

#### **Foodservice Carts**



#### ISS™ Universal Staging Cart

- Provides maximum cooler storage in minimum space
- · Improves thawing and storage capabilities, facilitates product rotation and includes 12 aluminum trays
- · Ideal for any product that needs tempering in a walk-in cooler
- End-loading rack offers generous capacity and can hold up to 28 trays
- Assembles without tools—thanks to our Sure Lock™ coupler, numbered posts and easy instructions

Model #	WxLxH	
WST1384Y	21 x 30 x 68.5	

#### **Kelmax Aluminum Lug Carts**

- · All welded construction
- 5" polyurethane swivel stem casters

Kelmax		NO. OF LUGS			
Aluminum Lug Rack		1	2	6	
LxWxH	25X16X19	4H0682			
	25X16X34	4H0685			
	28X16X30		4H0690		
	32.5X16X39		4H0691		
	27x19x27	4H6317			
	26X19X69			4H0694	





#### **Kelmax Mixing Bowl Dolly**

- Designed for the toughest conditions
- 16-ga. 304 Series stainless steel construction tubing with .25" thick ring
- 800 lb. capacity
- · Mobile unit on 5" polyurethane casters

Kelmax Stainless Mixing Bowl Dolly		WIDTH	
		19	30
HEIGHT	26	4J0008	
	30	4J0274	4J0009







#### **Foodservice Carts**

#### **Kelmax Cup Caddy**

- Aluminum Construction
- Offers a Flexible Cup Solution
- This unit is compatible with Dispense-Rite™ brand adjustable cup dispensers. Models located at bottom of page.
- Allows for faster service and drives operational efficiency
- Supports standardized beverage production
- · Opens up counter space
- Holds 8 Dispense-Rite™ cup dispensers.
- · Dispensers NOT Included



Model No.

CUPCADDR8BLK

#### **Kelmax Aluminum Sheet Pan Dolly**

- · Store and transport foodservice trays with greater efficiency and convenience
- · One or two tier units
- · Holds 18" x 26" sheet trays
- 5" polyurethane swivel plate casters
- · Heavy-duty units have 1-1/4" square tubing
- · All welded aluminum construction

KeLmax Aluminum		WIDTH	
Pan Dolly		18	20
LENGTH	26	4H1331	
	27		4H1339



#### **AMCO® Dishwasher Rack Dolly**

- Rugged polypropylene construction
- Durable rubber 4" dia. swivel casters
- · Reduces ware handling, breakage increases staff efficiency and productivity
- Easily moves 150 to 180 glasses
- 2" deep waste well stops water from dripping onto the floor
- Sized to fit all brands of dishwasher racks
- · Color: Brown



Model No. 232

Model No. 233





### Rack Solutions

Organizing, displaying, and storing your inventory is an essential part of your business. Whether food service, industrial, retail or hospitality, your shelving has to hold up under pressure. You'll find that SPG has an industry-leading line-up of proven, reliable shelving solutions.

SPG offers numerous shelving advantages, including:

- Strength
- Easy Assembly
- Versatility
- Durability
- Selection

SPG has the shelving you need in the specs that you require.

877-503-4774

Contact a SPG Product Specialist for a Free Solutions Consultation:

customerservice@spgusa.com 877.503.4SPG (4774)





# **Kelmax® Pan Racks**

## **Kelmax® Aluminum Standard Duty Pan Racks**

- Round tops and reinforced gussets for greater strength
- · Runners welded to uprights
- Holds both 18" x 26" sheet pans and 14" x 18" trays
- Units have standard 5" polyurethane casters
- Lifetime guarantee against rust

Standard Pan Racks	Tray Capacity	Option	
4H0423	20	End Load	
4H0431	40	End Load	
4H0805	10	End Load	
4H0897	15	End Load	
4H0945	18	End Load	
4H0963	20	End Load	
4H1023	25	End Load	
4H0966	20	End Load/with Brake	
4H0857	12 to 24	End Load/ 18" opening	
4H0873	12 to 24	End Load/ 20" opening	
4H0916	15	Side Load	
4H1002	20	Side Load	

Knockdown Aluminum Racks	Tray Capacity	
4H1182	20	



## **Kelmax® Aluminum Heavy Duty Racks**

• .100" thick runner

37

- · All-welded construction
- 5" poly U swivel plate casters
- 1-1/4" heavy wall uprights
- · Heavy-duty wheel channel

Model #	Tray Capacity		
4H0950	18		
4H0991	20		







# **Kelmax® Pan Racks**





Steam Table Racks	Tray Capacity	
4H1370	20	
4H1376	24	



Stainless Steel	Tray	
Pan Racks	Capacity	
4J0045	10	
4J0055	12	
4J0073	18	
4J0075	20	
4J0092	30	







# **Kelmax® Specialty Racks**

#### **Kelmax Aluminum Z-Racks**

- Z-Racks have reinforced gussets for greater strength
- · Heavy-duty runners welded to uprights
- · Holds bun trays
- · Keeps product fresher by allowing food to thaw properly
- Nesting reduces storage footprint by up to 50%
- · Lifetime guarantee against rust
- Units have standard 5" polyurethane casters

Kelmax Z-Racks	Tray Capacity	
4H7196	10	
4H7204	12	
4H7205	15	
4H7206	18	
4H7207	20	



#### **Kelmax Enclosed Cabinets**

- Great for areas where cabinets will be in public view such as hospital hallways or dining halls
- · All welded units with double pan tops
- Door opens 270 degrees on stainless steel hinges
- · Stainless steel gravity latch is drilled for padlock
- Heavy-duty models have reinforced center supports and standard 5" x 2" casters

	Tray					
Model No.	Description	Capacity	Spacing (In.)	Lx W x H		
4H2200	Enclosed Cabinet	40	1.5	28 x 22 x 68		
4H5035	Enclosed Cabinet Modular Decking	20	3	30 x 22 x 71		







# **Box & Dunnage Racks**



#### **Kelmax Poly Food Box Racks**

- · Ideal for transporting and holding poly food boxes from the service area to the kitchen
- · Great for helping sort products in the cooler
- Strong 1" square tubular aluminum construction
- Durable 5" poly U swivel stem casters

Some soft side boxes will not work in these racks

Model #	Tray Capacity
4H0728	5
4H0731	8
4H0721	15
4H0724	20

#### **Kelmax Standard Tubular Dunnage Racks**

- · Square Tubular Dunnage Racks are an economical way to hold medium to heavy-duty boxes
- · All units come with a lifetime guarantee against rust
- Extra-strong 1-1/2" square aluminum tubing
- Plastic cap feet
- 8" legs



Model #	Dimensions		
4H1752	20 x 36		
4H1810	20 x 48		
4H1853	20 x 60		
4H1759	24 x 36		
4H1818	24 x 48		
4H1857	24 x 60		



### **ISS™ Plastic Dunnage Racks**

- · Lightweight one-piece seamless polyethylene
- Rust and corrosion-proof
- · Slotted to provide excellent air circulation
- Use in dry storage or in walk-in coolers/freezers
- · Guaranteed for up to 10 years
- Holds up to 2,000 lbs. (907 kg.)
- Fits flush to adjacent units to maximize space utilization

Model #	Dimensions		
DUN2436	24 x 36 x 12		
DUN2448	24 x 48 x 12		
DUN2460	24 x 60 x 12		





### AMCO® Take 10® Can Storage

This patented, gravity-fed can storage system delivers front load/front unload FIFO inventory control — Take 10® maximizes your storage space while providing unparalleled access to inventory.

- You can use Take 10® modules on your existing shelving or purchase a complete can storage system
- Modules can be stacked atop each other so that your storage system can expand as your needs grow, while conserving valuable space
- Fits onto all brands of shelving at least 18" deep and 42" long







- Organize your stock room with the 4H1580 unit
- · Ships set up, ready to use
- FIFO Can Rack holds 156 cans 13 cans per opening
- FIFO is First In First Out; load and empty from front
- All welded aluminum construction will never rust
- Mobile kit available factory installed for safety
- 5" poly U plate casters, 2 swivel w/brakes and 2 rigid

#### **Kelmax Half Size Can Racks**

- Unit doubles as work table so you maximize your space
- 5" poly U expandable stem casters, 4 swivel, 2 with brakes
- Ships set up, ready to use

SUFFIX	DESCRIPTION		
*	Mobile Cart		
**	Top Cover		
***	Stainless Steel		



41

Keln	nax	No. of Can Capacity			
Can R	Can Racks		54 156 162 216		
LENGTH x	35 x 25	4H1602* 4H1603** 4H1606***		4H1580 4H1582*	
WIDTH	35 x 28				
***************************************	35 x 32.5				4H1593
	42X28		4H1579 4H3054*		





# Table Solutions

At SPG, we not only imagine products that create efficiencies, improve productivity, cut costs and reduce employee injuries — we build them, too. As such, we pride ourselves on the fact that we have unique table solutions that fit both your space and your needs.

We have unique table solutions for numerous needs, including:

- Adjustable Ergo Table and Deli Slicer
- Stainless VC Counter System
- Prep Stations and Work Centers
- Mixer Stands
- Clean Dish Tables
- Soiled Dish Tables
- Work Tables

SPG tables are customized to fit your needs and requirements.

Contact a SPG Product Specialist for a Free Solutions Consultation:


customerservice@spgusa.com 877.503.4SPG (4774) Contact Factory for Custom Sizes and Solutions:

(303) 375-1511





# **Universal® Stainless VC Counter System**



SPG can customize an integrated counter system that's perfectly tailored to your space and your work processes. Seamlessly integrated top-of-the line materials combined with ergonomic design create a system that maximizes utility, optimizes workflow, improves storage and promotes a clean, organized workspace.

The modular counter system will deliver the lowest cost of ownership and drive staff productivity in every area of your operation - including:

- Drive-Thru
- Dining
- Food Prep
- Bakery

43

• Front Counter Operations

Among the many features we can incorporate into your system are:

- Tables, open bases, side panels
- · Wire or solid shelving
- One-piece tops flat, marine edges or even configured

for natural stone

- · Easy access to electrical, plumbing, data services
- · Sectioned base that allows custom configurations of equipment and shelving
- · Integrated trash section
- Sink bowls
- · Backsplash receptacles
- · Cut-outs for drop-ins

For the ultimate in efficiency, flexibility and productivity, contact your SPG representative for more details.





# **Universal® Stainless Soiled & Clean Dish Tables**



- 16-ga. 300 Series stainless steel tops and bowls
- 5/8" radius on all corners for greater ease of cleaning
- Sanitary 180 degree rolled edges at free sides
- Stainless steel under bracing locations provide solid top and minimal deflection
- · Units ship with stainless steel H-frame legs off reducing freight and allowing quick assembly
- Units are available in "Left" or "Right" side configurations

UNIVERSAL STRAIGHT SOILED DISHTABLES 16GA		30" V	VIDTH
		LEFT	RIGHT
	30	SDT-30-L	SDT-30-R
	36	SDT-3-L	SDT-3-R
LENGTH	48	SDT-4-L	SDT-4-R
LLINGTH	60	SDT-5-L	SDT-5-R
	72	SDT-6-L	SDT-6-R
	84	SDT-7-L	SDT-7-R

UNIVERSAL STRAIGHT SOILED DISHTABLES 14GA		30" WIDTH	
		LEFT	RIGHT
	30	SDT-SL-30-L	SDT-SL-30-R
	36	SDT-SL-3-L	SDT-SL-3-R
LENGTH	48	SDT-SL-4-L	SDT-SL-4-R
LLINGTH	60	SDT-SL-5-L	SDT-SL-5-R
	72	SDT-SL-6-L	SDT-SL-6-R
	84	SDT-SL-7-L	SDT-SL-7-R

SOILED DISHTABLE ACCESSORIES					
SCRAP BASKET	20X20	DTO-10			
RACK SLIDE	20X20	DTO-27			
MOBILE SOAK SINK	20X20	MSS-202012			
MOBILE SOAK SINK	24X24	MSS-242412			

UNIVERSAL STRAIGHT CLEAN DISHTABLES 16GA		30" V	VIDTH
		LEFT	RIGHT
	24	CDT-2-L	CDT-2-R
	30	CDT-30-L	CDT-30-R
	36	CDT-3-L	CDT-3-R
LENGTH	48	CDT-4-L	CDT-4-R
	60	CDT-5-L	CDT-5-R
	72	CDT-6-L	CDT-6-R
	84	CDT-7-L	CDT-7-R



CDT-SL-7-R



CDT-SL-7-L

84



# **Universal® Flat-Top Stainless Tables**

- Choose from two series of tables:
   Standard N Series: 16-gauge 300 Series stainless steel top
   Spec SL Line: 14-gauge 300 Series stainless steel top
- · Square edge design for clean abutment to other equipment
- Legs: 1-5/8" O.D. 16-gauge stainless steel with adjustable bullet feet and stainless steel gussets
- Crossrails: 1-5/8" O.D. 16-gauge stainless steel notched to fit legs and fully welded
- Undershelves: 18-gauge stainless steel with corners notched to fit legs and fully welded
- · Standard working height is 36"
- · All tables 84" and longer come standard with 6 legs
- · Ships welded and set up no assembly required



UNIVERSAL WORK TABLES FLAT TOP 16GA CROSSRAILS			WIDTH	
16GA CR	OSSKAILS	24	30	36
	24	2SLC-24*	2SLC-30*	2SLC-36*
	30	30SLC-24*	30*SLC-30*	30SLC-36*
	36	3SLC-24*	3SLC-30*	3SLC-36*
	48	4SLC-24*	4SLC-30*	4SLC-36*
LENGTH	60	5SLC-24*	5SLC-30*	5SLC-36*
LENGIA	72	6SLC-24*	6SLC-30*	6SLC-36*
	84	7SLC-24*	7SLC-30*	7SLC-36*
	96	8SLC-24*	8SLC-30*	8SLC-36*
	108	9SLC-24*	9SLC-30*	9SLC-36*
	120	10SLC-24*	10SLC-30*	10SLC-36*

UNIVERSAL WORK TABLES FLAT TOP		WIDTH		
16GA UN	IDERSHELF	24	30	36
	24	2SLS-24*	2SLS-30*	2SLS-36*
	30	30SLS-24*	30*SLS-30*	30SLS-36*
	36	3SLS-24*	3SLS-30*	3SLS-36*
	48	4SLS-24*	4SLS-30*	4SLS-36*
LENGTH	60	5SLS-24*	5SLS-30*	5SLS-36*
LENGTH	72	6SLS-24*	6SLS-30*	6SLS-36*
	84	7SLS-24*	7SLS-30*	7SLS-36*
	96	8SLS-24*	8SLS-30*	8SLS-36*
	108	9SLS-24*	9SLS-30*	9SLS-36*
	120	10SLS-24*	10SLS-30*	10SLS-36*

UNIVERSAL WORK TABLES FLAT TOP		WIDTH		
14GA CR	OSSRAILS	24	30	36
	24	2-SL-SLC-24*	2-SL-SLC-30*	2-SL-SLC-36*
	30	30-SL-SLC-24*	30-SL-SLC-30*	30-SL-SLC-36*
	36	3-SL-SLC-24*	3-SL-SLC-30*	3-SL-SLC-36*
	48	4-SL-SLC-24*	4-SL-SLC-30*	4-SL-SLC-36*
LENGTH	60	5-SL-SLC-24*	5-SL-SLC-30*	5-SL-SLC-36*
LENGIH	72	6-SL-SLC-24*	6-SL-SLC-30*	6-SL-SLC-36*
	84	7-SL-SLC-24*	7-SL-SLC-30*	7-SL-SLC-36*
	96	8-SL-SLC-24*	8-SL-SLC-30*	8-SL-SLC-36*
	108	9-SL-SLC-24*	9-SL-SLC-30*	9-SL-SLC-36*
	120	10-SL-SLC-24*	10-SL-SLC-30*	10-SL-SLC-36*

UNIVERSAL WORK TABLES FLAT TOP		WIDTH			
14GA UN	DERSHELF	24	30	36	
	24	2-SL-SLS-24*	2-SL-SLS-30*	2-SL-SLS-36*	
	30	30-SL-SLS-24*	30-SL-SLS-30*	30-SL-SLS-36*	
	36	3-SL-SLS-24*	3-SL-SLS-30*	3-SL-SLS-36*	
	48	4-SL-SLS-24*	4-SL-SLS-30*	4-SL-SLS-36*	
LENGTH	60	5-SL-SLS-24*	5-SL-SLS-30*	5-SL-SLS-36*	
LENGIN	72	6-SL-SLS-24*	6-SL-SLS-30*	6-SL-SLS-36*	
	84	7-SL-SLS-24*	7-SL-SLS-30*	7-SL-SLS-36*	
	96	8-SL-SLS-24*	8-SL-SLS-30*	8-SL-SLS-36*	
	108	9-SL-SLS-24*	9-SL-SLS-30*	9-SL-SLS-36*	
	120	10-SL-SLS-24*	10-SL-SLS-30*	10-SL-SLS-36*	

SUFFIX	DESCRIPTION
-C	Casters





# **Universal® Backsplash Stainless Tables**



UNIVERSAL WORK TABLES BACKSPLASH		WIDTH		
16GA CR	16GA CROSSRAILS		30	36
	24	2SLCB-24*	2SLCB-30*	2SLCB-36*
	30	30SLCB-24*	30*SLCB-30*	30SLCB-36*
	36	3SLCB-24*	3SLCB-30*	3SLCB-36*
	48	4SLCB-24*	4SLCB-30*	4SLCB-36*
LENGTH	60	5SLCB-24*	5SLCB-30*	5SLCB-36*
LLIVOTH	72	6SLCB-24*	6SLCB-30*	6SLCB-36*
	84	7SLCB-24*	7SLCB-30*	7SLCB-36*
	96	8SLCB-24*	8SLCB-30*	8SLCB-36*
	108	9SLCB-24*	9SLCB-30*	9SLCB-36*
	120	10SLCB-24*	10SLCB-30*	10SLCB-36*

	AL WORK	WIDTH		
14GA CR	OSSRAILS	24	30	36
	24	2-SL-SLCB-24*	2-SL-SLCB-30*	2-SL-SLCB-36*
	30	30-SL-SLCB-24*	30*-SL-SLCB-30*	30-SL-SLCB-36*
	36	3-SL-SLCB-24*	3-SL-SLCB-30*	3-SL-SLCB-36*
	48	4-SL-SLCB-24*	4-SL-SLCB-30*	4-SL-SLCB-36*
LENGTH	60	5-SL-SLCB-24*	5-SL-SLCB-30*	5-SL-SLCB-36*
LLIVOTH	72	6-SL-SLCB-24*	6-SL-SLCB-30*	6-SL-SLCB-36*
	84	7-SL-SLCB-24*	7-SL-SLCB-30*	7-SL-SLCB-36*
	96	8-SL-SLCB-24*	8-SL-SLCB-30*	8-SL-SLCB-36*
	108	9-SL-SLCB-24*	9-SL-SLCB-30*	9-SL-SLCB-36*
	120	10-SL-SLCB-24*	10-SL-SLCB-30*	10-SL-SLCB-36*

TABLES BA	SAL WORK ACKSPLASH IDERSHELF		WIDTH	
		24	30	36
	24	2SLSB-24*	2SLSB-30*	2SLSB-36*
	30	30SLSB-24*	30*SLSB-30*	30SLSB-36*
	36	3SLSB-24*	3SLSB-30*	3SLSB-36*
	48	4SLSB-24*	4SLSB-30*	4SLSB-36*
LENGTH	60	5SLSB-24*	5SLSB-30*	5SLSB-36*
LENGIA	72	6SLSB-24*	6SLSB-30*	6SLSB-36*
	84	7SLSB-24*	7SLSB-30*	7SLSB-36*
	96	8SLSB-24*	8SLSB-30*	8SLSB-36*
	108	9SLSB-24*	9SLSB-30*	9SLSB-36*
,	120	10SLSB-24*	10SLSB-30*	10SLSB-36*

UNIVERSAL WORK TABLES BACKSPLASH 14GA UNDERSHELF		24	WIDTH 30	36
	24	2-SL-SLSB-24*	2-SL-SLSB-30*	2-SL-SLSB-36*
	30	30-SL-SLSB-24*	30*-SL-SLSB-30*	30-SL-SLSB-36*
	36	3-SL-SLSB-24*	3-SL-SLSB-30*	3-SL-SLSB-36*
	48	4-SL-SLSB-24*	4-SL-SLSB-30*	4-SL-SLSB-36*
LENGTH	60	5-SL-SLSB-24*	5-SL-SLSB-30*	5-SL-SLSB-36*
LLINGTH	72	6-SL-SLSB-24*	6-SL-SLSB-30*	6-SL-SLSB-36*
	84	7-SL-SLSB-24*	7-SL-SLSB-30*	7-SL-SLSB-36*
	96	8-SL-SLSB-24*	8-SL-SLSB-30*	8-SL-SLSB-36*
	108	9-SL-SLSB-24*	9-SL-SLSB-30*	9-SL-SLSB-36*
	120	10-SL-SLSB-24*	10-SL-SLSB-30*	10-SL-SLSB-36*

SUFFIX	DESCRIPTION
-C	Casters





# **Universal® Stainless Poly Top Tables**



- Table frame fabricated from 1-1/2" square 16-ga. 300 Series stainless steel tubing
- Base fully-welded 1-5/8" stainless steel tubing legs and crossrails with stainless steel adjustable bullet feet
- 5 /8" thick poly tops are sectional and removable per NSF standard No. 2 — and made of NSF and USDA approved high density polyethelene
- 6" backsplash and deck formed from one-piece stainless steel and welded
- Crossrails are 1-5/8" O.D. stainless steel tubing notched to fit legs and fully welded
- Undershelf is 18-ga. stainless steel with corners notched to fit legs and fully welded
- · Ships fully welded and set up

UNIVERSAL POLYTOP TABLES FLAT TOP 16GA CROSSRAILS			WIDTH	
		24	30	36
	48	4MCT-24	4MCT-30	4MCT-36
	60	5MCT-24	5MCT-30	5MCT-36
LENGTH	72	6MCT-24	6MCT-30	6MCT-36
	84	7MCT-24	7MCT-30	7MCT-36
	96	8MCT-24	8MCT-30	8MCT-36

UNIVERSAL POLYTOP TABLES FLAT TOP 16GA UNDERSHELF			WIDTH	
		24	30	36
	48	4MCT-24U	4MCT-30U	4MCT-36U
	60	5MCT-24U	5MCT-30U	5MCT-36U
LENGTH	72	6MCT-24U	6MCT-30U	6MCT-36U
	84	7MCT-24U	7MCT-30U	7MCT-36U
	96	8MCT-24U	8MCT-30U	8MCT-36U

UNIVERSAL POLYTOP TABLES BACKSPLASH 16GA CROSSRAILS			WIDTH	
		24	30	36
	48	4MCT-B24	4MCT-B30	4MCT-B36
	60	5MCT-B24	5MCT-B30	5MCT-B36
LENGTH	72	6MCT-B24	6MCT-B30	6MCT-B36
	84	7MCT-B24	7MCT-B30	7MCT-B36
	96	8MCT-B24	8MCT-B30	8MCT-B36

UNIVERSAL POLYTOP TABLES BACKSPLASH			WIDTH	
16GA UN	16GA UNDERSHELF		30	36
	48	4MCT-B24U	4MCT-B30U	4MCT-B36U
	60	5MCT-B24U	5MCT-B30U	5MCT-B36U
LENGTH	72	6MCT-B24U	6MCT-B30U	6MCT-B36U
	84	7MCT-B24U	7MCT-B30U	7MCT-B36U
	96	8MCT-B24U	8MCT-B30U	8MCT-B36U





# **Universal® Stainless Adjustable Ergonomic Tables**



The Universal® Stainless Adjustable Ergo Table is designed with a fold-away hydraulic crank - so the work surface can be raised or lowered quickly and easily. As a result, these innovative tables provide a customized fit for each employee — to improve staff comfort, increase productivity and optimize efficiency.

- Quickly, easily adjust table surface heights from 30"
- 42" or from 34" 40"
- Uses 100% food-safe hydraulic fluid in a closedloop system
- · All models feature bullet feet, and can be ordered with casters by adding the suffix C to the part

UNIVERSAL ERGO POLYTOP TABLES FLAT TOP 16GA UNDERSHELF		WIDTH
		30
	48	4MCTA-30U
LENGTH	60	5MCTA-30U
	72	6MCTA-30U

UNIVERSAL ERGO POLYTOP TABLES BACKSPLASH 16GA		WIDTH
CROSSRAILS		30
	48	4MCTA-B30
LENGTH	60	5MCTA-B30
	72	6MCTA-B30

UNIVERSAL ERGO POLYTOP TABLES BACKSPLASH 16GA		WIDTH
UNDERSHELF		30
	48	4MCTA-B30U
LENGTH 60		5MCTA-B30U
	72	6MCTA-B30U

UNIVERSAL ERGO POLYTOP TABLES FLAT TOP 16GA CROSSRAILS		WIDTH
		30
	48	4MCTA-30
LENGTH	60	5MCTA-30
	72	6MCTA-30

UNIVERSAL ERGO WORK TABLES FLAT		WIDTH
TOP 16GA	TOP 16GA CROSSRAILS	
	48	4SLCA-30*
LENGTH	60	5SLCA-30*
	72	6SLCA-30*

WORK TA	BLES FLAT 14GA	WIDTH
CROSSRAILS		30
	48	4-SL-SLCA-30*
LENGTH	60	5-SL-SLCA-30*
	72	6-SL-SLCA-30*

UNIVERSAL ERGO WORK TABLES BACKSPLASH 14GA UNDERSHELF		WIDTH
UNDERSHELF		30
	48	4-SL-SLSBA-30*
LENGTH	60	5-SL-SLSBA-30*
	72	6-SL-SLSBA-30*

UNIVERSAL ERGO WORK TABLES BACKSPLASH 16GA UNDERSHELF		WIDTH
UNDERSHELF		30
	48	4SLSBA-30*
LENGTH 60		5SLSBA-30*
	72	6SLSBA-30*

UNIVERSAL ERGO		
WORK TABLES FLAT		WIDTH
TOP 16GA		
UNDERSHELF		30
	48	4SLSA-30*
LENGTH	60	5SLSA-30*
	72	6SLSA-30*

48

UNIVERSAL ERGO		
WORK TABLES FLAT		WIDTH
TOP 14GA		
UNDERSHELF		30
	48	4-SL-SLSA-30*
LENGTH	60	5-SL-SLSA-30*
	72	6-SL-SLSA-30*

UNIVERSAL ERGO WORK TABLES		WIDTH
BACKSPLASH 14GA CROSSRAILS		30
	48	4-SL-SLCBA-30*
<b>LENGTH</b> 60 72		5-SL-SLCBA-30*
		6-SL-SLCBA-30*

UNIVERSAL ERGO WORK TABLES		WIDTH
BACKSPLASH 16GA CROSSRAILS		30
Citos	48	4SLCBA-30*
LENGTH	60	5SLCBA-30*
	72	6SLCBA-30*

SUFFIX	DESCRIPTION
-C	Casters





# **Universal® Stainless Cabinet Base Tables**



- · Choose from open-front, sliding or hinged doors; flat top and 6" backsplash
- Includes one mid shelf
- Uni-body design includes die-formed rear and end panels welded to undershelves to achieve rigid one-piece unit
- Top 16-ga. 300 Series stainless steel body and shelves are 18-ga. 300 Series stainless steel
- · Legs: 6" high stainless steel with adjustable bullet feet
- · Doors (if applicable) double pan, die formed and suspended with overhead track and ball bearing rollers with recessed pulls or hinged doors

UNIVERSAL CABINET BASE TABLE FLAT TOP 16GA		WIDTH	
		24	30
	48	4CBT-24*	4CBT-30*
	60	5CBT-24*	5CBT-30*
	72	6CBT-24*	6CBT-30*
LENGTH	84	7CBT-24*	7CBT-30*
	96	8CBT-24*	8CBT-30*
	108	9CBT-24*	9CBT-30*
	120	10CBT-24*	10CBT-30*

UNIVERSAL CABINET BASE TABLE BACKSPLASH 16GA		WIDTH	
		24	30
	48	4CBT-24B*	4CBT-30B*
	60	5CBT-24B*	5CBT-30B*
	72	6CBT-24B*	6CBT-30B*
LENGTH	84	7CBT-24B*	7CBT-30B*
	96	8CBT-24B*	8CBT-30B*
	108	9CBT-24B*	9CBT-30B*
	120	10CBT-24B*	10CBT-30B*

SUFFIX	DESCRIPTION
D	Sliding Doors
HD	Hinged Doors
-C	Casters



49

#### Universal® Stainless Mixer Stand

- · Heavy-duty 16-ga. 300 Series stainless steel top
- Legs are made of 1-5/8" O.D. stainless steel tubing with adjustable bullet feet
- Undershelf: 18-ga. stainless steel, notched to fit legs and fully welded
- Inverted "V" edge to contain equipment

MIXER STANDS 16GA		WIDTH	
		24	30
	24	MS-24-S*	
LENGTH	30	MS-2430-S*	MS-30-S*
	36	MS-2436-S*	MS-3036-S*

SUFFIX	DESCRIPTION
-C	Casters





# Sink Solutions

At SPG, we realize that keeping your business clean and up to code is an imperative. We have a variety of commercial sinks to fit your industrial kitchen.

Our sinks have a fully fabricated bowl with full metal thickness throughout, providing greater durability and strength than a drawn sink. All corners, both horizontal and vertical, are coved at 5/8" radius, welded and polished to form a one-piece sanitary unit. All sinks are furnished with basket drains and 1-1/8" faucet holes punched in backsplash on 8" centers as required. And of course, all are NSF listed and CSA certified.

SPG has the sinks that fit your industry and your needs.

Contact a SPG Product Specialist for a Free Solutions Consultation:

customerservice@spgusa.com 877.503.4SPG (4774)

**Contact Factory for Custom** Sizes and Solutions:

(303) 375-1511





# **Universal® Stainless Compartment Sinks**

- Available in 16-ga. (N Series) or 14-ga. (SL-Series) 300 Series stainless steel construction
- Fully fabricated bowl with full metal thickness throughout for greater strength than a drawn sink
- 9" high integrally formed backsplash, with 2" return to wall at 45°
- 2 -1/2" high, 180° sanitary rolled rim at all free edges
- Leg assemblies are located directly under sink bowls for greater load support
- Legs are 1-5/8"diameter tubing with adjustable bullet feet
- Comes with basket drains and 1-1/8" faucet holes punched in backsplash on 8" centers as required
- · NSF listed and CSA certified



SUFFIX	DESCRIPTION		
18	Add 18" Drainboard		
24	Add 24" Drainboard		

UNIVERSAL 1COMP SINK 16GA		DRAINBOARD CONFIGURATION			
		NO DB	LD	RD	
	16x18	1N1618	1N1618-L*	1N1618-R*	
	16x20	1N1620	1N1620-L*	1N1620-R*	
SINK	18x18	1N18	1N18-L*	1N18-R*	
BOWL	18x24	1N1824	1N1824-L*	1N1824-R*	
SIZE	20x20	1N2020	1N2020-L*	1N2020-R*	
SIZE	20x28	1N2028	1N2028-L*	1N2028-R*	
	24x24	1N24	1N24-L*	1N24-R*	
	24x30	1N2430	1N2430-L*	1N2430-R*	

	AL 1COMP 14GA	DRAINBOARD CONFIGURATION  NO DB LD RD		
	16x18	1SL1618	1SL1618-L*	1SL1618-R*
	16x20	1SL1620	1SL1620-L*	1SL1620-R*
SINK 18x18	18x18	1SL18	1SL18-L*	1SL18-R*
BOWL	18x24	1SL1824	1SL1824-L*	1SL1824-R*
SIZE	20x20	1SL2020	1SL2020-L*	1SL2020-R*
SIZE	20x28	1SL2028	1SL2028-L*	1SL2028-R*
	24x24	1SL24	1SL24-L*	1SL24-R*
	24x30	1SL2430	1SL2430-L*	1SL2430-R*

UNIVERSAL 2COMP SINK 16GA		DRAINBOARD CONFIGURATION  NO DB LD RD 2D			
	16x18	2N1618	2N1618-L*	2N1618-R*	2N1618-2*
	16x20	2N1620	2N1620-L*	2N1620-R*	2N1620-2*
SINK	18x18	2N18	2N18-L*	2N18-R*	2N18-2*
BOWL	18x24	2N1824	2N1824-L*	2N1824-R*	2N1824-2*
SIZE	20x20	2N2020	2N2020-L*	2N2020-R*	2N2020-2*
SIZL	20x28	2N2028	2N2028-L*	2N2028-R*	2N2028-2*
	24x24	2N24	2N24-L*	2N24-R*	2N24-2*
	24x30	2N2430	2N2430-L*	2N2430-R*	2N2430-2*

UNIVERSAL 2COMP SINK 14GA			DRAINBOARD CONFIGURATION		
0		NO DB	LD	RD	2D
	16x18	2SL1618	2SL1618-L*	2SL1618-R*	2SL1618-2*
	16x20	2SL1620	2SL1620-L*	2SL1620-R*	2SL1620-2*
SINK	18x18	2SL18	2SL18-L*	2SL18-R*	2SL18-2*
BOWL	18x24	2SL1824	2SL1824-L*	2SL1824-R*	2SL1824-2*
SIZE	20x20	2SL2020	2SL2020-L*	2SL2020-R*	2SL2020-2*
SIZE	20x28	2SL2028	2SL2028-L*	2SL2028-R*	2SL2028-2*
	24x24	2SL24	2SL24-L*	2SL24-R*	2SL24-2*
	24x30	2SL2430	2SL2430-L*	2SL2430-R*	2SL2430-2*
	-				

UNIVER	SAL 3COMP	DRAINBOARD CONFIGURATION			ON
SIN	K 16GA	NO DB	LD	RD	2D
	16x18	3N1618	3N1618-L*	3N1618-R*	3N1618-2*
	16x20	3N1620	3N1620-L*	3N1620-R*	3N1620-2*
SINK	18x18	3N18	3N18-L*	3N18-R*	3N18-2*
BOWL	18x24	3N1824	3N1824-L*	3N1824-R*	3N1824-2*
SIZE	20x20	3N2020	3N2020-L*	3N2020-R*	3N2020-2*
SIZE	20x28	3N2028	3N2028-L*	3N2028-R*	3N2028-2*
	24x24	3N24	3N24-L*	3N24-R*	3N24-2*
	24x30	3N2430	3N2430-L*	3N2430-R*	3N2430-2*

UNIVERS	AL 3COMP	DRAINBOARD CONFIGURATION			N
SINK	SINK 14GA		LD	RD	2D
	16x18	3SL1618	3SL1618-L*	3SL1618-R*	3SL1618-2*
	16x20	3SL1620	3SL1620-L*	3SL1620-R*	3SL1620-2*
SINK	18x18	3SL18	3SL18-L*	3SL18-R*	3SL18-2*
BOWL	18x24	3SL1824	3SL1824-L*	3SL1824-R*	3SL1824-2*
SIZE	20x20	3SL2020	3SL2020-L*	3SL2020-R*	3SL2020-2*
SIZL	20x28	3SL2028	3SL2028-L*	3SL2028-R*	3SL2028-2*
	24x24	3SL24	3SL24-L*	3SL24-R*	3SL24-2*
	24x30	3SL2430	3SL2430-L*	3SL2430-R*	3SL2430-2*





# **Universal® Stainless Hand Sinks**

- Choose from Standard Series (18-ga. deep fully fabricated bowl) or Spec Series (16-ga. 300 Series stainless steel, fully fabricated)
- 12" x 10" x 6" (305 x 254 x 152) bowl size
- 7" high integrally formed backsplash
- Inverted "V" non-drip edge on three sides
- Includes faucets, basket drains, and wall brackets
- · Available with Electronic Eye option

Hand Sinks			
Drop In Hand Sinks With Faucets & Basket Drain			
DI-1-5DF	10 x 14 x 5		
DI-1-10DF	10 x 14 x 10		
Skirted Hand Sinks			
EHS-2 12 x 10 x 6			
ADA Compliant Hand Sink With Wrist Handles			
HS-ADA	16 x 17 x 6		







# Back-of-House Solutions

SPG's back of house solutions can be found in factories, warehouses, stockrooms, storerooms, and backrooms across the nation. The systems we create each perform unique functions, but all are designed to work together, and all offer you superior durability, reliability, versatility and value.

You'll find SPG systems in virtually every type of business, performing virtually every type of storage and material handling application. Designed ergonomically to maximize the performance of your staff, SPG systems also offer the kind of year-in and year-out durability that has made us a market leader.

Contact a SPG Product Specialist for a Free Solutions Consultation:

customerservice@spgusa.com 877.503.4SPG (4774)





877-503-4774

53

# **Beverage Accessories**

#### **Kelmax Beverage Bucket**

- · Perfect for soft drinks, beer and wine
- Great for point of purchase displays
- · Holds 24 (20 oz.) bottles
- · Urethane foam insulation keeps contents cold while reducing ice consumption
- Twin handles make transporting easy





#### **Kelmax Keg Storage Racks**

- Organize inventory and optimize keg storage space
- Keep kegs off the floor to reduce the chance for damage
- Heavy-duty 1-1/2" x 2" tubular frame
- "E" channel laterals run front to back to allow sliding of
- All-welded aluminum construction
- · Lifetime guarantee against rust







#### **AMCO®** Coat Rack

- Plating Plus<sup>™</sup> zinc plating and chromate seal with a clear lacquer form a durable, hard-as-nails finish
- · Bottom shelf, coat rod hanger and two upper shelves

#### **Kelmax Lockers**

55

- Heavy-duty steel construction including 16-ga. doors and
- Durable powder coated beige finish is standard. Other colors available
- subject to availability and lead times
- · Padlock hasps are standard on all units for locking











And it's what SPG helps you achieve through our extensive line of innovative food service equipment.

At SPG, our equipment is ergonomically designed to minimize the time, movement and effort of your staff—while maximizing the efficiency of every inch of your available space. We use the best materials for the job and manufacture to strict tolerances to ensure our equipment provides lasting performance and enduring value.

As a global company, we manufacture ISS, Kelmax, Freestyle and other quality storage product lines throughout North America and the Pacific. As a result, our products are delivered to businesses throughout the world every day...and every day we continue to deliver on our promise to ensure their continuing success and profitability.

#### CONTACT SPG

For SPG's complete product menu, visit spgusa.com or contact us:

- 877.503.4SPG (4774)
- customerservice@spgusa.com
- SPG International, LLC World Headquarters 3340 Peachtree Rd Suite 1250 Atlanta, Georgia 30326