



Jarke® Steel Sentry® Protective Rail Systems



STANDARD FEATURES & BENEFITS

The Steel Sentry line of guardrails, handrails, bollards and guards will help protect valuable equipment and workers from hazards in the workplace. We have two versions of guardrail, either all welded or a bolt together system which allows for lift out access for servicing machinery or equipment.

AVAILABLE STYLES

**More Sizes and Options Are Available.
Contact a SPG Product Specialist for a
Free Solutions Consultation:**

customerservice@spgusa.com

877.503.4SPG (4774)

Guardrail Bolted

- Standard rails are 11ga steel, corrugated rails are 12ga steel
- Create a barrier wall or complete surround
- Single or Double rail system
- Removable rails offer access to machinery for repairs
- High visibility yellow
- Parts can easily be replaced if damaged

Rails bolt in place for added strength

Posts are 4" square 7ga steel

Ships KD (knocked down)

Contact Factory for more sizes



Guardrails

Model No.	Description	Wt. (Lbs.)
SG48R	4' Rail	21
SG72R	6' Rail	32
SG96R	8' Rail	43
SG120R	10' Rail	54

*Rail Dimensions are measured to center line of post, 4" square posts.



Guardrails - Rail Systems

Model No.	Description	Wt. (Lbs.)
Single Rail Posts		
1SG1	21" End Post	36
1SG2	21" Intermediate Post	39

Model No.	Description	Wt. (Lbs.)
Double Rail Posts		
2SG1	45" End Post	57
2SGCP	45" Corner Post	62
2SG1F	45" Flush End Post	57



21" End Post



21" 4-Way Post



21" Intermediate Post

Guardrail All Welded

- 4" square tubular 7 gauge steel
- 11" x 11" x 1/2" thick foot plates 7/8" mounting holes
- Select from three heights: 15"H single rail, 29 1/2"H double rail, or 44"H triple rail
- High visibility yellow

Rail Length	Model No.	Wt. (Lbs.)
Double Rail		
8	GR-4D-96	222

Rail Length	Model No.	Wt. (Lbs.)
Triple Rail		
4	GR-4T-48	208
6	GR-4T-72	260
8	GR-4T-96	316



Triple Rail



Double Rail



Corner Guardrail

Steel Sentry® Corner Guardrail All Welded

- 7ga steel

Ideal for creating a protective space 42" per side, around equipment or machinery. Available in single, double and triple rail heights, to coordinate with all-welded products.

Post Protector

- 3/16" thick steel
- Protect pallet racking uprights/frames
- Sturdy 1/2" x 6" x 9 1/2" base
- For both Jarke Quiktier and Utilitier

Model No.	Description	Wt. (Lbs.)
PP-12	4 x 12	15



Post Protector

Bollard

- 7ga steel
- 4" sq. post ideal for protection at dock areas
- Three heights: 24", 36", 48"
- Sturdy 1/2" x 11" x 11" base plate
- High visibility yellow

Model No.	Size (In.)	Wt. (Lbs.)
BO-48	48 High	49



Bollard

Machinery Guard

Model No.	Size (In.)	Wt. (Lbs.)
MG-3642	42 x 36	128



Machinery Guard

Corner Guard

Model No.	Description	Wt. (Lbs.)
CG-24	24" High	39
CG-36	36" High	52



Corner Guard



Overhead Door Track Guard

Overhead Door Track Guards

- Covers overhead door track to prevent damage
- Steel guard is 3/16" thick with 3/8" thick base plate
- Sold as pairs
- Mounts to wall and floor

Model No.	Description	Wt. (Lbs.)
DT-24	24" Overhead Door Track Guard	50/pr.

Steel Sentry® Handrails

This railing system is most frequently used on mezzanines, walkways or to provide a protective barrier

2" square tube rail all welded steel

Double tiered 4' sections can be used in a straight line or at 90° angle to make a directional change

Use with either an end base or an intermediate base

Easy to install

High visibility yellow

Model No.	Description	W x H (In.)	Wt. (Lbs.)
HR-4248	Hand Rail Assembly	48 x 42	23 1/2
HR-1B	End Base	---	2
HR-2B	Intermediate Base	---	2 1/2

*Anchor bolts not provided.



Handrails



End Base



Intermediate Base