

Kelmax® Aluminum Fixed Cantilever Shelving



STANDARD FEATURES & BENEFITS

- · Kelmax Cantilever Fixed Shelving Units
- Includes frame and 2 4 fixed shelves (20" or 24" depths)
- For safety, front legs do not extend past the bottom shelf
- Tubular bottom shelf is standard with all kits, and is easily removed without the use of tools for cleaning — all other shelves are fixed and not adjustable or removable
- Channel and tubular shelves support 1500 lbs. per shelf — solid shelves support 900 lbs. per shelf
- Freestanding unit does not require bolting to walls for support

AVAILABLE STYLES

*All Shelf Size and Finish Combinations May Not Be Available. Please Contact SPG for Lead Time and Availability.

Kelmax® 4-Tier Fixed	LXWXH		Weight		
Cantilever Shelving Units	(in.)	(mm)	(lbs)	(kg)	
20- inch wide shelves					
4H0310	36 x 20 x 72	914 x 508 x 1829	68	31	
4H0341	48 x 20 x 72	1219 x 508 x 1829	84	38	
24- inch wide shelves					
4H0317	36 x 24 x72	914 x 610 x 1829	72	33	
4H0351	48 x 24 x 72	1219 x 610 x 1829	92	41	
4H0366	60 x 24 x 72	1524 x 610 x 1829	106	48	







Kelmax® Aluminum Cantilever Frames & Adjustable Shelves



STANDARD FEATURES & BENEFITS

- Kelmax Cantilever Frames and Adjustable Shelves
- Tubular base dunnage shelf is standard, and easily removed without the use of tools for cleaning
- Up to 5 additional shelf positions shelves can be added or removed without tools
- Available in two shelf depths: 20" and 24"
- Clearance between adjustable shelves is 10"
- Maximum load capacity per shelving unit is 2,800 lbs.
- Frames and adjustable shelves sold separately

AVAILABLE STYLES

T-Bar Shelves Channel Shelves Tubular Shelves

*All Shelf Size and Finish Combinations May Not Be Available. Please Contact SPG for Lead Time and Availability.

Kelmax® Cantilever	LXWXH		Weight		
Shelving Frames	(in.)	(mm)	(lbs)	(kg)	
24- inch Deep Shelving Frames					
4H4501	36 x 24 x 72	914 x 610 x 1829	64	29	
4H2977E	48 x 24 x 72	1219 x 610 x 1829	75	31	
4H4500	60 x 24 x 72	1524 x 610 x 1829	86	39	
4H4500E	60 x 24 x 72	1524 x 610 x 1829	86	39	







Kelmax® Aluminum Cantilever Frames & Adjustable Shelves

Kelmax® T-Bar	LXW		Weight	
Cantilever Shelves	(in.)	(mm)	(lbs)	(kg)
24- inch Deep Shelves				
4H4433E	48 x 24	1219 x 610	13	6
4H4755E	60 x 24	1524 x 610	15	7

Kelmax®Channel	LXW		Weight	
Cantilever Shelves	(in.)	(mm)	(lbs)	(kg)
24- inch Deep Shelves				
4H4713	36 x 24	914 x 610	11	5
4H4763	60 x 24	1524 x 610	15	7

Kelmax® Tubular	LXW		Weight	
Cantilever Shelves	(in.)	(mm)	(lbs)	(kg)
24- inch Deep Shelves				
4H4505	36 x 24	914 x 610	11	5
4H2979	48 x 24	1219 x 610	13	6
4H4504	60 x 24	1524 x 610	15	7

*All Shelf Size and Finish Combinations May Not Be Available. Please Contact SPG for Lead Time and Availability.



